


[Proposal & Plan Sales Will Begin on April 5, 2010](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 27, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 27, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 05, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	NH-0008-03(032) / 100554301	Madison
02	NH-0008-03(051) / 105800301	Rankin
03	NH-0009-01(113) / 102942301	Adams
04	STP-1145-00(012)N / 101212306	Harrison
05	STP-0015-02(116) / 105591301	Lawrence
06	STP-0063-02(026) / 105375301	Forrest
07	STP-0019-02(037) / 105837301	Yalobusha
08	STP-0022-04(034) / 101630301	Union
09	BR-0023-01(069) / 100812302	Marion
* 10	STP-0026-01(077) / 105834301	Lauderdale
* 11	STP-0103-00(015) / 105879301	Hancock
12	BR-2175-00(003) / 100879301	Pike
13	SP-9999-09(074) / 105847301	Harrison
14	MP-1025-48(010) / 303885301	Monroe
* 15	MP-3012-76(011) / 303881301	Washington
* 16	MP-3028-15(012) / 303882301	Copiah
* 17	MP-3049-67(015) / 303880301	Sunflower
* 18	MP-5016-45(010) / 303877301	Madison
19	BWO-5130-62(002) / 501982301 & BWO-5131-62(002) / 501982302	Scott

CALL CONTRACT

COUNTY

20 BWO-7132-16(001) / 502014301, BWO-7133-16(001) / 502014302, &
BWO-7109-16(002) / 502014303

Covington

21 IM-0055-04(093) / 105819301

District 2

Replacing two bridges and overlaying approximately 10 miles of U.S. Highway 49 between Flora and Yazoo County Line, known as Federal Aid Project No. NH-0008-03(032) / 100554301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: September 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
13,223 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
13 Each	202-B057	Removal of Inlets, All Sizes
7,612 Linear Feet	202-B076	Removal of Traffic Stripe
800 Linear Feet	202-B102	Removal of Guard Rail
4,396 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
56,540 Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
133 Cubic Yard	206-A001	Structure Excavation
5 Ton	213-C001	Superphosphate
23 Ton	215-A001	Vegetative Materials for Mulch
44 Square Yard	216-A001	Solid Sodding
162 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
5 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
5,864 Linear Feet	234-A001	Temporary Silt Fence
392 Bale	235-A001	Temporary Erosion Checks
348,378 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
36 Mile	423-A001	Rumble Strips, Ground In
24 Linear Feet	501-D001	Expansion Joints, With Dowels
180 Linear Feet	501-E001	Expansion Joints, Without Dowels
24 Linear Feet	501-I001	Joint Filler, Wooden Board
400 Square Yard	501-K001	Transverse Grooving
400 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
150 Square Yard	503-A005	8" and Variable Reinforced Concrete Pavement
450 Linear Feet	503-C005	Saw Cut, 8-inch
225 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted , 30" Long
24 Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
900 Pounds	602-A001	Reinforcing Steel
188 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,750 Pounds	604-B001	Gratings
1,625 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-D008	Guard Rail, Bridge End Section, Type H
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
10 Each	606-E001	Guard Rail, Terminal End Section
Lump Sum	618-A001	Maintenance of Traffic
40 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1,239 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape

Call No. 01 for the April 27, 2010 Letting

40 Mile	619-A2004 Temporary Traffic Stripe, Continuous Yellow, Paint
1,239 Linear Feet	619-A2007 Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
36 Mile	619-A3007 Temporary Traffic Stripe, Skip White, Paint
52,850 Linear Feet	619-A5002 Temporary Traffic Stripe, Detail, Paint
6,240 Linear Feet	619-A5003 Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
1,450 Linear Feet	619-A6003 Temporary Traffic Stripe, Legend, Paint
32 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
850 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
4,952 Linear Feet	619-F1001 Concrete Median Barrier, Precast
3,058 Linear Feet	619-F1009 Portable Median Barrier, 60 MPH
192 Linear Feet	619-G4001 Barricades, Type III, Single Faced
120 Each	619-G5001 Free Standing Plastic Drums
2 Each	619-G7001 Warning Lights, Type "B"
2 Each	619-K2002 Installation and Removal of Guard Rail, Type I Bridge End Section
2 Each	619-K4001 Installation and Removal of Guardrail, Terminal End Section
Lump Sum	620-A001 Mobilization
1 Each	622-A003 Engineer's Field Office Building, Type 3
1,213 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
42 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
1,280 Linear Feet	628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White
1,280 Linear Feet	628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,280 Linear Feet	628-M002 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
113 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
557 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
849 Linear Feet	630-C003 Steel U-Section Posts, 3.0 lb/ft
516 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42 Each	630-F001 Delineators, Guard Rail, White
42 Each	630-F002 Delineators, Guard Rail, Yellow
140 Each	630-F003 Delineators, Flexible Post Mounted, Crossover, Type I, Green
140 Each	630-F004 Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
67 Linear Feet	630-K001 Welded & Seamless Steel Pipe Posts, 3"
48 Linear Feet	630-K002 Welded & Seamless Steel Pipe Posts, 3 1/2"
347 Linear Feet	630-K003 Welded & Seamless Steel Pipe Posts, 4"
3,400 Linear Feet	635-A001 Vehicle Loop Assemblies
1,849 Linear Feet	636-A003 Shielded Cable, 4 Conductor
3 Each	638-A005 Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8 Each	640-A016 Traffic Signal Heads, Type 1 LED
2 Each	640-A022 Traffic Signal Heads, Type 7 LED
1 Each	642-A008 Solid State Traffic Actuated Controllers, Type 8A
2 Each	645-A001 Flasher Assembly
Lump Sum	646-A001 Removal of Existing Traffic Signal Equipment
9 Each	647-A001 Pullbox, Type 1
7 Each	647-A005 Pullbox, Type 2
1,368 Linear Feet	666-B013 Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3 Conductor
915 Linear Feet	666-B016 Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
45 Linear Feet	666-B048 Electric Cable, Underground in Conduit, THHN, AWG #14, 3 Conductor

Call No. 01 for the April 27, 2010 Letting

965	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
32	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
138	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
457	Linear Feet	668-B026	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
2,250	Ton	815-A009	Loose Riprap, Size 300
2,500	Square Yard	815-E001	Geotextile under Riprap
2,500	Cubic Yard	815-F001	Sediment Control Stone
9	Acre	907-225-A001	Grassing
18	Ton	907-225-B001	Agricultural Limestone
5	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
1,000	Linear Feet	907-246-A001	Sandbags
13,074	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
7,583	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
1,405	Ton	907-304-D001	Granular Material, Crushed Stone
3,436	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
46	Ton	907-307-D001	Lime
128,364	Square Yard	907-425-A002	Roadbed Reclamation with Emulsified Asphalt
585,272	Gallon	907-425-B001	Emulsified for Roadbed Reclamation
117,072	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement
2,029	Ton	907-499-B001	Portland Cement
19	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
18	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
12,802	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
23,104	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
908	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White
106	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
2	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1,248	Linear Feet	907-824-PP040	Bridge Repair, Clean & Seal Bridge Deck Joints, Per Plans
ALTERNATE GROUP AA NO. 1			
30,924	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
220	Ton	907-311-B001	Lime
879	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP AA NO. 2			
309	Ton	907-308-A001	Portland Cement
30,294	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP BB NO. 1			
3,491	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture

Call No. 01 for the April 27, 2010 Letting

312 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,825 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,567 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
5,536 Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
46,420 Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
27,610 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 2

1,567 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,825 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
312 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
3,491 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
5,536 Ton	907-403-O005	Warm Mix Asphalt, HT, 19-mm mixture, Trench Widening
27,610 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
46,420 Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified

Bridge Items

2,503 Square Yard	501-K001	Transverse Grooving
4 Each	803-B001	Conventional Static Loading Test
8,100 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
6 Each	803-I001	PDA Test Pile
4 Each	803-J001	Pile Restrike
203,736 Pounds	805-A001	Reinforcement
1,126 Linear Feet	813-A001	Concrete Railing
1,133 Ton	815-A009	Loose Riprap, Size 300
809 Square Yard	815-E001	Geotextile under Riprap
1,003 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,304 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Overlaying US Hwy. 49, from Florence to the Simpson County Line, known as Federal Aid Project No. NH-0008-03(051) / 105800301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: November 04, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

613	Station	201-D001	Random Clearing
11,800	Square Yard	202-B015	Removal of Cement Treated Shoulders w/ Surface Treatment, All Depths
1,500	Square Yard	202-B025	Removal of Concrete Paved Ditch
2,896	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
821	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10,310	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
9,109	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
175	Square Yard	202-B216	Removal of Island Pavement, All Types
2,000	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
2,000	Cubic Yard	203-G004	Excess Excavation, LVM, AH
7,146	Square Yard	203-I001	Site Grading
500	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
216	Ton	215-A001	Vegetative Materials for Mulch
2,000	Square Yard	216-A001	Solid Sodding
40	Thousand Gallon	219-A001	Watering
800	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
42,000	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
15,500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
2,133	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
41	Mile	423-A001	Rumble Strips, Ground In
2,276	Linear Feet	501-D001	Expansion Joints, With Dowels
12,005	Square Yard	503-A006	9" and Variable Continuously Reinforced Concrete Pavement
4,203	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,856	Linear Feet	503-C002	Saw Cut, 3-inch
6,984	Linear Feet	503-C007	Saw Cut, Full Depth
2,120	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
2,276	Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1,575	Each	512-A001	Holes
7,088	Pounds	512-C002	Calcium Chloride
3	Mile	512-D001	Preliminary Testing
170	Pounds	602-A001	Reinforcing Steel
408	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
508	Pounds	604-B001	Gratings
6	Each	606-A002	Guard Post, Type II Modified
3,521	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
325	Linear Feet	606-B012	Guard Rail, Class A, Type 1, Double Faced, Metal Post
13	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post

Call No. 02 for the April 27, 2010 Letting

2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
13	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,500	Linear Feet	609-B001	Concrete Curb, Header
1,834	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,000	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
197	Square Yard	614-B001	Concrete Driveway, With Reinforcement
650	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
42	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3006	Temporary Traffic Stripe, Skip White
24,130	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,372	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
109	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
2,760	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
124	Each	619-F3004	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,550	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
44	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
62	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
26	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,068	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
500	Ton	815-A006	Loose Riprap, Size 100
760	Ton	815-A008	Loose Riprap, Size 200
500	Ton	815-F002	Sediment Control Stone
72	Acre	907-225-A001	Grassing
216	Ton	907-225-B001	Agricultural Limestone
36	Acre	907-226-A001	Temporary Grassing
6	Each	907-234-D001	Inlet Siltation Guard
10,000	Linear Feet	907-237-A002	Wattles, 12"
5,000	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-245-A001	Triangular Silt Dike
200	Linear Feet	907-246-A001	Sandbags
18,000	Ton	907-304-B001	Granular Material, Class 5, Group C
3,308	Ton	907-304-F003	3/4" and Down Crushed Stone Base
41,100	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7,560	Linear Feet	907-413-F001	Cleaning and Sealing Joints in PCC Pavement
1,890	Each	907-509-A001	Retrofitted Dowel Bars
141,750	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
3	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
9	Cubic Yard	907-601-B004	Class "C" Structural Concrete, Minor Structures

Call No. 02 for the April 27, 2010 Letting

20	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
20	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,556	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
25,740	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
551	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-R001	Changeable Message Sign
	Lump Sum	907-688-A001	Vehicle Inductive Loop and Axle Detector System

ALTERNATE GROUP AA NO. 1

8,383	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
19,000	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
10,207	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
84,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

19,000	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
8,383	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
10,207	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
84,000	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Construction necessary to make improvement to the intersection of U.S. Highway 61 and Catherine Devereux Road, known as Federal Aid Project No. NH-0009-01(113) / 102942301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: August 06, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
16,744	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,232	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
50	Square Yard	202-B025	Removal of Concrete Paved Ditch
7,572	Linear Feet	202-B038	Removal of Curb, All Types
4	Each	202-B042	Removal of Flared End Section, All Sizes
13	Each	202-B055	Removal of High Mast Lighting Assembly
13	Each	202-B056	Removal of High Mast Lighting Foundation
2,000	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B079	Removal of Headwall
16	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
1,426	Linear Feet	202-B106	Removal of Pipe, All Sizes
14,497	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,386	Cubic Yard	203-E058	Borrow Excavation, FM, Class B15, AH
22,374	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,221	Cubic Yard	206-A001	Structure Excavation
1,510	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
599	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
6	Ton	213-C001	Superphosphate
5	Ton	215-A001	Vegetative Materials for Mulch
15,763	Square Yard	216-B001	Solid Sodding, Centipede
25	Square Yard	217-A001	Ditch Liner
15	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
9	Acre	223-A001	Mowing
25	Square Yard	224-A001	Soil Reinforcing Mat
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
11,642	Linear Feet	234-A001	Temporary Silt Fence
80	Bale	235-A001	Temporary Erosion Checks
4	Each	236-A004	Silt Basin, Type D
11,534	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
94	Linear Feet	501-E001	Expansion Joints, Without Dowels
198	Square Yard	501-K001	Transverse Grooving
205	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,000	Linear Feet	503-C007	Saw Cut, Full Depth
15,847	Pounds	602-A001	Reinforcing Steel

Call No. 03 for the April 27, 2010 Letting

4,349	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,150	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
100	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
234	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
6	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
1	Each	603-CB007	54" Reinforced Concrete End Section
102	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
236	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
1	Each	603-SB025	18" Branch Connections, Stub into 54" Concrete Pipe
1	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
1	Each	603-SB052	22" x 13" Branch Connection, Stub into a Junction Box or Inlet
6,476	Pounds	604-A001	Castings
4,485	Pounds	604-B001	Gratings
2,887	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
905	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
2,566	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
849	Linear Feet	609-B001	Concrete Curb, Header
7,983	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
6,245	Linear Feet	609-D016	Combination Concrete Curb and Gutter Type 3 Modified
3	Each	613-D005	Adjustment of Manhole
5,642	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
90	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
22,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
380	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
400	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
76	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
973	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-F1002	Portable Median Barrier
3,400	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
500	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced
84	Linear Feet	619-G4005	Barricades, Type III, Double Faced
24	Linear Feet	619-G4008	Barricades, Type III, Double Faced, Permanent, Red/White
100	Each	619-G5001	Free Standing Plastic Drums
7	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
536	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
145	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 03 for the April 27, 2010 Letting

1 Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1 Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1 Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
365 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
394 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
91 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,656 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
77 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
573 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
119 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
103 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
635 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
186 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
32 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
208 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
144 Linear Feet	635-A001	Vehicle Loop Assemblies
2 Each	635-B001	Probe Point Detection Units, Paired
3,944 Linear Feet	636-A002	Shielded Cable
2 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
13 Each	640-A016	Traffic Signal Heads, Type 1 LED
7 Each	640-A017	Traffic Signal Heads, Type 2 LED
2 Each	640-A018	Traffic Signal Heads, Type 3 LED
2 Each	640-A024	Traffic Signal Heads, Type 4 LED
2 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8 Each	644-A001	Optical Detector
1,367 Linear Feet	644-B001	Optical Detector Cable
8 Each	644-C002	Phase Selector, 4 Channel
Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
15 Each	647-A005	Pullbox, Type 2
2 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
528 Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
325 Linear Feet	666-B012	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2Conductor
1,412 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
826 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
81 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
843 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
257 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
160 Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
1,482 Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 4 Conductor
18,868 Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor
6,920 Linear Feet	682-A026	Underground Branch Circuit, AWG 4, 4 Conductor
2,443 Linear Feet	682-A032	Underground Branch Circuit, AWG 6, 4 Conductor
175 Linear Feet	682-A043	Underground Branch Circuit, AWG 3/0, 3 Conductor
398 Linear Feet	682-B011	Underground Branch Circuit, Jacked or Bored, AWG 10, 4 Conductor
2,888 Linear Feet	682-B018	Underground Branch Circuit, Jacked or Bored, AWG 2, 4 Conductor

Call No. 03 for the April 27, 2010 Letting

815	Linear Feet	682-B026	Underground Branch Circuit, Jacked or Bored, AWG 4, 4 Conductor
672	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 4 Conductor
4,802	Linear Feet	682-C023	Structure Mounted Branch Circuit, AWG 4, 4 Conductor
17	Each	682-D001	Underground Pull Box
2	Each	682-D003	Structure Mounted Pull Box
13	Each	682-E001	Underground Junction Box
20	Each	682-E002	Structure Mounted Junction Box
2	Each	682-F001	Secondary Power Controllers
52	Each	683-B148	Lighting Assembly, Low Mast, Type 20-1-0-150
32	Each	683-B154	Lighting Assembly, Low Mast, Type 30-1-0-250
21	Each	683-B155	Lighting Assembly, Low Mast, Type 30-2-1-250
29	Each	683-B168	Lighting Assembly, Low Mast, Type 20-2-1-150
20	Each	683-B169	Lighting Assembly, Low Mast, Type 30-1-6-250
200	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
80	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
	Lump Sum	814-B001	Painting of Bridge
100	Ton	815-A006	Loose Riprap, Size 100
792	Ton	815-A009	Loose Riprap, Size 300
4,448	Square Yard	815-E001	Geotextile under Riprap
129	Ton	815-F002	Sediment Control Stone
11	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
6	Acre	907-226-A001	Temporary Grassing
163	Each	907-230-A044	Shrub Planting, Parsons Juniper
21	Each	907-230-B006	Tree Planting, Muskogee Crape Myrtle
90	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
20	Each	907-230-B023	Tree Planting, Eastern Red Cedar
20	Each	907-230-B035	Tree Planting, Water Oak
20	Each	907-230-B090	Tree Planting, Cottonwood
20	Each	907-230-B091	Tree Planting, Sweet Gum
20	Each	907-230-B092	Tree Planting, Black Mulberry
20	Each	907-230-B093	Tree Planting, Honey Locust
250	Linear Feet	907-230-C001	Bed Edging
3,000	Square Feet	907-230-D001	Bed Preparation
38	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
29	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
10	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-237-A002	Wattles, 12"
440	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-245-A001	Triangular Silt Dike
240	Linear Feet	907-246-A001	Sandbags
1,098	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
12,812	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
783	Ton	907-304-F003	3/4" and Down Crushed Stone Base
22,763	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C

Call No. 03 for the April 27, 2010 Letting

307	Ton	907-307-D001	Lime
52	Cubic Yard	907-601-A001	Class "B" Structural Concrete
170	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
25	Each	907-617-A001	Right-of-Way Marker
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
32,731	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,535	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,572	Linear Feet	907-626-H004	Thermoplastic Legend, White
444	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	907-639-A026	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50' Arms
1	Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms
25	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
88	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
6	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
	Lump Sum	907-649-E001	Video Detection Training
134	Each	907-682-E001	Underground Junction Box With Concrete Pad
	Lump Sum	907-831-PP001	Architectural Precast Pieces
ALTERNATE GROUP AA NO. 1			
2,410	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,683	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
697	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,153	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
3,478	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
598	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
500	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
5,464	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
4,128	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
598	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,153	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
3,478	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
697	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
2,410	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
2,683	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
500	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling
4,128	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5,464	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 1			
316	Ton	907-308-A001	Portland Cement
25,292	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

Call No. 03 for the April 27, 2010 Letting

2,529	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
			ALTERNATE GROUP BB NO. 2
27,821	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
197	Ton	907-311-B001	Lime
788	Ton	907-311-C002	Fly Ash, Class C or F
			Bridge Items
2,493	Cubic Yard	206-A001	Structure Excavation
450,710	Pounds	602-A001	Reinforcing Steel
2,454	Cubic Yard	801-A001	Foundation Excavation for Bridges
23	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test
32,990	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
15,734	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
1,551,368	Pounds	805-A001	Reinforcement
28,510	Pounds	810-A005	Structural Steel, A 709, Grade 36
4,773	Linear Feet	813-A002	Concrete Railing, 32"
57	Cubic Yard	815-D001	Concrete Slope Paving
4,164	Cubic Yard	907-601-A001	Class "B" Structural Concrete
6,184	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
36	Each	907-811-D001	Disc Bearing Device

Construction necessary for clearing and grubbing SR 601 from 28th Street to Existing Canal Road, known as Federal Aid Project No. STP-1145-00(012)N / 101212306, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: June 10, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

151	Acre	201-B001	Clearing and Grubbing
151	Ton	213-C001	Superphosphate
302	Ton	215-A001	Vegetative Materials for Mulch
4,840	Square Yard	216-A001	Solid Sodding
9,497	Square Yard	217-A001	Ditch Liner
97	Thousand Gallon	219-A001	Watering
76	Acre	220-A001	Insect Pest Control
151	Acre	223-A001	Mowing
38,500	Linear Feet	234-A001	Temporary Silt Fence
1,000	Bale	235-A001	Temporary Erosion Checks
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
352	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
130	Linear Feet	619-G4001	Barricades, Type III, Single Faced
168	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
70	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
500	Ton	815-A006	Loose Riprap, Size 100
720	Ton	815-A009	Loose Riprap, Size 300
800	Square Yard	815-E001	Geotextile under Riprap
151	Acre	907-225-A001	Grassing
453	Ton	907-225-B001	Agricultural Limestone
19	Acre	907-227-A002	Hydroseeding, Temporary Grassing
3,104	Linear Feet	907-237-A003	Wattles, 20"
940	Linear Feet	907-245-A001	Triangular Silt Dike
121	Each	907-617-A001	Right-of-Way Marker

Slide repair on US Hwy. 84 at Monticello, known as Federal Aid Project No. STP-0015-02(116) / 105591301, in the County of Lawrence, State of Mississippi.

PROJECT COMPLETION: October 12, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

55	Square Yard	202-B025	Removal of Concrete Paved Ditch
76,482	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
61,186	Cubic Yard	203-G004	Excess Excavation, LVM, AH
82,000	Square Yard	209-A003	Geotextile Stabilization, Type VII
12	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
41,608	Square Yard	224-A001	Soil Reinforcing Mat
6,400	Linear Feet	234-A001	Temporary Silt Fence
150	Bale	235-A001	Temporary Erosion Checks
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
428	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
400	Ton	815-A009	Loose Riprap, Size 300
600	Square Yard	815-E001	Geotextile under Riprap
12	Acre	907-225-A001	Grassing
35	Ton	907-225-B001	Agricultural Limestone
6	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-237-A003	Wattles, 20"
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

Construction necessary to upgrade SR 42 east of Petal, known as Federal Aid Project No. STP-0063-02(026) / 105375301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: May 04, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8,631 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
16,794 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
76 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
14 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1 Each	202-B057	Removal of Inlets, All Sizes
4 Each	202-B079	Removal of Headwall
4,305 Linear Feet	202-B106	Removal of Pipe, All Sizes
16 Mile	202-B149	Removal of Traffic Stripe
87,888 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,727 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
6,139 Cubic Yard	206-A001	Structure Excavation
120 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
147,677 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22 Ton	213-C001	Superphosphate
24,200 Square Yard	216-A001	Solid Sodding
1,687 Square Yard	217-A001	Ditch Liner
89 Thousand Gallon	219-A001	Watering
45 Acre	220-A001	Insect Pest Control
489 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
45 Acre	223-A001	Mowing
212 Square Yard	224-A001	Soil Reinforcing Mat
16,500 Linear Feet	234-A001	Temporary Silt Fence
904 Bale	235-A001	Temporary Erosion Checks
7 Each	236-A002	Silt Basin, Type B
18 Each	236-A004	Silt Basin, Type D
25,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,000 Linear Feet	503-C004	Saw Cut, 7-inch
71,355 Pounds	602-A001	Reinforcing Steel
11,224 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,468 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
310 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
76 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
112 Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
6 Each	603-CB001	18" Reinforced Concrete End Section
10 Each	603-CB002	24" Reinforced Concrete End Section
7 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
156 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets

Call No. 06 for the April 27, 2010 Letting

1	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
7,742	Pounds	604-A001	Castings
1,143	Pounds	604-B001	Gratings
1,600	Linear Feet	609-B001	Concrete Curb, Header
863	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
49,376	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
200	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
450	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
16,759	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
1,613	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,246	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
48,508	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,279	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,429	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,502	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
379	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
474	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1,032	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1,237	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
743	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
142	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
491	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
63	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
569	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
94	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
170	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
341	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
244	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
96	Linear Feet	635-A001	Vehicle Loop Assemblies
970	Linear Feet	636-A002	Shielded Cable
1	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
760	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel

Call No. 06 for the April 27, 2010 Letting

3	Each	647-A001	Pullbox, Type 1
1	Each	647-A003	Pullbox, Type 4
3	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
800	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
180	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
324	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
84	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
500	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
312	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
45	Acre	907-225-A001	Grassing
130	Ton	907-225-B001	Agricultural Limestone
23	Acre	907-226-A001	Temporary Grassing
1,070	Linear Feet	907-237-A002	Wattles, 12"
340	Linear Feet	907-237-A003	Wattles, 20"
340	Linear Feet	907-245-A001	Triangular Silt Dike
1,410	Linear Feet	907-246-A001	Sandbags
5	Each	907-247-A001	Temporary Stream Diversion
23,741	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
39,400	Ton	907-304-F001	Size 825 Crushed Stone Base
7,875	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
5,703	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,641	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
830	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,231	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,830	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
26,867	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,122	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
18,738	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5,703	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,578	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
81	Cubic Yard	907-601-A001	Class "B" Structural Concrete
247	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
576	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
69	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,216	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,128	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,370	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,741	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 06 for the April 27, 2010 Letting

2 Each	907-639-A013	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
8 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
403 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Milling and Overlaying approximately 7 miles of S.R. 7 from the Grenada County Line to Coffeerville, known as Federal Aid Project No. STP-0019-02(037) / 105837301 in the County of Yalobusha, State of Mississippi.

PROJECT COMPLETION: September 07, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200 Square Yard	202-B078	Removal of Pavement, All Types and Depths
300 Cubic Yard	203-G003	Excess Excavation, FM, AH
100 Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,600 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13 Mile	423-A001	Rumble Strips, Ground In
200 Linear Feet	503-C007	Saw Cut, Full Depth
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
26 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
42,714 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,458 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
744 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
481 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,000 Ton	907-304-B009	Granular Material, Class 3, Group D
13 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
21,357 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,229 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
950 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
372 Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

3,900 Ton	907-403-A009	Hot Mix Asphalt, MT, 4.75-mm mixture
10,300 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,500 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP AA NO. 2

10,300 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
3,900 Ton	907-403-M014	Warm Mix Asphalt, MT, 4.75-mm mixture
2,500 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Construction necessary for grade, drain, bridge and paving work on SR 15 from King's Creek south of New Albany to 6.4 miles south of the Tippah County Line, known as Federal Aid Project No. STP-0022-04(034) / 101630301, in the County of Union, State of Mississippi

PROJECT COMPLETION: June 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
21,945 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
9,543 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
21 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
500 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
6,710 Linear Feet	202-B038	Removal of Curb, All Types
2 Each	202-B042	Removal of Flared End Section, All Sizes
22 Each	202-B057	Removal of Inlets, All Sizes
6,370 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11 Each	202-B079	Removal of Headwall
1,500 Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
418 Linear Feet	202-B102	Removal of Guard Rail
10 Each	202-B130	Removal of Piling
1 Each	202-B142	Removal of Junction Box
22 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
242,157 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
71,119 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
27,105 Cubic Yard	203-G003	Excess Excavation, FM, AH
13,735 Cubic Yard	206-A001	Structure Excavation
380 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
95,450 Square Yard	209-A001	Geotextile Stabilization, Type V
115 Ton	213-C001	Superphosphate
440 Ton	215-A001	Vegetative Materials for Mulch
1,411 Square Yard	216-A001	Solid Sodding
681 Square Yard	217-A001	Ditch Liner
29 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
60 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
800 Square Yard	224-A001	Soil Reinforcing Mat
44,950 Linear Feet	234-A001	Temporary Silt Fence
2,912 Bale	235-A001	Temporary Erosion Checks
13 Each	236-A004	Silt Basin, Type D
3,300 Linear Feet	239-A001	Temporary Slope Drains
60,237 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
160 Linear Feet	501-E001	Expansion Joints, Without Dowels
389 Square Yard	501-K001	Transverse Grooving

Call No. 08 for the April 27, 2010 Letting

389	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
170	Linear Feet	503-C007	Saw Cut, Full Depth
127,639	Pounds	602-A001	Reinforcing Steel
13,036	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,994	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
508	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
480	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
128	Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
70	Each	603-CB001	18" Reinforced Concrete End Section
11	Each	603-CB002	24" Reinforced Concrete End Section
3	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
29,636	Pounds	604-A001	Castings
11,850	Pounds	604-B001	Gratings
19,034	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
1,556	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,943	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
100	Linear Feet	609-B002	Concrete Curb, Doweled
426	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
215	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
26,714	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
6,039	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
669	Square Yard	614-B001	Concrete Driveway, With Reinforcement
5	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
59,977	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,139	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
80,528	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,029	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
41,882	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,206	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,270	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
224	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,084	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
756	Linear Feet	619-F1002	Portable Median Barrier

Call No. 08 for the April 27, 2010 Letting

433	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
21	Each	619-F3004	Delineators, Guard Rail, White
1,308	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,271	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
662	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,052	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
55	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
474	Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White
474	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
356	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
474	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
807	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
251	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
455	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
189	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
1,242	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
422	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
307	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
480	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
3,504	Linear Feet	635-A001	Vehicle Loop Assemblies
1	Each	635-B001	Probe Point Detection Units, Paired
8,465	Linear Feet	636-A003	Shielded Cable, 4 Conductor
1	Each	637-A001	Equipment Cabinet
12	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
32	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
12	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
11	Each	647-A001	Pullbox, Type 1
29	Each	647-A005	Pullbox, Type 2
4	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
4,720	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
250	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
525	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
390	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,400	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
815	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,125	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
255	Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
2,172	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
4,182	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
771	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
260	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor

Call No. 08 for the April 27, 2010 Letting

13	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
2	Each	683-A044	Lighting Assembly, High Mast, Type 120-4-A
4	Each	683-A050	Lighting Assembly, High Mast, Type 120-6-A
12	Each	683-B162	Lighting Assembly, Low Mast, Type 30-1-0-400
1	Each	683-D001	Portable Electric Power Units
14	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
34	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B005	Slip Casing, 42" Diameter
	Lump Sum	699-B001	Bridge Construction Stakes
950	Ton	815-A006	Loose Riprap, Size 100
468	Ton	815-A009	Loose Riprap, Size 300
225	Square Yard	815-E001	Geotextile under Riprap
101	Ton	815-F002	Sediment Control Stone
230	Acre	907-225-A001	Grassing
690	Ton	907-225-B001	Agricultural Limestone
60	Acre	907-226-A001	Temporary Grassing
30	Each	907-234-D001	Inlet Siltation Guard
300	Linear Feet	907-234-F001	Turbidity Barrier
2,490	Linear Feet	907-237-A002	Wattles, 12"
1,860	Linear Feet	907-237-A003	Wattles, 20"
1,860	Linear Feet	907-245-A001	Triangular Silt Dike
3,300	Linear Feet	907-246-A001	Sandbags
6	Each	907-247-A001	Temporary Stream Diversion
10,664	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
34,998	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
399	Cubic Yard	907-601-A001	Class "B" Structural Concrete
760	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,036	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,224	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24,066	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
31,915	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
21,514	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
42,643	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
18,393	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,350	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,383	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,090	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
3	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm

Call No. 08 for the April 27, 2010 Letting

1	Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
1	Each	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
1	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
1	Each	907-639-A064	Traffic Signal Equipment Pole, Type III, 30' Shaft, 30' & 35' Arms
12	Each	907-682-E001	Underground Junction Box With Concrete Pad
	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NO. 1			
16,987	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
30,629	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
10,683	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
254	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
16,987	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
10,683	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
30,629	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
254	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
6,933	Square Yard	501-K001	Transverse Grooving
10	Each	803-B001	Conventional Static Loading Test
4,890	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,060	Linear Feet	803-D003	HP 14 x 73 Steel Piling
9,320	Linear Feet	803-F009	20" Pre-Formed Pile Hole
10	Each	803-I001	PDA Test Pile
10	Each	803-J001	Pile Restrike
30	Linear Feet	803-N001	Exploration
770	Linear Feet	803-O009	Temporary Casing, 54" Diameter
680,056	Pounds	805-A001	Reinforcement
5,008	Square Feet	809-A003	Retaining Wall System
3,095	Linear Feet	813-A002	Concrete Railing, 32"
238	Linear Feet	813-A003	Concrete Railing, 42"
4,190	Ton	815-A009	Loose Riprap, Size 300
113	Cubic Yard	815-D001	Concrete Slope Paving
5,616	Square Yard	815-E001	Geotextile under Riprap
1,465	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
131	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
3,359	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,088	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
5,191	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,914	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,537	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
959	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III

Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.

PROJECT COMPLETION: May 24, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
12,569	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
189	Linear Feet	202-B038	Removal of Curb, All Types
520	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,977	Linear Feet	202-B076	Removal of Traffic Stripe
8,454	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
68,750	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
11,109	Cubic Yard	203-G003	Excess Excavation, FM, AH
397	Cubic Yard	206-A001	Structure Excavation
9	Ton	213-C001	Superphosphate
21	Ton	215-A001	Vegetative Materials for Mulch
111	Square Yard	216-A001	Solid Sodding
810	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
62	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
3,279	Square Yard	224-A001	Soil Reinforcing Mat
6,197	Linear Feet	234-A001	Temporary Silt Fence
578	Bale	235-A001	Temporary Erosion Checks
1	Each	236-A004	Silt Basin, Type D
800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,918	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
2	Mile	423-A001	Rumble Strips, Ground In
94	Linear Feet	501-E001	Expansion Joints, Without Dowels
196	Square Yard	501-K001	Transverse Grooving
202	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
355	Pounds	602-A001	Reinforcing Steel
352	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
3	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
168	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
84	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
600	Pounds	604-B001	Gratings

Call No. 09 for the April 27, 2010 Letting

450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
1,440	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
438	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
72	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
19,168	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
479	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
29,209	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,975	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
955	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
199	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
9,479	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,662	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
288	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
115	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
29	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
141	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
468	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,420	Linear Feet	619-F1001	Concrete Median Barrier, Precast
168	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
88	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
45	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
29	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
622	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
487	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
487	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
76	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
118	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
193	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
135	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
16	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
92	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
150	Ton	815-A006	Loose Riprap, Size 100
948	Ton	815-A009	Loose Riprap, Size 300
371	Square Yard	815-E001	Geotextile under Riprap
94	Ton	815-F002	Sediment Control Stone
19	Acre	907-225-A001	Grassing

Call No. 09 for the April 27, 2010 Letting

53 Ton	907-225-B001	Agricultural Limestone
9 Acre	907-226-A001	Temporary Grassing
210 Linear Feet	907-234-F001	Turbidity Barrier
2,312 Linear Feet	907-237-A003	Wattles, 20"
200 Linear Feet	907-245-A001	Triangular Silt Dike
200 Linear Feet	907-246-A001	Sandbags
7,793 Cubic Yard	907-304-C003	Granular Material, AEA, Class 6, Group C
15,342 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
197 Ton	907-307-D001	Lime
9 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
300 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
52 Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
28 Each	907-617-A001	Right-of-Way Marker
553 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
6,500 Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
15,453 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,667 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
96 Linear Feet	907-626-H004	Thermoplastic Legend, White
115 Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
207 Ton	907-308-A001	Portland Cement
18,607 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
18,607 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
140 Ton	907-311-B001	Lime
561 Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1		
3,190 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
3,142 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,267 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2		
3,190 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,267 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
3,142 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
Bridge Items		
936 Square Yard	501-K001	Transverse Grooving
2 Each	803-B001	Conventional Static Loading Test
2,980 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
71,721 Pounds	805-A001	Reinforcement
403 Linear Feet	813-A001	Concrete Railing
792 Ton	815-A009	Loose Riprap, Size 300
476 Square Yard	815-E001	Geotextile under Riprap
362 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,178 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Milling and overlaying approximately 5 miles of SR 19 from just north of SR 494 to just north of Lauderdale / Collinsville Road, known as Federal Aid Project No. STP-0026-01(077) / 105834301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,604	Linear Feet	202-B076	Removal of Traffic Stripe
3	Each	202-B136	Removal of Guard Rail Terminal End Section
50	Ton	310-B003	Size I Stabilizer Aggregate, Coarse
43,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
875	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
2,712	Linear Feet	503-C003	Saw Cut, 6-inch
2	Each	606-D012	Guard Rail, Bridge End Section, Type I , Rub Rail and Block-out Hardware Only
3	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
38,739	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,836	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,034	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
882	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
875	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,215	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,105	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
180	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
712	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,722	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,534	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,536	Square Feet	628-P001	High Performance Cold Plastic Legend, White
600	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
3	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
11,500	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
1,056	Square Yard	907-504-A001	6" Fiber Reinforced Concrete Pavement
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
15,591	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 10 for the April 27, 2010 Letting

23,149	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,836	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,034	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
32,000	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
32,000	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture

Widening and overlaying approximately 5 miles of SR 604 between US 90 and SR 607, known as Federal Aid Project No. STP-0103-00(015) / 105879301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: July 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,450	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
116	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
10	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
5	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
340	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Ton	907-304-F001	Size 825 Crushed Stone Base
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
550	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

600	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
7,600	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

4,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
600	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
7,600	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Replacing six bridges on US Highway 51 south of McComb, known as Federal Aid Project No. BR-2175-00(003) / 100879301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: August 12, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
11,412	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
2	Each	202-B019	Removal of Concrete Headwall
3	Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
201	Square Meter	202-B035	Removal of Concrete Sidewalk
100	Meter	202-B039	Removal of Curb (All Types)
915	Meter	202-B056	Removal of Guard Rail Only
1,425	Meter	202-B076	Removal of Traffic Stripe
3,208	Square Meter	202-B098	Removal of Concrete Overlaid w/ Asphalt Pavement (All Depths)
92	Meter	202-B107	Removal of Pipe (All Sizes)
3	Each	202-B188	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
2	Each	202-B223	Removal of Catch Basin
232	Cubic Meter	203-F001	Channel Excavation (FM)
11,886	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
919	Cubic Meter	206-A001	Structure Excavation
123	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
14	Metric Ton	213-C001	Superphosphate
90	Metric Ton	215-A001	Vegetative Materials for Mulch
63	Square Meter	216-A001	Solid Sodding
4	thousand liter	219-A001	Watering
7	Hectare	220-A001	Insect Pest Control
20	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
225	Bale	235-A001	Temporary Erosion Checks
2	Each	236-A007	Silt Basin (Type D1)
200	Meter	239-A001	Temporary Slope Drains
2,456	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
22,576	Liter	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
78	Meter	501-E001	Expansion Joints (Without Dowels)
466	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
34,937	Kilogram	602-A001	Reinforcing Steel
56	Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
38	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
22	Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
4	Each	603-C-B001	450-mm Reinforced Concrete End Section
2	Each	603-C-B004	900-mm Reinforced Concrete End Section
179	Kilogram	604-A001	Castings
354	Meter	606-B001	Guard Rail (Class A, Type 1)
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
275	Square Meter	608-B001	Concrete Sidewalk (With Reinforcement)
258	Meter	609-D002	Combination Concrete Curb and Gutter Type 2

Call No. 12 for the April 27, 2010 Letting

236 Meter	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
28 Square Meter	614-B001	Concrete Driveway (With Reinforcement)
178 Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
44 Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
Lump Sum	618-A001	Maintenance of Traffic
58 Square Meter	619-D1002	Standard Roadside Construction Signs (< 0.9 square meter)(Permanent)
106 Square Meter	619-D2002	Standard Roadside Construction Signs (0.9 square meter or more)(Permanent)
77 Meter	619-F1001	Concrete Median Barrier (Precast)
24 Each	619-F3004	Delineators (Guard Rail) (White)
79 Meter	619-G4001	Barricades (Type III) (Single Faced)
25 Meter	619-G4005	Barricades (Type III) (Double Faced)
101 Each	619-G5001	Free Standing Plastic Drums
24 Each	619-G7001	Warning Lights (Type "B")
61 Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
9 Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
14 Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
8 Meter	630-C002	Steel U-Section Posts (2.97 to 3.72 kg/m)
96 Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
62 Each	630-F001	Delineators (Guard Rail)(White)
20 Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
12 Each	630-G006	Type 1 Object Markers (OM1-3)
34 Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
254 Metric Ton	815-A005	Loose Riprap, (Size 45 kg)
2,584 Metric Ton	815-A006	Loose Riprap, (Size 91 kg)
62,479 Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
601 Square Meter	907-217-A001	Ditch Liner
20 Hectare	907-225-A001	Grassing
94 Metric Ton	907-225-B001	Agricultural Limestone
7 Hectare	907-226-A002	Temporary Grassing
4,508 Meter	907-234-A002	Temporary Silt Fence
100 Meter	907-234-F001	Turbidity Barrier
150 Meter	907-237-A002	Wattles, 500-mm
75 Meter	907-245-A001	Triangular Silt Dike
75 Meter	907-246-A001	Sandbags
4 Each	907-247-A001	Temporary Stream Diversion
13,977 Cubic Meter	907-304-A001	Granular Material (Class 6, Group C)
5 Kilometer	907-423-A001	Rumble Strips (Ground In)
466 Square Meter	907-501-K001	Transverse Grooving
235 Cubic Meter	907-601-A001	Class "B" Structural Concrete
14 Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
45 Meter	907-603-ALT01	450-mm Type A Alternate Pipe
16 Meter	907-603-ALT05	600-mm Type A Alternate Pipe
8 Each	907-606-E003	Guard Rail, Terminal End Section, Flared
4 Each	907-606-E004	Guard Rail, Terminal End Section, Non-Flared

Call No. 12 for the April 27, 2010 Letting

57	Each	907-617-A001	Right-of-Way Markers (Type I)
	Lump Sum	907-618-C001	Construction & Removal of Detour Bridge (Sta 1+061)(Spans - 7@9.45)
	Lump Sum	907-618-C001	Construction & Removal of Detour Bridge (Sta 1+461)(Spans - 5@9.45)
8	Kilometer	907-619-A1005	Temporary Traffic Stripe (Continuous White) (Paint)
8,697	Meter	907-619-A2001	Temporary Traffic Stripe (Continuous Yellow) (Paint)
2	Kilometer	907-619-A4001	Temporary Traffic Stripe (Skip Yellow) (Paint)
3,984	Meter	907-619-A5001	Temporary Traffic Stripe (Detail) (Paint)
65	Meter	907-619-A6001	Temporary Traffic Stripe (Legend) (Paint)
4	Square Meter	907-619-A6005	Temporary Traffic Stripe (Legend) (Paint)
156	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
8	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
44	Meter	907-626-BB002	150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
5	Kilometer	907-626-CC006	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
1,753	Meter	907-626-D004	150-mm Thermoplastic Traffic Stripe, Skip Yellow
4	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
1,298	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
12	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
4	Square Meter	907-626-H001	Thermoplastic Legend (White)(3.00-mm min.)
65	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
35	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
330	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
537	Meter	907-628-JJ001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous White)
537	Meter	907-628-MM001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)
4	Square Meter	907-630-PP005	Roadside Directional Signs (Sheet Aluminum, 3.18-mm Thickness, Ground Mounted)
	Lump Sum	907-699-A001	Roadway Construction Stakes
152	Cubic Meter	907-804-B001	Box Bridge Concrete (Class B)
2,859	Square Meter	907-815-E001	Geotextile Fabric under Riprap
14	Metric Ton	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NO. 1			
3,633	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
5,742	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
3,633	Metric Ton	907-403-M001	Warm Mix Asphalt, MT, 9.5-mm mixture
5,742	Metric Ton	907-403-M002	Warm Mix Asphalt, MT, 19-mm mixture
Bridge Items			
113,592	Kilogram	805-A001	Reinforcement
460	Meter	813-A001	Concrete Railing
66	Meter	813-E010	Pedestrian Railing (Concrete)
973	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
2,484	Square Meter	907-501-K001	Transverse Grooving
6	Each	907-803-B002	Conventional Static Pile Load Test
782	Meter	907-803-C001	350-mm x 350-mm Prestressed Concrete Piling
509	Meter	907-803-C002	400-mm x 400-mm Prestressed Concrete Piling

Call No. 12 for the April 27, 2010 Letting

1,132	Meter	907-803-C003	450-mm x 450-mm Prestressed Concrete Piling
7	Each	907-803-I001	PDA Test Pile
6	Each	907-803-J001	Pile Restrike
981	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
214	Meter	907-804-C004	32-m Prestressed Concrete Beams, Type IV
655	Meter	907-804-C022	18-m Prestressed Concrete Beams, Type II+50
565	Meter	907-804-C089	15-m Prestressed Concrete Beams, Type II + 50
592	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Installing traffic counter stations at various locations in Harrison County, known as State Project No. SP-9999-09(074) / 105847301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: December 17, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	620-A001	Mobilization
8 Each	647-A003	Pullbox, Type 4
640 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
525 Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
135 Linear Feet	668-A031	Traffic Signal Conduit, Structure Mounted, Type I Rigid Galvanized Steel, 2"
565 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
5 Each	907-637-A001	Equipment Cabinet, Type B
2 Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter , State Furnished Pole
9 Each	907-641-A001	Radar Detection System
595 Linear Feet	907-641-B001	RDS Comm Cable

Construction necessary to rehabilitate approximately 400 feet of SR 25 in Amory, known as State Project No. MP-1025-48(010) / 303885301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: July 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

467	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
706	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
50	Square Yard	202-B035	Removal of Concrete Sidewalk
793	Square Yard	202-B036	Removal of Concrete Slope Paving
403	Linear Feet	202-B064	Removal of Pipe, 8" And Above
700	Linear Feet	202-B126	Removal of Hand Rail , Metal
4	Each	202-B215	Removal of Curb Inlet
950	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
850	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,425	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
50	Linear Feet	234-A001	Temporary Silt Fence
50	Linear Feet	503-C007	Saw Cut, Full Depth
220	Pounds	602-A001	Reinforcing Steel
116	Linear Feet	603-A039	14" Steel Pipe, Wall Thickness 0.375"
2	Each	603-SA002	90 Elbow, Materials per Pay Item No. 907-603-PE212
800	Pounds	604-B001	Gratings
50	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
844	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
	Lump Sum	618-A001	Maintenance of Traffic
646	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
161	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-G4001	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
11	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
140	Cubic Yard	815-D001	Concrete Slope Paving
600	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,172	Square Yard	907-501-B007	9" & Variable Plain Cement Concrete Pavement, Tine Finish
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
285	Linear Feet	907-603-PE212	15" Corrugated Polyethylene Pipe
892	Linear Feet	907-605-Q001	4" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
844	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
844	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

Call No. 15 for the April 27, 2010 Letting

Repainting the bridge on SR 12 over the Sunflower River, known as State Project No. MP-3012-76(011) / 303881301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: September 17, 2010

Advance Information Only - Items and Quantities Subject to Change

Bridge Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	816-A001	Maintenance Painting of Metal Structures

Overlaying approximately 12 miles of Mississippi Highway 28 beginning near the Copiah/Jefferson County Line, known as State Project No. MP-3028-15(012) / 303882301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: August 20, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
700 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
26 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
14 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
10 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
6,400 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
650 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
775 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,000 Ton	907-304-B002	Granular Material, Class 5, Group D
100 Ton	907-304-F003	3/4" and Down Crushed Stone Base
26 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,100 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,300 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
650 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
18,000 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,500 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 1		
18,000 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
1,500 Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlaying approximately 12 miles of U.S. Highway 49 from Drew to the Coahoma County Line, known as State Project No. MP-3049-67(015) / 303880301, in the County of Sunflower, State of Mississippi.

PROJECT COMPLETION: September 03, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

130	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
190	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
330	Cubic Yard	203-G003	Excess Excavation, FM, AH
455	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
12	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
594	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,705	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
785	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
980	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,140	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
570	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
12,200	Ton	907-304-B007	Granular Material, Class 5, Group E
310	Ton	907-304-F003	3/4" and Down Crushed Stone Base
23	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,590	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,705	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
19,275	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
3,300	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
19,275	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
3,300	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Milling and overlaying approximately 6 miles of SR 16 from Farmhaven to the Leake County Line, known as State Project No. MP-5016-45(010) / 303877301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: August 13, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
896	Linear Feet	202-B038	Removal of Curb, All Types
460	Linear Feet	202-B102	Removal of Guard Rail
80	Square Yard	202-B216	Removal of Island Pavement, All Types
150	Cubic Yard	203-G003	Excess Excavation, FM, AH
120,554	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
310	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
180	Linear Feet	609-E001	Bituminous Curb
80	Square Yard	616-B002	Hot Bituminous Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
950	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
334	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
475	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Each	630-F001	Delineators, Guard Rail, White
816	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
950	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
13,385	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
700	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
13,385	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
700	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Renovating the Rest Areas on I-20 at Morton and Forest, known as State Project Nos. BWO-5130-62(002) / 501982301 & BWO-5131-62(002) / 501982302, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,500	Linear Feet	234-A001	Temporary Silt Fence
75	Bale	235-A001	Temporary Erosion Checks
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
500	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-246-A001	Sandbags

Building Items

Lump Sum	1510-A001	Renovate Rest Area in Forest
Lump Sum	1510-A001	Renovate Rest Area in Morton

Construction of a new Maintenance Area Headquarters Building, construction of an equipment shed, and renovation of an existing building on US 49 in Collins, known as State Project Nos. BWO-7132-16(001) / 502014301, BWO-7133-16(001) / 502014302, & BWO-7109-16(002) / 502014303, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
971 Linear Feet	202-B041	Removal of Fence, All Types
1,500 Linear Feet	234-A001	Temporary Silt Fence
30 Bale	235-A001	Temporary Erosion Checks
1,725 Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
1 Each	607-G039	Gate, 6' x 6' Chain Link, w/ Top Guard
2 Each	607-G105	Gate, 24' x 6' Double Chain Link w/ Top Guard
161 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
13 Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
2 Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
4 Each	607-P3008	Gate Post, 9' x 3 1/2" Galvanized Steel
1 Acre	907-225-A001	Grassing
2 Ton	907-225-B001	Agricultural Limestone
50 Linear Feet	907-237-A003	Wattles, 20"

Building Items

Lump Sum	1500-A001	Construction of 4-Bay Open Equipment Shed
Lump Sum	1500-A001	Construction of Maintenance Area Headquarters
Lump Sum	1510-A001	Renovate Existing Building

Roadway landscaping at various locations, known as Federal Aid Project Nos. IM-0055-04(093) / 105819301, in the Counties of Panola, Grenada, Yalobusha, Montgomery, Tate, DeSoto, & Carroll, State of Mississippi.

PROJECT COMPLETION: June 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
550 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
400 Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
1 Ton	213-B001	Combination Fertilizer, 13-13-13
990 Thousand Gallon	219-A001	Watering
19 Acre	220-A001	Insect Pest Control
100 Square Yard	224-A001	Soil Reinforcing Mat
14 Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
5,000 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
116 Square Feet	619-D4001	Directional Signs
Lump Sum	620-A001	Mobilization
55 Ton	907-213-A001	Agricultural Limestone
17 Acre	907-227-A001	Hydroseeding
3,474 Each	907-230-A123	Shrub Planting, Glen St. Mary Elaeagnus
66,000 Square Feet	907-230-D001	Bed Preparation
850 Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
850 Cubic Yard	907-233-A002	Tree Bark Mulch, Type V

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR