


[Proposal & Plan Sales Will Begin on May 31, 2010](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for June – June 22, 2010**



Two Month Projects  
Have An (\*)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JUNE - Tuesday, June 22, 2010**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 31, 2010**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JUNE**

CALL	CONTRACT	COUNTY
01	NH-0015-02(084)PH3 / 102921302	Jefferson Davis
02	NH-0020-01(153) / 102291301	Hinds
03	BR-0339-00(005) / 102492301	Jasper
04	SP-0023-02(051) / 105892301	Scott
05	SP-0055-03(082) / 105505301	Grenada
06	MP-1178-41(007) / 303905301	Lee
07	MP-1078-73(007) / 303904301	Union
* 08	MP-3018-15(001) / 303935301	Copiah
* 09	MP-5080-38(010) / 303910301	Lauderdale
* 10	MP-6049-24(021) / 303922301	Harrison
11	MP-7042-33(014) / 303867301	Jefferson Davis
* 12	STP-9999-05(010) / 105893301, STP-9999-05(010) / 105893302, & STP-9999-05(010) / 105893303	Madison, Rankin, & Hinds

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, July 27, 2010; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

**LIST OF CONTRACTS FOR JULY**

CALL	CONTRACT	COUNTY
01	BWO-1180-41(001) / 501637301	Lee

Reconstructing approximately 5 miles of U.S. Highway 84 between Prentiss and the Covington County Line, known as Federal Aid Project No. NH-0015-02(084)PH3 / 102921302, in the County of Jefferson Davis, State of Mississippi.

PROJECT COMPLETION: June 28, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
2	Hectare	201-B001	Clearing and Grubbing
68,130	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
600	Square Meter	202-B025	Removal of Concrete Paved Ditch
158	Meter	202-B066	Removal of Pipe (200-mm and above)
16	Each	202-B081	Removal of Headwall
155	Meter	202-B082	Removal of Box Culvert
134	Meter	202-B088	Removal of Guard Rail (Including Rails, Posts and Terminal Ends)
16	Each	202-B089	Removal of Box Culvert Headwall (All Sizes)
1	Each	202-B099	Removal of Inlet and Junction Box (All Types & Sizes)
20	Kilometer	202-B156	Removal of Traffic Stripe
9,825	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
3,092	Cubic Meter	206-A001	Structure Excavation
91	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
40	Metric Ton	213-C001	Superphosphate
224	Metric Ton	215-A001	Vegetative Materials for Mulch
14,695	Square Meter	216-A001	Solid Sodding
25,173	thousand liter	219-A001	Watering
20	Hectare	220-A001	Insect Pest Control
2,499	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
5,018	Bale	235-A001	Temporary Erosion Checks
20	Each	236-A007	Silt Basin (Type D1)
6,102	Metric Ton	305-B003	Size I Stabilizer Aggregate, Coarse
10,678	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
29,884	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
63	Meter	501-E001	Expansion Joints (Without Dowels)
399	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
31,043	Kilogram	602-A001	Reinforcing Steel
12	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
57	Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
170	Meter	603-C-A006	1050-mm Reinforced Concrete Pipe, Class III
107	Meter	603-C-A007	1200-mm Reinforced Concrete Pipe, Class III
83	Meter	603-C-A008	1350-mm Reinforced Concrete Pipe, Class III
3	Each	603-C-B002	600-mm Reinforced Concrete End Section
8	Each	603-C-B003	750-mm Reinforced Concrete End Section
10	Each	603-C-B005	1050-mm Reinforced Concrete End Section
10	Each	603-C-B006	1200-mm Reinforced Concrete End Section
4	Each	603-C-B007	1350-mm Reinforced Concrete End Section
199	Meter	606-B001	Guard Rail (Class A, Type 1)
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
169	Meter	609-D002	Combination Concrete Curb and Gutter Type 2

Call No. 01 for the June 22, 2010 Letting

110	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
37	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
10	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
552	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
4	Each	619-E1001	Flashing Arrow Panel (Type C)
807	Meter	619-G4001	Barricades (Type III) (Single Faced)
592	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights (Type "B")
4	Each	619-K2001	Installation and Removal of Guard Rail (Bridge End Section)
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
9	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
33	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
129	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
88	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
22	Each	630-F001	Delineators (Guard Rail)(White)
14	Each	630-F002	Delineators (Guard Rail)(Yellow)
12	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
12	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
2	Each	630-G002	Type 3 Object Markers (OM-3R) Post Mounted
2	Each	630-G003	Type 3 Object Markers (OM-3L) Post Mounted
47	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
10,000	Square Meter	815-A003	Loose Riprap, (Size 136 kg)
272	Metric Ton	815-A005	Loose Riprap, (Size 45 kg)
	Lump Sum	907-202-A001	Removal of Obstructions Bridges
119,139	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
69,209	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
2,985	Square Meter	907-217-A001	Ditch Liner
160	Hectare	907-223-A001	Mowing
40	Hectare	907-225-A001	Grassing
268	Metric Ton	907-225-B001	Agricultural Limestone
20	Hectare	907-226-A002	Temporary Grassing
784	Meter	907-234-A002	Temporary Silt Fence
2	Each	907-236-B004	Maintenance and Removal of Existing Silt Basins (Type D)
305	Meter	907-237-A002	Wattles, 500-mm
182	Meter	907-245-A001	Triangular Silt Dike
152	Meter	907-246-A001	Sandbags
6	Each	907-247-A001	Temporary Stream Diversion
24,270	Cubic Meter	907-304-C001	Granular Material (AEA) (Class 3, Group C)
43,985	Cubic Meter	907-304-C002	Granular Material (AEA) (Class 9, Group B)
7,427	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
108	Metric Ton	907-307-D001	Lime
184,227	Liter	907-407-A001	Asphalt for Tack Coat
32	Kilometer	907-423-A001	Rumble Strips (Ground In)
399	Square Meter	907-501-K001	Transverse Grooving

Call No. 01 for the June 22, 2010 Letting

7	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
1,688	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
190	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
26	Meter	907-603-ALT09	750-mm Type A Alternate Pipe
4	Each	907-606-E001	Guard Rail, Terminal End Section
12	Each	907-617-A003	Right-of-Way Marker
35	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
31	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
28	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
19	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
22,758	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
1,085	Meter	907-619-A6009	Temporary Traffic Stripe (Legend)
12	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)
500	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
1,000	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
4	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
18	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
2	Kilometer	907-626-BB003	150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
17	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
2	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
15	Kilometer	907-626-FF005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (2.25-mm min)
3,643	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
2,548	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
535	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
300	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,063	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
92	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
168	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
168	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
168	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
556	Cubic Meter	907-804-B001	Box Bridge Concrete (Class B)
1,700	Metric Ton	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NO. 1			
1,527	Metric Ton	907-308-A001	Portland Cement
147,745	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
ALTERNATE GROUP AA NO. 2			
147,745	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,092	Metric Ton	907-311-B001	Lime
4,369	Metric Ton	907-311-C003	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
252	Metric Ton	907-403-A001	Hot Mix Asphalt, ST, 9.5-mm mixture
409	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture

Call No. 01 for the June 22, 2010 Letting

184	Metric Ton	907-403-A010	Hot Mix Asphalt, HT, 12.5-mm mixture
16,308	Metric Ton	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture
21,524	Metric Ton	907-403-D001	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
7,575	Metric Ton	907-403-D002	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 2

252	Metric Ton	907-403-M003	Warm Mix Asphalt, ST, 9.5-mm mixture
409	Metric Ton	907-403-M005	Warm Mix Asphalt, ST, 19-mm mixture
184	Metric Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
16,308	Metric Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
21,524	Metric Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
7,575	Metric Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

**Bridge Items**

64,091	Kilogram	805-A001	Reinforcement
288	Meter	813-A001	Concrete Railing
554	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
1,573	Square Meter	907-501-K001	Transverse Grooving
2	Each	907-803-B002	Conventional Static Pile Load Test
1,610	Meter	907-803-E001	400-mm x 400-mm Prestressed Concrete Piling
1,396	Meter	907-803-E002	350-mm x 350-mm Prestressed Concrete Piling
3	Each	907-803-I001	PDA Test Pile
640	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
854	Meter	907-804-C022	18-m Prestressed Concrete Beams, Type II+50
276	Square Meter	907-815-E001	Geotextile Fabric under Riprap



Reconstruction of Interstate 20 at Edwards, known as Federal Aid Project No. NH-0020-01(153) / 102291301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: October 14, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

15 Acre	201-D002	Random Clearing
64,006 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
30 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
4,193 Linear Feet	202-B022	Removal of Concrete Median Barrier
50 Square Yard	202-B025	Removal of Concrete Paved Ditch
101,016 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
100 Linear Feet	202-B038	Removal of Curb, All Types
22,163 Linear Feet	202-B041	Removal of Fence, All Types
11,925 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
11,729 Linear Feet	202-B076	Removal of Traffic Stripe
35 Each	202-B086	Removal of Guard Post
1,390 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
67,460 Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
500 Cubic Yard	203-G003	Excess Excavation, FM, AH
63 Cubic Yard	206-A001	Structure Excavation
13,310 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
16 Ton	213-C001	Superphosphate
82 Ton	215-A001	Vegetative Materials for Mulch
111 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
265 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
8,740 Linear Feet	234-A001	Temporary Silt Fence
771 Bale	235-A001	Temporary Erosion Checks
8 Mile	321-A001	6" In-Grade Preparation
1,067 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
250 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
5,490 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
16 Mile	413-B002	Cleaning and Sealing Joints
14 Mile	423-A001	Rumble Strips, Ground In
100 Square Yard	503-A015	12" and Variable Plain Concrete Pavement, Tine Finish
250 Linear Feet	503-C007	Saw Cut, Full Depth
20 Cubic Yard	503-D001	Concrete for Base Repair
50 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
20 Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
55,820 Linear Feet	508-A001	Silicone Sealed Joints
2,492 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-RB002	18" End Section Removed and Relaid
759 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V

Call No. 02 for the June 22, 2010 Letting

64	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
69	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
35	Each	606-A001	Guard Posts
11,575	Linear Feet	606-B001	Guard Rail, Class A, Type 1
22	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D008	Guard Rail, Bridge End Section, Type H
34	Each	606-E001	Guard Rail, Terminal End Section
22,163	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,384	Each	607-P1013	Line Post, 7' Tee Post Steel
280	Each	607-P1014	Line Post, 9' Tee Post Steel
184	Each	607-P1015	Line Post, 10' Tee Post Steel
41	Each	607-P2001	Brace Post, 8' x 6" Timber
8	Each	607-P2002	Brace Post, 10' x 6" Timber
6	Each	607-P2003	Brace Post, 12' x 6" Timber
4,052	Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier, 42" High
	Lump Sum	618-A001	Maintenance of Traffic
31	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
33	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
5,885	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
14,282	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
26,456	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
200	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
192	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,037	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
27,276	Linear Feet	619-F1001	Concrete Median Barrier, Precast
7,750	Linear Feet	619-F1009	Portable Median Barrier, 60 MPH
17,273	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
4	Each	619-F3004	Delineators, Guard Rail, White
384	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
174	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1003	Impact Attenuator, 60 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
6	Mile	625-C002	Traffic Stripe, Continuous White
6	Mile	625-D002	Traffic Stripe, Continuous Yellow
1,693	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
6	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,230	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,230	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Call No. 02 for the June 22, 2010 Letting

292	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5	Cubic Yard	631-A001	Flowable Fill
	Lump Sum	699-A001	Roadway Construction Stakes
240	Ton	815-A006	Loose Riprap, Size 100
33	Acre	907-225-A001	Grassing
66	Ton	907-225-B001	Agricultural Limestone
17	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-237-A003	Wattles, 20"
440	Linear Feet	907-245-A001	Triangular Silt Dike
400	Linear Feet	907-246-A001	Sandbags
8,480	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
36,545	Ton	907-304-B001	Granular Material, Class 5, Group C
11,735	Cubic Yard	907-304-E005	Granular Material, LVM, Crushed Concrete
6,699	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
12,179	Gallon	907-402-B001	Bituminous Tack Coat
10,838	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
22	Mile	907-403-S002	Joint Sealant for HMA
147,881	Gallon	907-407-A001	Asphalt for Tack Coat
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Each	907-619-E3001	Changeable Message Sign
27,276	Linear Feet	907-619-P1001	Glare Paddles
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
7	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
6,631	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
800	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
2,179	Ton	907-308-A001	Portland Cement
138,653	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
138,653	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,189	Ton	907-311-B001	Lime
4,754	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
4,205	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
54,974	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
4,638	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
35,874	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
3,478	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Call No. 02 for the June 22, 2010 Letting

14,451	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
3,478	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,638	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
35,874	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
4,205	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
54,974	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
14,451	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Replacing four bridge No.'s 19.0, 19.1, 19.3, and 21.5 on S.R. 513 over Souinlovey Creek, known as Federal Aid Project No. BR-0339-00(005) / 102492301, in the County of Jasper, State of Mississippi

PROJECT COMPLETION: August 31, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
8,298 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B007	Removal of Box Bridge
4 Each	202-B009	Removal of Bridge
350 Linear Feet	202-B102	Removal of Guard Rail
41,928 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
144,355 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
6,071 Cubic Yard	203-F001	Channel Excavation, FM
36,614 Cubic Yard	203-G003	Excess Excavation, FM, AH
218 Cubic Yard	206-A001	Structure Excavation
50 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,833 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
19,360 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
24 Ton	213-C001	Superphosphate
96 Ton	215-A001	Vegetative Materials for Mulch
342 Square Yard	216-A001	Solid Sodding
3,259 Square Yard	217-A001	Ditch Liner
7 Thousand Gallon	219-A001	Watering
24 Acre	220-A001	Insect Pest Control
38 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
3,259 Square Yard	224-A001	Soil Reinforcing Mat
6,500 Linear Feet	234-A001	Temporary Silt Fence
2,000 Bale	235-A001	Temporary Erosion Checks
750 Linear Feet	239-A001	Temporary Slope Drains
8,120 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
348 Linear Feet	501-E001	Expansion Joints, Without Dowels
727 Square Yard	501-K001	Transverse Grooving
752 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
37,857 Pounds	602-A001	Reinforcing Steel
1,450 Linear Feet	606-B001	Guard Rail, Class A, Type 1
16 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Each	606-E002	Guard Rail, Terminal End Section, Flared
160 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	618-C001	Construction & Removal of Detour Bridge
1,770 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,660 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,718 Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape

Call No. 03 for the June 22, 2010 Letting

780	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
68	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
343	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
11	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
11	Each	619-G8001	Warning Lights, Type "C"
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
68	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
161	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
106	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
196	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
80	Each	630-F001	Delineators, Guard Rail, White
	Lump Sum	699-A001	Roadway Construction Stakes
250	Ton	815-A006	Loose Riprap, Size 100
1,472	Ton	815-A009	Loose Riprap, Size 300
1,272	Square Yard	815-E001	Geotextile under Riprap
48	Acre	907-225-A001	Grassing
144	Ton	907-225-B001	Agricultural Limestone
24	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
220	Linear Feet	907-245-A001	Triangular Silt Dike
200	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
9,491	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
6,751	Ton	907-304-F001	Size 825 Crushed Stone Base
9,432	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
128	Ton	907-307-D001	Lime
8,742	Gallon	907-407-A001	Asphalt for Tack Coat
215	Cubic Yard	907-601-A001	Class "B" Structural Concrete
608	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
60	Each	907-617-A001	Right-of-Way Marker
15,606	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,619	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
4,622	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,005	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
220	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
153	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,080	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous White, Series 380I ES
460	Linear Feet	907-628-L004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow, Series 380I ES
1,160	Linear Feet	907-628-M004	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow, Series 380I ES

Call No. 03 for the June 22, 2010 Letting

ALTERNATE GROUP AA NO. 1

80	Ton	907-308-A001	Portland Cement
9,432	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil

ALTERNATE GROUP AA NO. 2

9,432	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
64	Ton	907-311-B001	Lime
255	Ton	907-311-C002	Fly Ash, Class C or F

ALTERNATE GROUP BB NO. 1

3,277	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,966	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,472	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
450	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP BB NO. 2

2,472	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
3,277	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
2,966	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
450	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

**Bridge Items**

3,228	Square Yard	501-K001	Transverse Grooving
8	Each	803-B002	Conventional Static Pile Load Test
3,280	Linear Feet	803-D002	HP 12 x 53 Steel Piling
4,500	Linear Feet	803-D003	HP 14 x 73 Steel Piling
405	Linear Feet	803-D007	HP 14 x 89 Steel Piling
10	Each	803-I001	PDA Test Pile
8	Each	803-J001	Pile Restrike
248,972	Pounds	805-A001	Reinforcement
1,816	Linear Feet	813-A001	Concrete Railing
2,594	Ton	815-A009	Loose Riprap, Size 300
2,185	Square Yard	815-E001	Geotextile under Riprap
1,491	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,368	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,595	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
499	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Slide Repair, mill, and inlay on SR 35, between I-20 and US 80, known as State Project No. SP-0023-02(051) / 105892301, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1 Acre	201-C001	Random Clearing and Grubbing
596 Linear Feet	202-B102	Removal of Guard Rail
4,050 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
3,225 Cubic Yard	203-G004	Excess Excavation, LVM, AH
369 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
2 Ton	215-A001	Vegetative Materials for Mulch
238 Square Yard	216-A001	Solid Sodding
5 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
58 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
590 Linear Feet	234-A001	Temporary Silt Fence
56 Bale	235-A001	Temporary Erosion Checks
2,162 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
50 Each	512-A001	Holes
588 Pounds	512-C002	Calcium Chloride
588 Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1 Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
1 Each	606-D001	Guard Rail, Bridge End Section, Type A
Lump Sum	618-A001	Maintenance of Traffic
534 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
534 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
534 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
112 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
13 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
19 Each	630-F001	Delineators, Guard Rail, White
6,965 Linear Feet	803-D007	HP 14 x 89 Steel Piling
55,694 Pounds	805-A001	Reinforcement
1 Acre	907-225-A001	Grassing
3 Ton	907-225-B001	Agricultural Limestone
80 Linear Feet	907-237-A003	Wattles, 20"
217 Gallon	907-407-A001	Asphalt for Tack Coat
19,583 Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
435 Cubic Yard	907-601-A001	Class "B" Structural Concrete
534 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
534 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White



Call No. 04 for the June 22, 2010 Letting

534	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
1	Each	907-630-O003	Remove and Reset Sign, All Sizes
			ALTERNATE GROUP AA NO. 1
476	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
476	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture

Construction of a relief ditch on I-55 Southbound, South of Papermill Rd, known as State Project No. SP-0055-03(082) / 105505301 in the County of Grenada, State of Mississippi

PROJECT COMPLETION: May 27, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
13,400	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2	Ton	213-C001	Superphosphate
1,200	Square Yard	217-A001	Ditch Liner
2,300	Linear Feet	234-A001	Temporary Silt Fence
40	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
4	Each	603-CB003	30" Reinforced Concrete End Section
2,300	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
6,900	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
1	Each	607-G115	Gate, 12' x 5' Aluminum
192	Each	607-P1013	Line Post, 7' Tee Post Steel
192	Each	607-P1015	Line Post, 10' Tee Post Steel
6	Each	607-P2001	Brace Post, 8' x 6" Timber
8	Each	607-P2003	Brace Post, 12' x 6" Timber
2	Each	607-P3001	Gate Post, 8' x 6" Timber
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
10,200	Ton	815-A009	Loose Riprap, Size 300
1,500	Ton	815-A010	Loose Riprap, Size 500
10,550	Square Yard	815-E001	Geotextile under Riprap
4	Acre	907-225-A001	Grassing
8	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-234-F001	Turbidity Barrier
500	Linear Feet	907-237-A003	Wattles, 20"
8	Each	907-617-A001	Right-of-Way Marker

Overlaying approximately 6 miles of SR 178 from just East of Auburn Road to Itawamba County line, known as State Project No. MP-1178-41(007) / 303905301, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: October 29, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

600	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
600	Linear Feet	202-B102	Removal of Guard Rail
250	Cubic Yard	203-G004	Excess Excavation, LVM, AH
109,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
25,650	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
65	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
15	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
64	Each	630-F001	Delineators, Guard Rail, White
1,800	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
11,500	Gallon	907-407-A001	Asphalt for Tack Coat
48	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
120	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
11,200	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
11,200	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Call No. 07 for the June 22, 2010 Letting

Milling and overlaying various locations on US 78 between SR 30 and SR 15, known as State Project No. MP-1078-73(007) / 303904301, in the County of Union, State of Mississippi.

PROJECT COMPLETION: September 10, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

8,475	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
850	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-625-A002	Traffic Stripe, Skip White, 4" Width
2	Mile	907-625-C002	Traffic Stripe, Continuous White, 4" Width
1	Mile	907-625-D002	Traffic Stripe, Continuous Yellow, 4" Width
2,219	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
ALTERNATE GROUP AA NO. 1			
700	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
700	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Overlay approximately 5 miles of State Route 18 beginning at the Hinds/Copiah County Line, known as State Project No. MP-3018-15(001) / 303935301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
400 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
18 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
8 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
5 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
3,200 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,300 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
450 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,500 Ton	907-304-B002	Granular Material, Class 5, Group D
100 Ton	907-304-F003	3/4" and Down Crushed Stone Base
10,560 Gallon	907-407-A001	Asphalt for Tack Coat
9 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,200 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
7,000 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,700 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2		
7,000 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,700 Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Milling and overlaying approximately 8 miles of U.S. Highway 80 beginning at the Newton / Lauderdale County Line, known as State Project No. MP-5080-38(010) / 303910301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

6,124	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
108,694	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
870	Linear Feet	503-C007	Saw Cut, Full Depth
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,454	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
836	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
381	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
331	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
270	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
737	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
84	Each	630-F001	Delineators, Guard Rail, White
1,500	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
11,000	Gallon	907-407-A001	Asphalt for Tack Coat
20,224	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,558	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
896	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
836	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

19,632	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
150	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

19,632	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
150	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling

Overlaying US Hwy 49 Southbound from O'Neal Rd. to the Little Biloxi River Bridge, known as State Project No. MP-6049-24(021) / 303922301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: September 24, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

46	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
700	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
175	Linear Feet	234-A001	Temporary Silt Fence
18	Bale	235-A001	Temporary Erosion Checks
2,400	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
18	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
170	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,705	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
280	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
140	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
245	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12,000	Gallon	907-407-A001	Asphalt for Tack Coat
11,300	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,989	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,305	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
285	Linear Feet	907-626-H004	Thermoplastic Legend, White
42	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

19	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
6,230	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
3,550	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

6,230	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
19	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
3,550	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Milling and overlaying approximately 3 miles of SR 184, SR 937, & SR 42 in Prentiss, known as State Project No. MP-7042-33(014) / 303867301, in the County of Jefferson Davis, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

40	Square Yard	202-B035	Removal of Concrete Sidewalk
95	Linear Feet	202-B038	Removal of Curb, All Types
5,425	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
525	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
40	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
12	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14,625	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,175	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
250	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
790	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	630-F001	Delineators, Guard Rail, White
825	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
7,450	Gallon	907-407-A001	Asphalt for Tack Coat
1,450	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
104	Square Feet	907-619-A6001	Temporary Traffic Stripe, Legend Blue ADA
5	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,450	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
13,575	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,210	Linear Feet	907-626-H004	Thermoplastic Legend, White
200	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
5,375	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
825	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
5,375	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
825	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling



Milling and overlaying approximately 5 miles on Louis Wilson Road, Bolton-Brownsville Road, Dry Grove Road, and Highland Colony Parkway, known as Federal Aid Project Nos. STP-9999-05(010) / 105893301, 302 and 303, in the Counties of Rankin, Hinds and Madison, State of Mississippi.

PROJECT COMPLETION: October 29, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

3,222	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
65	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
19,927	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
206	Pounds	602-A001	Reinforcing Steel
292	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,400	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
4,285	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
232	Square Feet	619-D4001	Directional Signs
110	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
328	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
425	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
1,085	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
5,452	Gallon	907-407-A001	Asphalt for Tack Coat
65	Square Yard	907-501-B001	6" Plain Cement Concrete Pavement, Drag Finish
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
220	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5,400	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
270	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
352	Linear Feet	907-626-H004	Thermoplastic Legend, White
600	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

3,881	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,455	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,111	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
100	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

1,455	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
3,881	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Call No. 12 for the June 22, 2010 Letting

100 Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
1,111 Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Construction of a New District Headquarters Building in Tupelo, known as State Project No. BWO-1180-41(001) / 501637301, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: June 29, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

125	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18	Square Yard	209-A001	Geotextile Stabilization, Type V
779	Square Yard	216-B004	Solid Sodding, Bermuda
1,012	Square Yard	224-A001	Soil Reinforcing Mat
880	Linear Feet	234-A001	Temporary Silt Fence
29	Bale	235-A001	Temporary Erosion Checks
724	Pounds	602-A001	Reinforcing Steel
6	Each	603-CB014	15" Reinforced Concrete End Section
2,664	Pounds	604-B001	Gratings
1	Linear Feet	604-C001	Precast Manhole, 48" Diameter
368	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
410	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
	Lump Sum	620-A001	Mobilization
3	Square Yard	815-A001	Loose Riprap, Size 100
1	Acre	907-227-A001	Hydroseeding
3	Each	907-258-N001	Car Stop
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
22	Each	907-601-PP002	18" x 18" Polymer Catch Basin
15	Linear Feet	907-603-PVC02	24" Corrugated Poly Vinyl Chloride Pipe
390	Linear Feet	907-603-PVC05	6" Corrugated Poly Vinyl Chloride Pipe
320	Linear Feet	907-603-PVC06	12" Corrugated Poly Vinyl Chloride Pipe
140	Linear Feet	907-603-PVC07	15" Corrugated Poly Vinyl Chloride Pipe
1,295	Square Yard	907-611-PP005	Grasspave, Per Plans
156	Linear Feet	907-809-PP005	Modular Block Retaining Wall, Per Plans

**Building Items**

Lump Sum	907-242-A006	Construction of a District Headquarters Building
----------	--------------	--------------------------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR