


[Proposal & Plan Sales Will Begin on February 28, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for March – March 22, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MARCH - Tuesday, March 22, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 28, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	STP-0029-03(010) / 102556305	Marshall
* 02	NH-0003-01(184) / 106086301	Jackson
* 03	STP-0054-01(052) / 106118301	Copiah
04	STP-2171-00(020) / 105551301	Lamar
05	SP-2835-00(004) / 106137301	Itawamba
06	BR-0022-01(046) / 102455301	Jasper
07	STP-0022-04(044) / 101630303	Union
08	BR-0024-03(014) / 100490302	Leake
09	SP-7338-00(005) / 105297301	Rankin

Construction of I-269/SR304 from South of SR 302 to the Tennessee State Line, known as Federal Aid Project No. STP-0029-03(010) / 102556305, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: October 16, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
12,477 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,058 Square Yard	202-B025	Removal of Concrete Paved Ditch
2 Each	202-B057	Removal of Inlets, All Sizes
1,439 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,500 Linear Feet	202-B076	Removal of Traffic Stripe
380 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
29 Each	202-B105	Removal of Pipe Headwall, All Sizes
18 Each	202-B107	Removal of Sign, Ground Mounted with Posts
1 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
1,416 Linear Feet	202-B141	Removal of Edge Drain
932,199 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
412,478 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,000 Cubic Yard	203-G003	Excess Excavation, FM, AH
9,278 Cubic Yard	206-A001	Structure Excavation
673 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
120 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
116,287 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-B001	Combination Fertilizer, 13-13-13
173 Ton	213-C001	Superphosphate
8,944 Square Yard	216-A001	Solid Sodding
11,002 Square Yard	217-A001	Ditch Liner
179 Thousand Gallon	219-A001	Watering
153 Acre	220-A001	Insect Pest Control
1,465 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,038 Acre	223-A001	Mowing
11,927 Square Yard	224-A001	Soil Reinforcing Mat
25,969 Linear Feet	234-A001	Temporary Silt Fence
1,088 Bale	235-A001	Temporary Erosion Checks
52 Each	236-A004	Silt Basin, Type D
52 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
660 Linear Feet	239-A001	Temporary Slope Drains
240 Ton	305-B003	Size I Stabilizer Aggregate, Coarse
1,096 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
82 Linear Feet	501-E001	Expansion Joints, Without Dowels
183 Square Yard	501-K001	Transverse Grooving
183 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
317,215 Pounds	602-A001	Reinforcing Steel

Call No. 01 for the March 22, 2011 Letting

288	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,244	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
652	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
284	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
204	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
144	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
332	Linear Feet	603-CA039	24" Reinforced Concrete Pipe, Class IV, Class B Bedding
372	Linear Feet	603-CA044	54" Reinforced Concrete Pipe, Class IV, Class B Bedding
388	Linear Feet	603-CA054	42" Reinforced Concrete Pipe, Class V, Class B Bedding
492	Linear Feet	603-CA069	60" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
6	Each	603-CB001	18" Reinforced Concrete End Section
26	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
8	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
3	Each	603-CB008	60" Reinforced Concrete End Section
84	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
108	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
456	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
436	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
5	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
1	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
1	Each	603-SB053	51" x 31" Branch Connection, Stub into Box Culvert
976	Pounds	604-A001	Castings
7,300	Pounds	604-B001	Gratings
1,063	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
90	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
100	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
98	Each	606-A001	Guard Posts
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
6	Each	606-E002	Guard Rail, Terminal End Section, Flared
48,116	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,200	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
4	Each	607-G001	Gate, 12' x 52" Aluminum
3	Each	607-G119	Gate, 3' x 52" Chain Link
157	Each	607-P1005	Line Post, 10' x 4" x 4" Concrete
16	Each	607-P1012	Line Post, 14' x 2" Galvanized Steel
1,828	Each	607-P1013	Line Post, 7' Tee Post Steel
365	Each	607-P1014	Line Post, 9' Tee Post Steel
244	Each	607-P1015	Line Post, 10' Tee Post Steel

Call No. 01 for the March 22, 2011 Letting

1,181	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
236	Each	607-P1017	Line Post, 9' x 4" x 4" Concrete
217	Each	607-P2001	Brace Post, 8' x 6" Timber
40	Each	607-P2002	Brace Post, 10' x 6" Timber
27	Each	607-P2003	Brace Post, 12' x 6" Timber
142	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
27	Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete
18	Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete
4	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
6	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
4	Each	607-P3019	Gate Post, 8' x 3 1/2" Galvanized Steel
22	Each	607-Z001	Concrete Anchors
2,168	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
932	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
56	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2,000	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
9	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,000	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
2,070	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
170	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
187	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
433	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
1,640	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,640	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
308	Linear Feet	619-G4001	Barricades, Type III, Single Faced
260	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
163	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5,228	Linear Feet	625-C001	Traffic Stripe, Continuous White
5,334	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
162	Square Feet	625-F001	Legend
16	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,274	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
240	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
502	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
694	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
283	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
18	Each	630-F001	Delineators, Guard Rail, White

Call No. 01 for the March 22, 2011 Letting

18	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
4	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
18	Each	630-F006	Delineators, Post Mounted, Single White
18	Each	630-F007	Delineators, Post Mounted, Single Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
59	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
156	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
1,532	Ton	815-A006	Loose Riprap, Size 100
22,997	Ton	815-A009	Loose Riprap, Size 300
16,875	Square Yard	815-E001	Geotextile under Riprap
2,034	Ton	815-F002	Sediment Control Stone
346	Acre	907-225-A001	Grassing
1,038	Ton	907-225-B001	Agricultural Limestone
346	Acre	907-226-A001	Temporary Grassing
87	Acre	907-227-A001	Hydroseeding
57	Each	907-234-D001	Inlet Siltation Guard
57	Each	907-234-E001	Reset Inlet Siltation Guard
2,850	Linear Feet	907-237-A002	Wattles, 12"
3,392	Linear Feet	907-237-A003	Wattles, 20"
3,392	Linear Feet	907-245-A001	Triangular Silt Dike
1,000	Linear Feet	907-246-A001	Sandbags
11	Each	907-247-A001	Temporary Stream Diversion
1,886	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
13,961	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
894	Cubic Yard	907-304-C009	Granular Material, AEA, Class 3, Group D
534	Ton	907-304-F002	Size 610 Crushed Stone Base
7,589	Gallon	907-407-A001	Asphalt for Tack Coat
75	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,760	Cubic Yard	907-601-A001	Class "B" Structural Concrete
57	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
424	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
80	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
84	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
88	Linear Feet	907-603-ALT09	24" Type B Alternate Pipe
200	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
1,400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
145	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
21,160	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
16,397	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
20,940	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,661	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow

Call No. 01 for the March 22, 2011 Letting

5,254	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
204	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,240	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
1,087	Ton	907-308-A001	Portland Cement
77,015	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
77,015	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
593	Ton	907-311-B001	Lime
2,371	Ton	907-311-C001	Fly Ash, Class C
ALTERNATE GROUP BB NO. 1			
584	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
526	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
585	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,819	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
8,743	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
522	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
522	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
6,819	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
8,743	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
585	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
584	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
526	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP CC NO. 1			
777	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
777	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP CC NO. 2			
777	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
777	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
135	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6,729	Square Yard	501-K001	Transverse Grooving
176,782	Pounds	602-A001	Reinforcing Steel
1,626	Cubic Yard	801-A001	Foundation Excavation for Bridges
11,105	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,160	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
12	Each	803-H001	PDA Test Pile, Conventional Load Test
12	Each	803-I001	PDA Test Pile
743,542	Pounds	805-A001	Reinforcement
2,872	Linear Feet	813-A001	Concrete Railing
616	Ton	815-A009	Loose Riprap, Size 300
349	Cubic Yard	815-D001	Concrete Slope Paving
440	Square Yard	815-E001	Geotextile under Riprap
3,431	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
881	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Call No. 01 for the March 22, 2011 Letting

3,299	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,441	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III
1,262	Linear Feet	907-804-C159	106' Prestressed Concrete Beam, Type IV
1,917	Linear Feet	907-804-C186	69' Prestressed Concrete Beam, Type III
309	Linear Feet	907-804-C187	52' Prestressed Concrete Beam, Type IV
381	Linear Feet	907-804-C188	64' Prestressed Concrete Beam, Type IV

Resurfacing of US 90, from Vermont Avenue to Hwy. 57, known as Federal-Aid Project No. NH-0003-01(184) / 106086301 in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: August 26, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

984	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,200	Linear Feet	202-B188	Removal of Concrete Curb
225	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
460	Cubic Yard	203-G004	Excess Excavation, LVM, AH
725	Square Yard	216-A001	Solid Sodding
700	Linear Feet	234-A001	Temporary Silt Fence
80	Bale	235-A001	Temporary Erosion Checks
12,985	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,150	Linear Feet	609-B001	Concrete Curb, Header
880	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
170	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
17	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15,175	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
560	Linear Feet	635-A001	Vehicle Loop Assemblies
150	Linear Feet	907-237-A003	Wattles, 20"
12,888	Ton	907-304-F001	Size 825 Crushed Stone Base
51,000	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17,709	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
30,091	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,560	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,242	Square Feet	907-626-H005	Thermoplastic Legend, White
5	Each	907-651-B013	Magnetometer Detection System Component, Wireless Detection Sensor
61	Each	907-651-C001	Magnetometer Detection System Component Removal and Reinstall
ALTERNATE GROUP AA NO. 1			
175	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
115	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
12,744	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
10,361	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
14,789	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Call No. 02 for the March 22, 2011 Letting

ALTERNATE GROUP AA NO. 2

12,744	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
175	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
115	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
10,361	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
14,789	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Overlay of SR 27 from 10 miles North of the Intersection of SR 27 and SR 28 to 0.1 miles South of I-55, known as Federal Aid Project No. STP-0054-01(052) / 106118301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: July 15, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
20	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
1,275	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
450	Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
10,000	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B084	Removal of Base
120	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
600	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	501-D001	Expansion Joints, With Dowels
110	Square Yard	503-A008	9" and Variable Reinforced Concrete Pavement
450	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
450	Linear Feet	503-C007	Saw Cut, Full Depth
100	Cubic Yard	503-D001	Concrete for Base Repair
160	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
100	Each	503-E003	Tie Bars, No. 8 Deformed Drilled and Epoxied or Grouted
725	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
20	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1,200	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
5	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
10,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
3,900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
500	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
450	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
46	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,500	Ton	907-304-B002	Granular Material, Class 5, Group D
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
5	Mile	907-403-S002	Joint Sealant for HMA

Call No. 03 for the March 22, 2011 Letting

12,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
7,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
12,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
1	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
4,500	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
6,000	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
ALTERNATE GROUP BB NO. 2			
1	Mile	907-626-I002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
400	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
400	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
4,500	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
6,000	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

Rehabilitate US Highway 11 between Lumberton and Purvis, known as Federal Aid Project No. STP-2171-00(020) / 105551301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: June 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
4,738	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
3,552	Linear Feet	202-B038	Removal of Curb, All Types
10	Each	202-B057	Removal of Inlets, All Sizes
37	Linear Feet	202-B080	Removal of Box Culvert
1	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,131	Linear Feet	202-B106	Removal of Pipe, All Sizes
2	Each	202-B189	Removal of Impact Attenuator
353	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
10,863	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,195	Cubic Yard	206-A001	Structure Excavation
6,821	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
8	Ton	215-A001	Vegetative Materials for Mulch
910	Square Yard	216-A001	Solid Sodding
910	Square Yard	217-A001	Ditch Liner
2	Acre	220-A001	Insect Pest Control
88	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
1,000	Square Yard	224-A001	Soil Reinforcing Mat
5,000	Linear Feet	234-A001	Temporary Silt Fence
50	Linear Feet	503-C007	Saw Cut, Full Depth
50	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
16,677	Pounds	602-A001	Reinforcing Steel
700	Linear Feet	603-A040	48" Steel Pipe, Jacked or Bored, Wall Thickness 0.625"
784	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
164	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
284	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
128	Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
448	Linear Feet	603-CA092	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
624	Linear Feet	603-CA093	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
2,528	Pounds	604-A001	Castings
1,500	Pounds	604-B001	Gratings
16,172	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
109	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
3,554	Linear Feet	609-C002	Concrete Curb, Integral, Type 2
	Lump Sum	618-A001	Maintenance of Traffic
3,192	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,822	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow

Call No. 04 for the March 22, 2011 Letting

726	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
180	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
142	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
508	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
787	Linear Feet	619-F1001	Concrete Median Barrier, Precast
108	Linear Feet	619-G4005	Barricades, Type III, Double Faced
38	Each	619-G5001	Free Standing Plastic Drums
38	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
40	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
4	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
	Lump Sum	699-A001	Roadway Construction Stakes
11,382	Square Feet	809-A001	Gravity Type Retaining Wall System
566	Ton	815-A006	Loose Riprap, Size 100
578	Square Yard	815-E001	Geotextile under Riprap
4	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
8	Each	907-234-D001	Inlet Siltation Guard
1,600	Linear Feet	907-237-A002	Wattles, 12"
1,000	Linear Feet	907-237-A003	Wattles, 20"
2,056	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
3,753	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
5,756	Ton	907-304-F001	Size 825 Crushed Stone Base
5,781	Square Yard	907-501-B005	10" Plain Cement Concrete Pavement, Broom Finish
152	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
450	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
3,342	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
3,554	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
210	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
366	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
180	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
	Lump Sum	907-899-A001	Railway-Highway Provisions
		ALTERNATE GROUP AA NO. 1	
1,059	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP AA NO. 2	
1,059	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Drainage improvements at the intersection of SR 178 and Adams Street in Fulton, known as State Project No. SP-2835-00(004) / 106137301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: June 17, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
25	Linear Feet	202-B106	Removal of Pipe, All Sizes
550	Square Yard	202-B138	Removal of Riprap
1,100	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
150	Cubic Yard	206-A001	Structure Excavation
150	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
400	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
800	Square Yard	216-A001	Solid Sodding
16	Thousand Gallon	219-A001	Watering
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
450	Linear Feet	234-A001	Temporary Silt Fence
650	Pounds	602-A001	Reinforcing Steel
96	Linear Feet	603-CA010	66" Reinforced Concrete Pipe, Class III
250	Pounds	604-B001	Gratings
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
100	Linear Feet	907-237-A003	Wattles, 20"
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
140	Linear Feet	907-607-PP012	Fencing, Per Plans

Replacing 8 bridges on SR 15, known as State Project No. BR-0022-01(046) / 102455301, in the County of Jasper, State of Mississippi.

PROJECT COMPLETION: November 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
9,313 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
8 Each	202-B009	Removal of Bridge
2,566 Linear Feet	202-B054	Removal of Guard Rail Only
2 Each	202-B057	Removal of Inlets, All Sizes
15,770 Linear Feet	202-B076	Removal of Traffic Stripe
4 Each	202-B079	Removal of Headwall
673 Linear Feet	202-B106	Removal of Pipe, All Sizes
91,232 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
114,822 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
3,600 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
5,107 Cubic Yard	203-G003	Excess Excavation, FM, AH
17,531 Cubic Yard	206-A001	Structure Excavation
676 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
218,396 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
24,266 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
23 Ton	213-C001	Superphosphate
104 Ton	215-A001	Vegetative Materials for Mulch
218 Square Yard	216-A001	Solid Sodding
1,900 Square Yard	217-A001	Ditch Liner
4,368 Thousand Gallon	219-A001	Watering
45 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
25,782 Linear Feet	234-A001	Temporary Silt Fence
1,283 Bale	235-A001	Temporary Erosion Checks
5 Each	236-A004	Silt Basin, Type D
304 Linear Feet	239-A001	Temporary Slope Drains
3 Mile	423-A001	Rumble Strips, Ground In
202 Linear Feet	501-E001	Expansion Joints, Without Dowels
431 Square Yard	501-K001	Transverse Grooving
444 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
339,281 Pounds	602-A001	Reinforcing Steel
440 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
320 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
7 Each	603-CB002	24" Reinforced Concrete End Section
6 Each	603-CB003	30" Reinforced Concrete End Section
850 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
8 Each	606-E001	Guard Rail, Terminal End Section

Call No. 06 for the March 22, 2011 Letting

80	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
20,710	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
548	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
589	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
90	Each	619-F3004	Delineators, Guard Rail, White
384	Linear Feet	619-G4001	Barricades, Type III, Single Faced
132	Linear Feet	619-G4005	Barricades, Type III, Double Faced
356	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights, Type "B"
775	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
31	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
45	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
906	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
433	Ton	815-A009	Loose Riprap, Size 300
125	Square Yard	815-E001	Geotextile under Riprap
70	Ton	815-F002	Sediment Control Stone
52	Acre	907-225-A001	Grassing
135	Ton	907-225-B001	Agricultural Limestone
23	Acre	907-226-A001	Temporary Grassing
2,600	Linear Feet	907-237-A003	Wattles, 20"
300	Linear Feet	907-245-A001	Triangular Silt Dike
260	Linear Feet	907-246-A001	Sandbags
6	Each	907-247-A001	Temporary Stream Diversion
38,564	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
17,596	Gallon	907-407-A001	Asphalt for Tack Coat
113	Cubic Yard	907-601-A001	Class "B" Structural Concrete
4	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
612	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
104	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
144	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
161	Each	907-617-A001	Right-of-Way Marker
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,156	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 06 for the March 22, 2011 Letting

3,539	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
360	Linear Feet	907-626-H004	Thermoplastic Legend, White
394	Square Feet	907-626-H005	Thermoplastic Legend, White
2,736	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NO. 1			
303	Ton	907-308-A001	Portland Cement
25,661	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
25,661	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
199	Ton	907-311-B001	Lime
799	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
5,098	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
9,933	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
7,291	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,095	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
5,098	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
7,291	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
9,933	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
1,095	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
4,463	Square Yard	501-K001	Transverse Grooving
3	Each	803-B002	Conventional Static Pile Load Test
6,230	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,730	Linear Feet	803-D003	HP 14 x 73 Steel Piling
8	Each	803-I001	PDA Test Pile
3	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
100	Linear Feet	803-O020	Permanent Casing, 54" Diameter
344,564	Pounds	805-A001	Reinforcement
2,008	Linear Feet	813-A001	Concrete Railing
337	Ton	815-A009	Loose Riprap, Size 300
131	Cubic Yard	815-D001	Concrete Slope Paving
330	Square Yard	815-E001	Geotextile under Riprap
220	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
55	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,898	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,066	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,429	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
834	Linear Feet	907-804-C147	70' Prestressed Concrete Beam, Type IV
595	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Grade & Drain two lanes parallel on SR 15 from six miles south of the Tippah County Line to the Tippah County Line, known as State Project No. STP-0022-04(044) / 101630303, in the County of Union, State of Mississippi.

PROJECT COMPLETION: August 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
1,903 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4 Each	202-B057	Removal of Inlets, All Sizes
2,882 Linear Feet	202-B064	Removal of Pipe, 8" And Above
3 Each	202-B079	Removal of Headwall
1 Each	202-B160	Removal of Existing Railroad Crossing
510 Cubic Yard	202-B276	Remove and Reset Riprap
174,468 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
30,617 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
493,916 Cubic Yard	203-G003	Excess Excavation, FM, AH
4,618 Cubic Yard	206-A001	Structure Excavation
418 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,210 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
53,540 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
67 Ton	213-C001	Superphosphate
4,500 Square Yard	216-A001	Solid Sodding
5,044 Square Yard	217-A001	Ditch Liner
90 Thousand Gallon	219-A001	Watering
67 Acre	220-A001	Insect Pest Control
66 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
156 Acre	223-A001	Mowing
4,272 Square Yard	224-A001	Soil Reinforcing Mat
19,022 Linear Feet	234-A001	Temporary Silt Fence
3,078 Bale	235-A001	Temporary Erosion Checks
408,015 Pounds	602-A001	Reinforcing Steel
908 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
132 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
340 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
208 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
100 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
17 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB002	24" Reinforced Concrete End Section
6 Each	603-CB003	30" Reinforced Concrete End Section
5 Each	603-CB004	36" Reinforced Concrete End Section
2 Each	603-CB006	48" Reinforced Concrete End Section
200 Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
236 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
328 Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
88 Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III

Call No. 07 for the March 22, 2011 Letting

324	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
6	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
6	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
1	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1,000	Pounds	604-B001	Gratings
	Lump Sum	618-A001	Maintenance of Traffic
2,192	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,766	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
711	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
188	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,777	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,352	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4008	Barricades, Type III, Double Faced, Permanent, Red/White
390	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5,669	Linear Feet	625-E001	Detail Traffic Stripe
188	Linear Feet	625-F002	Legend
	Lump Sum	699-A001	Roadway Construction Stakes
760	Ton	815-A006	Loose Riprap, Size 100
225	Ton	815-A009	Loose Riprap, Size 300
1,858	Square Yard	815-E001	Geotextile under Riprap
133	Acre	907-225-A001	Grassing
67	Acre	907-226-A001	Temporary Grassing
4	Each	907-234-D001	Inlet Siltation Guard
1,520	Linear Feet	907-237-A002	Wattles, 12"
1,520	Linear Feet	907-237-A003	Wattles, 20"
1,520	Linear Feet	907-245-A001	Triangular Silt Dike
1,520	Each	907-246-A002	Sandbags
17	Each	907-247-A001	Temporary Stream Diversion
867	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,173	Ton	907-304-F003	3/4" and Down Crushed Stone Base
465	Gallon	907-407-A001	Asphalt for Tack Coat
1,208	Cubic Yard	907-601-A001	Class "B" Structural Concrete
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,144	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
575	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP AA NO. 1			
433	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
541	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
325	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			

Call No. 07 for the March 22, 2011 Letting

433 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
325 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
541 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Replacement of Bridges No. 98.7, No. 101.0 and No. 101.5 on SR 16 between the Madison County Line and SR 25, known as State Project No. BR-0024-03(014) / 100490302, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: April 19, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
4,317	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
21	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,900	Linear Feet	202-B076	Removal of Traffic Stripe
2,092	Linear Feet	202-B102	Removal of Guard Rail
20	Each	202-B130	Removal of Piling
69,036	Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
14,616	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
18	Ton	213-C001	Superphosphate
103	Ton	215-A001	Vegetative Materials for Mulch
488	Square Yard	217-A001	Ditch Liner
18	Acre	220-A001	Insect Pest Control
55	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
267	Square Yard	224-A001	Soil Reinforcing Mat
25,000	Linear Feet	234-A001	Temporary Silt Fence
1,122	Bale	235-A001	Temporary Erosion Checks
143	Linear Feet	239-A001	Temporary Slope Drains
1,067	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
291	Linear Feet	501-E001	Expansion Joints, Without Dowels
603	Square Yard	501-K001	Transverse Grooving
621	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2	Each	603-CB005	42" Reinforced Concrete End Section
1,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
11,966	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,966	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,900	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
4,769	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
139	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
714	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Each	619-F3004	Delineators, Guard Rail, White
98	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
42	Each	619-G5001	Free Standing Plastic Drums

Call No. 08 for the March 22, 2011 Letting

4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
180	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,624	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,624	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Ton	815-A006	Loose Riprap, Size 100
1,721	Ton	815-A009	Loose Riprap, Size 300
1,384	Square Yard	815-E001	Geotextile under Riprap
1,000	Ton	815-F002	Sediment Control Stone
75	Acre	907-225-A001	Grassing
109	Ton	907-225-B001	Agricultural Limestone
27	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
500	Linear Feet	907-245-A001	Triangular Silt Dike
500	Linear Feet	907-246-A001	Sandbags
8,652	Ton	907-304-B001	Granular Material, Class 5, Group C
22,830	Ton	907-304-B005	Granular Material, Class 9, Group C
24,399	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
78	Ton	907-307-D001	Lime
3,743	Gallon	907-407-A001	Asphalt for Tack Coat
291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
52	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
25	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-D001	Construction and Removal of Detour Road
11,780	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,250	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,360	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NO. 1			
413	Ton	907-308-A001	Portland Cement
48,798	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
48,798	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
293	Ton	907-311-B001	Lime
1,161	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
2,055	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,206	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
489	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
2,055	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,206	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Call No. 08 for the March 22, 2011 Letting

489	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
5,311	Square Yard	501-K001	Transverse Grooving
6	Each	803-B002	Conventional Static Pile Load Test
2,375	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
4,425	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2,280	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,755	Linear Feet	803-D007	HP 14 x 89 Steel Piling
13	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
513,883	Pounds	805-A001	Reinforcement
2,390	Linear Feet	813-A001	Concrete Railing
1,170	Ton	815-A009	Loose Riprap, Size 300
1,108	Square Yard	815-E001	Geotextile under Riprap
756	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,568	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
4,956	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,436	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Construction necessary to build an interchange on SR 475 at Old Brandon Road, known as State Project No. SP-7338-00(005) / 105297301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: October 26, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
21,340 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
561 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
3,800 Linear Feet	202-B076	Removal of Traffic Stripe
973 Linear Feet	202-B106	Removal of Pipe, All Sizes
1 Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
285,611 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,709 Cubic Yard	203-D002	Muck Excavation, LVM
5,057 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B14-6
256 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,857 Cubic Yard	206-A001	Structure Excavation
16 Ton	213-C001	Superphosphate
78 Ton	215-A001	Vegetative Materials for Mulch
9,553 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
1,000 Thousand Gallon	219-A001	Watering
16 Acre	220-A001	Insect Pest Control
200 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,424 Linear Feet	234-A001	Temporary Silt Fence
4 Each	236-A004	Silt Basin, Type D
30 Linear Feet	239-A001	Temporary Slope Drains
2,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200 Linear Feet	501-E001	Expansion Joints, Without Dowels
394 Square Yard	501-K001	Transverse Grooving
406 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,800 Linear Feet	503-C007	Saw Cut, Full Depth
656 Pounds	602-A001	Reinforcing Steel
560 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
480 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
312 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
160 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
8 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
2 Each	603-CB005	42" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
250 Pounds	604-B001	Gratings
713 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I

Call No. 09 for the March 22, 2011 Letting

3	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,322	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
442	Linear Feet	615-A006	Concrete Type III Modified Cast-in-Place Median Barrier
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
581	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
59	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,510	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,125	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
135	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
177	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
54	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
26	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
41	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
558	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,320	Linear Feet	619-F1001	Concrete Median Barrier, Precast
486	Linear Feet	619-G4005	Barricades, Type III, Double Faced
169	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	619-H1001	Traffic Signals
2	Unit	619-J1005	Impact Attenuator, 45 MPH
	Lump Sum	620-A001	Mobilization
616	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
172	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-B001	Median Barrier End Section
378	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
651	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
41	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
507	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
345	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
214	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
100	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
326	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
386	Linear Feet	635-A001	Vehicle Loop Assemblies
10	Linear Feet	636-A002	Shielded Cable
1	Each	647-A005	Pullbox, Type 2
10	Linear Feet	668-A007	Traffic Signal Conduit, Underground, Type 1, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A006	Loose Riprap, Size 100
1,000	Ton	815-A009	Loose Riprap, Size 300

Call No. 09 for the March 22, 2011 Letting

2,768	Square Yard	815-B001	Grouted Riprap
200	Ton	815-F002	Sediment Control Stone
31	Acre	907-225-A001	Grassing
94	Ton	907-225-B001	Agricultural Limestone
16	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
420	Linear Feet	907-237-A003	Wattles, 20"
400	Linear Feet	907-245-A001	Triangular Silt Dike
180	Linear Feet	907-246-A001	Sandbags
14,755	Ton	907-304-B001	Granular Material, Class 5, Group C
22,513	Ton	907-304-B005	Granular Material, Class 9, Group C
1,510	Ton	907-304-F003	3/4" and Down Crushed Stone Base
25,039	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
338	Ton	907-307-D001	Lime
13,300	Gallon	907-407-A001	Asphalt for Tack Coat
180	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
14,268	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
14,164	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
14,011	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
10,998	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,934	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
84	Linear Feet	907-626-H004	Thermoplastic Legend, White
397	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
507	Ton	907-308-A001	Portland Cement
46,501	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
46,501	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
314	Ton	907-311-B001	Lime
1,256	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
945	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
4,376	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,140	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,806	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
271	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
500	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
3,139	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,965	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
271	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
3,806	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,140	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Call No. 09 for the March 22, 2011 Letting

945 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
4,376 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
500 Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
2,965 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
3,139 Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP CC NO. 1

640 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
640 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
640 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP CC NO. 2

640 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
640 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
640 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Items

2,728 Square Yard	501-K001	Transverse Grooving
683 Cubic Yard	801-A001	Foundation Excavation for Bridges
4 Each	803-B002	Conventional Static Pile Load Test
5,040 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,600 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4 Each	803-I001	PDA Test Pile
368,800 Pounds	805-A001	Reinforcement
1,302 Linear Feet	813-A001	Concrete Railing
264 Cubic Yard	815-D001	Concrete Slope Paving
1,836 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
898 Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
435 Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV
437 Linear Feet	907-804-C178	73' Prestressed Concrete Beam, Type IV
473 Linear Feet	907-804-C179	79' Prestressed Concrete Beam, Type IV
1,065 Linear Feet	907-804-C180	89' Prestressed Concrete Beam, Type IV
561 Linear Feet	907-804-C181	93' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR