


[Proposal & Plan Sales Will Begin on April 4, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 26, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 26, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 04, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	IM-0055-04(087) / 105073301	Panola
02	HSIP-0039-02(045) / 105873301	Hinds
03	STP-2170-00(012) / 102246303	Pearl River
04	SP-0023-00(004) / 105478302	Hancock
05	BR-6962-00(006) / 105414301	Rankin
* 06	LWO-2064-47(002) / 502440301	Marshall
* 07	MP-5035-40(018) / 303917301	Leake
* 08	MP-6000-00(171) / 304140301	District 6
09	MP-7024-57(001) / 304070301	Pike
10	MP-7149-16(002) / 304056301	Covington
11	MP-7583-43(009) / 304058301	Lincoln
12	MP-7588-16(001) / 304057301	Covington

Mill and Overlay I-55 from SR 6 to Cobb Road, known as Federal Aid Project No. IM-0055-04(087) / 105073301, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: October 03, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
450 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
13 Each	202-B043	Removal of Guard Rail Bridge End Section
10,500 Linear Feet	202-B076	Removal of Traffic Stripe
1,100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
2,125 Linear Feet	202-B102	Removal of Guard Rail
4 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
3,000 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
30,000 Cubic Yard	203-G003	Excess Excavation, FM, AH
5,500 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-C001	Superphosphate
100 Square Yard	217-A001	Ditch Liner
2 Acre	220-A001	Insect Pest Control
185 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4 Acre	223-A001	Mowing
3,000 Linear Feet	234-A001	Temporary Silt Fence
350,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24 Mile	423-A001	Rumble Strips, Ground In
1,500 Each	501-G001	Dowels, Drilled and Installed
900 Square Yard	503-A016	9" and Variable Plain Concrete Pavement, Broom Finish
800 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
100 Linear Feet	503-C002	Saw Cut, 3-inch
1,500 Linear Feet	503-C007	Saw Cut, Full Depth
30 Cubic Yard	503-D001	Concrete for Base Repair
2,000 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-C003	Guard Rail, Cable Anchor, Type 1
12 Each	606-D001	Guard Rail, Bridge End Section, Type A
2 Each	606-D008	Guard Rail, Bridge End Section, Type H
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
17 Each	606-E001	Guard Rail, Terminal End Section
137 Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
1,000 Linear Feet	615-B001	Precast Concrete Median Barrier
Lump Sum	618-A001	Maintenance of Traffic
35 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
35 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
35 Mile	619-A3006	Temporary Traffic Stripe, Skip White
15,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
176 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,000 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast

Call No. 01 for the April 26, 2011 Letting

72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
250	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
3,750	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
82	Each	630-F001	Delineators, Guard Rail, White
75	Each	630-F002	Delineators, Guard Rail, Yellow
320	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
60	Each	630-F006	Delineators, Post Mounted, Single White
35	Each	630-F007	Delineators, Post Mounted, Single Yellow
100	Each	630-F009	Delineators, Post Mounted, Double Yellow
24	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
48	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
4	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
300	Linear Feet	907-237-A003	Wattles, 20"
50	Each	907-246-A002	Sandbags
20,000	Ton	907-304-B009	Granular Material, Class 3, Group D
4,000	Ton	907-304-F002	Size 610 Crushed Stone Base
11,000	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
12,700	Gallon	907-402-B001	Bituminous Tack Coat
40,000	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
40	Mile	907-403-S002	Joint Sealant for HMA
80,000	Gallon	907-407-A001	Asphalt for Tack Coat
96,000	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
96,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
80	Linear Feet	907-605-H001	Edge Drain
80	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
4,925	Linear Feet	907-606-G001	Cable Barrier
12	Each	907-606-H001	Cable Barrier Terminal Section
100	Each	907-606-I001	Cable Barrier Post Repair
2	Each	907-619-E3001	Changeable Message Sign
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
5,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
200	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,600	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
ALTERNATE GROUP AA NO. 1			
6,500	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
4,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
13,000	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

Call No. 01 for the April 26, 2011 Letting

6,500 Ton 907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture
3,000 Ton 907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

13,000 Ton 907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture
6,500 Ton 907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture
4,000 Ton 907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture
6,500 Ton 907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture
3,000 Ton 907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 1

3,500 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,500 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,500 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NO. 2

3,500 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White
3,500 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,500 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Traffic Signal on SR 18 at Midway Road, known as Federal-Aid Project No. HSIP-0039-02(045) / 105873301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 18, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

36	Square Yard	202-B025	Removal of Concrete Paved Ditch
370	Linear Feet	202-B076	Removal of Traffic Stripe
200	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
260	Cubic Yard	203-G003	Excess Excavation, FM, AH
570	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	215-A001	Vegetative Materials for Mulch
16	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8,485	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
3,650	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,100	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,650	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
24	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
6	Each	627-D001	Two-Way Yellow Reflective Raised Markers
36	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
150	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
103	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
153	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
149	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
744	Linear Feet	635-A001	Vehicle Loop Assemblies
3,416	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
7	Each	647-A001	Pullbox, Type 1
6	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
2,225	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor

Call No. 02 for the April 26, 2011 Letting

1,074	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
175	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
2,002	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
75	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
558	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
1	Each	907-234-D001	Inlet Siltation Guard
100	Linear Feet	907-237-A003	Wattles, 20"
170	Ton	907-304-B001	Granular Material, Class 5, Group C
260	Ton	907-304-F004	Size 825B Crushed Stone Base
915	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,440	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
777	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
546	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
4,748	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,149	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
480	Linear Feet	907-626-H004	Thermoplastic Legend, White
121	Square Feet	907-626-H005	Thermoplastic Legend, White
25	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
8	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
1	Each	907-651-B014	Magnetometer Detection System Component, 24-foot FiberglassPole
ALTERNATE GROUP AA NO. 1			
970	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
130	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
970	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
130	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Traffic Signal Upgrades on US 11 through Picayune, known as Federal-Aid Project No. STP-2170-00(012) / 102246303, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: February 11, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

8	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
502	Linear Feet	202-B058	Removal of Legend, All Types
14	Each	202-B147	Removal of Existing Low Mast Pole Foundations
1	Each	202-B186	Removal of Low Mast Lighting Assembly and Foundation
37	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
24	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A018	Traffic Signal Heads, Type 3 LED
6	Each	640-A046	Traffic Signal Heads, Type 7L, LED
6	Each	640-A047	Traffic Signal Heads, Type 7R, LED
1	Each	643-A001	Closed Loop On-Street Master System
19	Each	644-A001	Optical Detector
2,715	Linear Feet	644-B001	Optical Detector Cable
5	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
5	Each	647-A003	Pullbox, Type 4
6	Each	647-A005	Pullbox, Type 2
4	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
50	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
2,715	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
175	Linear Feet	666-B026	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 8, 2Conductor
70	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
315	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
500	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2,010	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-639-A024	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 50'Arms
1	Each	907-639-A040	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 45'Arms
1	Each	907-639-A045	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 40' Arms
1	Each	907-639-A060	Traffic Signal Equipment Pole, Type V, 8' Shaft
1	Each	907-639-A083	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 55' Arms
1	Each	907-639-A084	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 50' Arms
1	Each	907-639-A085	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' Arm
3	Each	907-639-A086	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 40'Arms
1	Each	907-639-A087	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 35' Arms
40	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
150	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
5	Linear Feet	907-639-D003	Slip Casing, 24" Diameter
5	Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M

Call No. 03 for the April 26, 2011 Letting

19 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
1 Each	907-658-A001	Hardened Network Switch, Type A

Overlaying the visitors entrance at the Infinity Access Road, known as State Project No. SP-0023-00(004) / 105478302, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: September 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
3,326	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6	Each	202-B099	Removal of Existing Light and Foundation
1,765	Linear Feet	202-B261	Removal of Electric Power Cable, Including Hardware
1,113	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
14	Cubic Yard	206-A001	Structure Excavation
10	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,786	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5	Ton	215-A001	Vegetative Materials for Mulch
2,108	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
6,699	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
96	Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
	Lump Sum	618-A001	Maintenance of Traffic
58	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
120	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Single Faced
84	Linear Feet	619-G4005	Barricades, Type III, Double Faced
62	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
68	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
267	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,585	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
166	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
11	Each	683-B148	Lighting Assembly, Low Mast, Type 20-1-0-150
2	Cubic Yard	684-A002	Pole Foundation, 18" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
100	Linear Feet	907-237-A003	Wattles, 20"
839	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
784	Ton	907-304-F001	Size 825 Crushed Stone Base
2,972	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,722	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10,453	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,339	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,712	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,288	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Call No. 04 for the April 26, 2011 Letting

1,325	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,665	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
252	Linear Feet	907-626-H004	Thermoplastic Legend, White
336	Square Feet	907-626-H005	Thermoplastic Legend, White
292	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #6, 3 Conductor

ALTERNATE GROUP AA NO. 1

258	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
644	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,177	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP AA NO. 2

258	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,177	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
644	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Construction necessary to Replace the Bridge on SR 468, across Terrapin Skin Creek, known as State Project No. BR-6962-00(006) / 105414301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: April 13, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
3,200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
331 Linear Feet	202-B064	Removal of Pipe, 8" And Above
300 Linear Feet	202-B076	Removal of Traffic Stripe
1,228 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
13,598 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
7,105 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,156 Cubic Yard	206-A001	Structure Excavation
3,460 Square Yard	209-A001	Geotextile Stabilization, Type V
2 Ton	213-C001	Superphosphate
12 Ton	215-A001	Vegetative Materials for Mulch
100 Square Yard	216-A001	Solid Sodding
2 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
6 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,000 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
1,600 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,449 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
94 Linear Feet	501-E001	Expansion Joints, Without Dowels
198 Square Yard	501-K001	Transverse Grooving
204 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
425 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
40 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
Lump Sum	618-A001	Maintenance of Traffic
1 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
74 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
96 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
283 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
27 Each	619-G5001	Free Standing Plastic Drums
6 Each	619-G7001	Warning Lights, Type "B"
100 Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4 Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section

Call No. 05 for the April 26, 2011 Letting

Lump Sum	620-A001	Mobilization
148 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
26 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34 Each	630-F001	Delineators, Guard Rail, White
4 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
Lump Sum	699-A001	Roadway Construction Stakes
200 Ton	815-A006	Loose Riprap, Size 100
440 Ton	815-A009	Loose Riprap, Size 300
200 Square Yard	815-E001	Geotextile under Riprap
4 Acre	907-225-A001	Grassing
8 Ton	907-225-B001	Agricultural Limestone
2 Acre	907-226-A001	Temporary Grassing
600 Linear Feet	907-234-F001	Turbidity Barrier
1,000 Linear Feet	907-237-A003	Wattles, 20"
100 Each	907-246-A002	Sandbags
8,129 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
2,239 Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
2,667 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
36 Ton	907-307-D001	Lime
2,667 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
930 Gallon	907-407-A001	Asphalt for Tack Coat
128 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
100 Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
48 Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
8 Each	907-617-A001	Right-of-Way Marker
Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
1,920 Linear Feet	907-618-E001	Detour Bridge Piling
Lump Sum	907-618-F001	Detour Bridge Test Pile
1 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
1 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
ALTERNATE GROUP AA NO. 1		
6,934 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
51 Ton	907-311-B001	Lime
203 Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP AA NO. 2		
73 Ton	907-308-A001	Portland Cement
6,934 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP BB NO. 1		
1,403 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,599 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 2		
1,403 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,599 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
Bridge Items		
896 Square Yard	501-K001	Transverse Grooving
2 Each	803-B002	Conventional Static Pile Load Test

Call No. 05 for the April 26, 2011 Letting

1,605	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
715	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
73,944	Pounds	805-A001	Reinforcement
403	Linear Feet	813-A001	Concrete Railing
495	Ton	815-A009	Loose Riprap, Size 300
484	Square Yard	815-E001	Geotextile under Riprap
109	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
256	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
1,179	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Work necessary to install a chain link fence at the Byhalia Maintenance Headquarters, known as State Project No. LWO-2064-47(002) / 502440301, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: August 01, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4,700	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
800	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
1	Each	607-G125	Gate, 12' x 6' Double Chain Link with Top Guard
353	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
70	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
47	Each	607-P1011	Line Post, 12' x 2" Galvanized Steel
8	Each	607-P1018	Line Post, 12' x 2 1/2" Galvanized Steel
4	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
53	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
10	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
7	Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
2	Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes

Mill & Overlay approximately 10 miles of SR 35 from just north of SR 25 to the Attala County Line, known as State Project No. MP-5035-40(018) / 303917301, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: September 16, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,896	Linear Feet	202-B038	Removal of Curb, All Types
1,380	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
185,315	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
21	Mile	423-A001	Rumble Strips, Ground In
930	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
42	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
17,212	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,344	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
606	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
508	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
42	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
737	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,030	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,782	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
18,000	Gallon	907-407-A001	Asphalt for Tack Coat
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,517	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,875	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,420	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
77	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
25,849	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,136	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
25,849	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,136	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Chip Seal on various routes, known as State Project No. MP-6000-00(171) / 304140301, in District Six, State of Mississippi.

PROJECT COMPLETION: August 31, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

337,101	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
9,413	Cubic Yard	410-C002	Seal Aggregate Cover Material, Size 89, Stone
2,807	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
	Lump Sum	618-A001	Maintenance of Traffic
9,976	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
9,976	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Mill and Overlay SR 24 between I-55 and Presley Blvd., known as State Project No. MP-7024-57(001) / 304070301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: August 15, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

122,392	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,102	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,359	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,244	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
250	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,662	Linear Feet	635-A001	Vehicle Loop Assemblies
9,179	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,669	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,433	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,359	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,943	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
10,097	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
10,097	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Mill and Overlay of SR 149 from the Intersection of US 49 & SR 149 North 3 miles to the Intersection of US 49 & SR 149 through Mount Olive, known as State Project No. MP-7149-16(002) / 304056301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: July 27, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

13	Square Yard	202-B035	Removal of Concrete Sidewalk
240	Cubic Yard	203-G004	Excess Excavation, LVM, AH
19,710	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Mile	423-A001	Rumble Strips, Ground In
22	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,096	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,060	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
867	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
727	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,145	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,213	Gallon	907-407-A001	Asphalt for Tack Coat
24,291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
720	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
720	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
7,851	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,040	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,820	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
6,563	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
309	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
6,563	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
309	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Widen and Overlay of SR 583 Between Ruth and Enterprise School, known as State Project No. MP-7583-43(009) / 304058301, in the County of Lincoln, State of Mississippi.

PROJECT COMPLETION: August 05, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

600	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
650	Linear Feet	202-B076	Removal of Traffic Stripe
2,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,650	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,350	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
550	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
6,000	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
17,100	Gallon	907-407-A001	Asphalt for Tack Coat
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,650	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,350	Linear Feet	907-626-H004	Thermoplastic Legend, White
71	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
13,200	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,100	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
13,200	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
2,100	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Widening and Overlaying SR 588 between US 84 and Jones County Line, known as State Project No. MP-7588-16(001) / 304057301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: August 15, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

989	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,735	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,692	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
461	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
968	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,333	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
15,200	Gallon	907-407-A001	Asphalt for Tack Coat
19	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,755	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,980	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,772	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
18,414	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,761	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
18,414	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,761	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR