


[Proposal & Plan Sales Will Begin on September 5, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 27, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 27, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 05, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

| CALL | CONTRACT | COUNTY |
|------|---|----------------------|
| 01 | STP-0006-01(072) / 104095302 | Union |
| * 02 | NH-0011-02(083) / 106226301 & NH-0011-02(083) / 106226302 | Montgomery & Carroll |
| * 03 | NH-0015-01(118) / 106288301 | Adams |
| 04 | HSIP-6945-00(008) / 106171301 & HSIP-6945-00(008) / 106171302 | Madison & Rankin |
| * 05 | STP-9324-00(001) / 106200301 | Coahoma |

Reconstruction on US 78 in New Albany from SR 30 to SR 15, known as Federal Aid Project No. STP-0006-01(072) / 104095302, in Union County.

PROJECT COMPLETION: November 22, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | |
|--------------------|-----------|---|
| Lump Sum | 201-A001 | Clearing and Grubbing |
| 2,007 Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 500 Square Yard | 202-B006 | Removal of Asphalt Pavement, Failed Areas |
| 58 Square Yard | 202-B018 | Removal of Concrete Driveways, All Depths |
| 23 Each | 202-B019 | Removal of Concrete Headwall |
| 1,988 Square Yard | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths |
| 1,156 Square Yard | 202-B025 | Removal of Concrete Paved Ditch |
| 500 Square Yard | 202-B031 | Removal of Concrete Pavement Punchouts, 8" Depth |
| 17,425 Linear Feet | 202-B038 | Removal of Curb, All Types |
| 6,901 Linear Feet | 202-B041 | Removal of Fence, All Types |
| 21 Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 5,410 Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 2,008 Linear Feet | 202-B087 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 1,726 Square Yard | 202-B097 | Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths |
| 42,445 Cubic Yard | 203-A003 | Unclassified Excavation, FM, AH |
| 75,656 Cubic Yard | 203-EX017 | Borrow Excavation, AH, FME, Class B9 |
| 4,000 Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 891 Cubic Yard | 206-A001 | Structure Excavation |
| 32 Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 57,124 Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 29 Ton | 213-C001 | Superphosphate |
| 145 Ton | 215-A001 | Vegetative Materials for Mulch |
| 3,118 Square Yard | 216-A001 | Solid Sodding |
| 2,989 Square Yard | 217-A001 | Ditch Liner |
| 35 Thousand Gallon | 219-A001 | Watering |
| 29 Acre | 220-A001 | Insect Pest Control |
| 1,166 Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 Acre | 223-A001 | Mowing |
| 3,571 Square Yard | 224-A001 | Soil Reinforcing Mat |
| 29,980 Linear Feet | 234-A001 | Temporary Silt Fence |
| 1,044 Bale | 235-A001 | Temporary Erosion Checks |
| 50 Each | 236-A001 | Silt Basin, Type A |
| 50 Each | 236-B001 | Maintenance and Removal of Existing Silt Basins, Type A |
| 1,255 Linear Feet | 239-A001 | Temporary Slope Drains |
| 76,736 Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 491 Square Yard | 406-B001 | Cold Milling of Concrete Pavement, All Depths |
| 16,457 Gallon | 408-A003 | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 |
| 8 Mile | 423-A001 | Rumble Strips, Ground In |
| 173 Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 398 Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |

Call No. 01 for the September 27, 2011 Letting

| | |
|--------------------|--|
| 500 Square Yard | 503-A004 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish |
| 355 Linear Feet | 503-B001 Saw Cut, Longitudinal Joints |
| 288 Linear Feet | 503-C002 Saw Cut, 3-inch |
| 15,602 Linear Feet | 503-C007 Saw Cut, Full Depth |
| 167 Cubic Yard | 503-D001 Concrete for Base Repair |
| 348 Each | 503-E002 Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 18,133 Pounds | 602-A001 Reinforcing Steel |
| 140 Linear Feet | 603-CA002 18" Reinforced Concrete Pipe, Class III |
| 92 Linear Feet | 603-CA003 24" Reinforced Concrete Pipe, Class III |
| 12 Linear Feet | 603-CA004 30" Reinforced Concrete Pipe, Class III |
| 16 Linear Feet | 603-CA005 36" Reinforced Concrete Pipe, Class III |
| 24 Linear Feet | 603-CA007 48" Reinforced Concrete Pipe, Class III |
| 56 Linear Feet | 603-CA009 60" Reinforced Concrete Pipe, Class III |
| 12 Linear Feet | 603-CA012 84" Reinforced Concrete Pipe, Class III |
| 12 Each | 603-CB001 18" Reinforced Concrete End Section |
| 6 Each | 603-CB002 24" Reinforced Concrete End Section |
| 2 Each | 603-CB003 30" Reinforced Concrete End Section |
| 2 Each | 603-CB004 36" Reinforced Concrete End Section |
| 1 Each | 603-CB006 48" Reinforced Concrete End Section |
| 2 Each | 603-CB008 60" Reinforced Concrete End Section |
| 84 Linear Feet | 603-CE001 22" x 13" Concrete Arch Pipe, Class A III |
| 128 Linear Feet | 603-CE002 29" x 18" Concrete Arch Pipe, Class A III |
| 24 Linear Feet | 603-CE003 36" x 23" Concrete Arch Pipe, Class A III |
| 32 Linear Feet | 603-CE004 44" x 27" Concrete Arch Pipe, Class A III |
| 24 Linear Feet | 603-CE006 58" x 36" Concrete Arch Pipe, Class A III |
| 56 Linear Feet | 603-CE008 73" x 45" Concrete Arch Pipe, Class A III |
| 3 Each | 603-CF001 22" x 13" Concrete Arch Pipe End Section |
| 5 Each | 603-CF002 29" x 18" Concrete Arch Pipe End Section |
| 2 Each | 603-CF003 36" x 23" Concrete Arch Pipe End Section |
| 2 Each | 603-CF004 44" x 27" Concrete Arch Pipe End Section |
| 3 Each | 603-CF006 58" x 36" Concrete Arch Pipe End Section |
| 4 Each | 603-CF008 73" x 45" Concrete Arch Pipe End Section |
| 1,260 Pounds | 604-B001 Gratings |
| 850 Linear Feet | 606-B005 Guard Rail, Class A, Type 1, 'W' Beam |
| 2 Each | 606-C003 Guard Rail, Cable Anchor, Type 1 |
| 4 Each | 606-D012 Guard Rail, Bridge End Section, Type I |
| 4 Each | 606-E001 Guard Rail, Terminal End Section |
| 8 Each | 606-E009 Guard Rail, Terminal End Section, Double Faced |
| 8,203 Linear Feet | 607-A001 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 350 Linear Feet | 607-B001 60" Type I Chain Link Fence, Class I |
| 2,112 Linear Feet | 607-E001 Barbed Wire Fence, Single Strand |
| 1 Each | 607-G020 Gate, 12' x 60" Galvanized Metal |
| 1 Each | 607-G029 Gate, 6' x 10' Galvanized Metal |
| 48 Each | 607-P1002 Line Post, 10' x 4" Timber |
| 4 Each | 607-P1005 Line Post, 10' x 4" x 4" Concrete |
| 28 Each | 607-P1007 Line Post, 7' x 1 1/2" Galvanized Steel |

Call No. 01 for the September 27, 2011 Letting

| | | | |
|--------|-------------|-----------|--|
| 16 | Each | 607-P1009 | Line Post, 9' x 2" Galvanized Steel |
| 34 | Each | 607-P1016 | Line Post, 7' x 4" x 4" Concrete |
| 7 | Each | 607-P1017 | Line Post, 9' x 4" x 4" Concrete |
| 359 | Each | 607-P1020 | Line Post, 7' x 4" Timber |
| 72 | Each | 607-P1021 | Line Post, 9' x 4" Timber |
| 8 | Each | 607-P1031 | Line Post, 10' x 2 1/2" Galvanized Steel |
| 119 | Each | 607-P2001 | Brace Post, 8' x 6" Timber |
| 24 | Each | 607-P2002 | Brace Post, 10' x 6" Timber |
| 15 | Each | 607-P2003 | Brace Post, 12' x 6" Timber |
| 13 | Each | 607-P2004 | Brace Post, 8' x 6" x 6" Concrete |
| 3 | Each | 607-P2005 | Brace Post, 10' x 6" x 6" Concrete |
| 2 | Each | 607-P2006 | Brace Post, 12' x 6" x 6" Concrete |
| 7 | Each | 607-P2023 | Brace Post, 8' x 2" Galvanized Steel |
| 1 | Each | 607-P3004 | Gate Post, 9' x 2 1/2" Galvanized Steel |
| 155 | Each | 607-Z001 | Concrete Anchors |
| 3,943 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 3A Modified |
| 144 | Square Yard | 614-A001 | Concrete Driveway, Without Reinforcement |
| 7,280 | Linear Feet | 615-A009 | Concrete Type I Cast-in-Place Median Barrier, 42" High |
| 80 | Linear Feet | 615-A019 | Concrete Bridge End Barrier, 43.5" |
| 209 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 3 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 1 | Mile | 619-A1008 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 4 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 2 | Mile | 619-A2008 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 3 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 1 | Mile | 619-A3009 | Temporary Traffic Stripe, Skip White, Type 1 Tape |
| 31,927 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 8,902 | Linear Feet | 619-A5004 | Temporary Traffic Stripe, Detail, Type 1 Tape |
| 676 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 207 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 450 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 155 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1,164 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 65 | Each | 619-D3001 | Remove and Reset Signs, All Sizes |
| 2 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
| 14,100 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 5,145 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 48 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 72 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 1,571 | Each | 619-G5001 | Free Standing Plastic Drums |
| 36 | Each | 619-G7001 | Warning Lights, Type "B" |
| | Lump Sum | 620-A001 | Mobilization |
| 1 | Each | 621-A001 | Field Laboratory |
| 1,477 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 284 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |

Call No. 01 for the September 27, 2011 Letting

| | | | |
|-------|-------------|--------------|---|
| 2 | Each | 629-A003 | Vehicular Impact Attenuator, 70 MPH |
| 2 | Each | 629-B001 | Median Barrier End Section |
| 1 | Each | 629-C001 | Vehicular Impact Attenuator Back-up Wall |
| 170 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 119 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 222 | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 69 | Linear Feet | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft |
| 120 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 269 | Linear Feet | 630-D003 | Structural Steel Beams, W6 x 9 |
| 266 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 213 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 38 | Each | 630-F001 | Delineators, Guard Rail, White |
| 4 | Each | 630-G001 | Type 3 Object Markers, OM-3R, Post Mounted |
| 4 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 30 | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" |
| 16 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 43 | Linear Feet | 630-K004 | Welded & Seamless Steel Pipe Posts, 5" |
| 780 | Linear Feet | 682-A004 | Underground Branch Circuit, AWG 1/0, 3 Conductor |
| 490 | Linear Feet | 682-A015 | Underground Branch Circuit, AWG 2, 3 Conductor |
| 80 | Linear Feet | 682-A028 | Underground Branch Circuit, AWG 4/0, 3 Conductor |
| 6,455 | Linear Feet | 682-A031 | Underground Branch Circuit, AWG 6, 3 Conductor |
| 180 | Linear Feet | 682-B005 | Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor |
| 45 | Linear Feet | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor |
| 65 | Linear Feet | 682-B028 | Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3 Conductor |
| 820 | Linear Feet | 682-B031 | Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor |
| 1,420 | Linear Feet | 682-C028 | Structure Mounted Branch Circuit, AWG 6, 3 Conductor |
| 10 | Each | 682-D001 | Underground Pull Box |
| 4 | Each | 682-D003 | Structure Mounted Pull Box |
| 1 | Each | 682-F001 | Secondary Power Controllers |
| 1 | Each | 683-A008 | Lighting Assembly, High Mast, Type 100-4-A |
| 2 | Each | 683-A072 | Lighting Assembly, High Mast, Type 130-8-S |
| 13 | Each | 683-B049 | Lighting Assembly, Low Mast, Type 40-1-0-400 |
| 4 | Each | 683-B051 | Lighting Assembly, Low Mast, Type 40-1-10-400 |
| 23 | Cubic Yard | 684-A003 | Pole Foundation, 24" Diameter |
| 6 | Cubic Yard | 684-A004 | Pole Foundation, 36" Diameter |
| 18 | Cubic Yard | 684-A005 | Pole Foundation, 42" Diameter |
| 11 | Linear Feet | 684-B003 | Slip Casing, 24" Diameter |
| 23 | Linear Feet | 684-B004 | Slip Casing, 36" Diameter |
| 23 | Linear Feet | 684-B005 | Slip Casing, 42" Diameter |
| 481 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 915 | Square Yard | 815-E001 | Geotextile under Riprap |
| 58 | Acre | 907-225-A001 | Grassing |
| 174 | Ton | 907-225-B001 | Agricultural Limestone |
| 29 | Acre | 907-226-A001 | Temporary Grassing |
| 7 | Each | 907-234-D001 | Inlet Siltation Guard |

Call No. 01 for the September 27, 2011 Letting

| | | | |
|--------|-------------|---------------|--|
| 1,870 | Linear Feet | 907-237-A002 | Wattles, 12" |
| 520 | Linear Feet | 907-237-A003 | Wattles, 20" |
| 3,095 | Linear Feet | 907-245-A001 | Triangular Silt Dike |
| 520 | Linear Feet | 907-246-A001 | Sandbags |
| 4 | Each | 907-247-A001 | Temporary Stream Diversion |
| 260 | Ton | 907-249-A001 | Riprap for Erosion Control |
| 180 | Cubic Yard | 907-249-B001 | Remove and Reset Riprap |
| 18,747 | Cubic Yard | 907-304-C007 | Granular Material, AEA, Class 3, Group C |
| 30,828 | Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| 37,929 | Linear Feet | 907-403-S003 | Joint Sealant |
| 32,825 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 88 | Cubic Yard | 907-601-A001 | Class "B" Structural Concrete |
| 72 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 22,339 | Linear Feet | 907-606-G001 | Cable Barrier |
| 15 | Each | 907-606-H001 | Cable Barrier Terminal Section |
| 10 | Each | 907-606-I001 | Cable Barrier Post Repair |
| 1 | Each | 907-607-P3001 | Gate Post, 11' 6" x 3 1/2" Galvanized Steel, Dark Green Color |
| 60 | Each | 907-617-A001 | Right-of-Way Marker |
| 7 | Mile | 907-626-A005 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 2 | Mile | 907-626-B006 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 8 | Mile | 907-626-C006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min |
| 240 | Linear Feet | 907-626-D005 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 1,196 | Linear Feet | 907-626-E005 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 7 | Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 10,868 | Linear Feet | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White |
| 9,288 | Linear Feet | 907-626-G007 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 1,151 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 1,269 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 60 | Cubic Yard | 907-631-B001 | Flowable Fill, Non-Excavatable |
| 13 | Each | 907-682-E001 | Underground Junction Box With Concrete Pad |
| 6 | Each | 907-683-B015 | Lighting Assembly, Low Mast, Type 35-1-4-400, Bridge Mounted |
| | Lump Sum | 907-699-A002 | Roadway Construction Stakes |
| | Lump Sum | 907-699-B002 | Bridge Construction Stakes |
| 1,760 | Hours | 907-906001 | Trainees |

ALTERNATE GROUP AA NO. 1

| | | | |
|-------|-----|--------------|--|
| 6,705 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| 2,710 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 2,013 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
| 3,014 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
| 3,455 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 5,849 | Ton | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture |
| 4,765 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| 2,195 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 2,517 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 9,948 | Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 7,461 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |

ALTERNATE GROUP AA NO. 2

| | | | |
|-------|-----|--------------|---|
| 2,195 | Ton | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture |
| 2,013 | Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture |
| 5,849 | Ton | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture |
| 4,765 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |
| 3,455 | Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture |
| 3,014 | Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture |
| 6,705 | Ton | 907-403-M010 | Warm Mix Asphalt, HT, 12.5-mm mixture |
| 2,710 | Ton | 907-403-M011 | Warm Mix Asphalt, HT, 19-mm mixture |
| 2,517 | Ton | 907-403-O005 | Warm Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 7,461 | Ton | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 9,948 | Ton | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |

ALTERNATE GROUP BB NO. 1

| | | | |
|-------|-------------|----------|---|
| 3,858 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,524 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 2,524 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow |
| 14 | Linear Feet | 628-O001 | High Performance Cold Plastic Detail Stripe, White |

ALTERNATE GROUP BB NO. 2

| | | | |
|-------|-------------|--------------|--|
| 3,858 | Linear Feet | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 2,524 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite |
| 2,524 | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |
| 14 | Linear Feet | 907-626-M001 | Inverted Profile Thermoplastic Detail Traffic Stripe, White |

Bridge Items

| | | | |
|---------|-------------|--------------|---|
| 946 | Cubic Yard | 801-A001 | Foundation Excavation for Bridges |
| 4 | Each | 803-B002 | Conventional Static Pile Load Test |
| 2,340 | Linear Feet | 803-D003 | HP 14 x 73 Steel Piling |
| 4,540 | Linear Feet | 803-D006 | HP 14 x 117 Steel Piling |
| 10,080 | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling |
| 13,803 | Linear Feet | 803-F005 | 18" Pre-Formed Pile Hole |
| 4 | Each | 803-I001 | PDA Test Pile |
| 93 | Linear Feet | 803-N001 | Exploration |
| 68 | Linear Feet | 803-O008 | Temporary Casing, 48" Diameter |
| 539,681 | Pounds | 805-A001 | Reinforcement |
| 2,517 | Linear Feet | 813-A003 | Concrete Railing, 42" |
| 1,281 | Linear Feet | 813-D001 | Concrete Median Barrier Railing |
| 878 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 260 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 1,269 | Square Yard | 815-E001 | Geotextile under Riprap |
| 718 | Linear Feet | 907-803-K001 | Drilled Shaft, 48" Diameter |
| 93 | Linear Feet | 907-803-M001 | Trial Shaft, 48" Diameter |
| 2,529 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class AA |
| 717 | Linear Feet | 907-804-C002 | 60' Prestressed Concrete Beam, Type III |
| 3,693 | Linear Feet | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 |
| 2,511 | Linear Feet | 907-804-C021 | 70' Prestressed Concrete Beam, Type III |
| 714 | Linear Feet | 907-804-C026 | 90' Prestressed Concrete Beam, Type IV |
| 1,192 | Linear Feet | 907-804-C148 | 75' Prestressed Concrete Beam, Type IV |

Mill and Overlay US 82 from west of Carrollton to I-55, known as Federal Aid Project Nos. NH-0011-02(083) / 106226301 & 302, in Carroll & Montgomery Counties.

PROJECT COMPLETION: June 18, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|---------|-------------|--------------|---|
| 1,700 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 2,204 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
| 1,015 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 1,960 | Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 1,500 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 246,019 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 27 | Mile | 423-A001 | Rumble Strips, Ground In |
| 600 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 | Square Feet | 618-B001 | Additional Construction Signs |
| 29 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 29 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 27 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 63,904 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 5,743 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1,700 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| | Lump Sum | 620-A001 | Mobilization |
| 1,147 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 70 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 6,500 | Ton | 907-304-B009 | Granular Material, Class 3, Group D |
| 1,190 | Ton | 907-304-F002 | Size 610 Crushed Stone Base |
| 24,600 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 13 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 14 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 14 | Mile | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 21,975 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 9,977 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 2,871 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |

ALTERNATE GROUP AA NO. 1

| | | | |
|--------|-----|--------------|--|
| 230 | Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 430 | Ton | 907-403-D002 | Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified |
| 21,275 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |

ALTERNATE GROUP AA NO. 2

| | | | |
|--------|-----|--------------|---|
| 21,275 | Ton | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 230 | Ton | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 430 | Ton | 907-403-P003 | Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified |

Call No. 03 for the September 27, 2011 Letting

Installing a Photocell Light Controller on the MS River Bridge at Natchez, known as Federal Aid Project No. NH-0015-01(118) / 106288301 in Adams County.

PROJECT COMPLETION: December 21, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | |
|-------------------|---------------|---|
| Lump Sum | 618-A001 | Maintenance of Traffic |
| 120 Linear Feet | 682-A009 | Underground Branch Circuit, AWG 10, 3 Conductor |
| 2,800 Linear Feet | 682-C010 | Structure Mounted Branch Circuit, AWG 10, 3 Conductor |
| 1 Each | 907-682-PP001 | Photoelectric Control Assembly |

Guardrail Installation approximately 3 miles on Spillway Road, known as Federal Aid Project No. HSIP-6945-00(008) / 106171301 & 106171302, in Madison & Rankin Counties.

PROJECT COMPLETION: March 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| 27,665 | Linear Feet | 202-B102 | Removal of Guard Rail |
| 27,625 | Linear Feet | 606-B007 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 4 | Each | 606-C002 | Guard Rail, Cable Anchor Type 1, Metal Post |
| 3 | Each | 606-D010 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 2 | Each | 606-E003 | Guard Rail, Terminal End Section, Non-Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| | Lump Sum | 620-A001 | Mobilization |
| 247 | Each | 630-F001 | Delineators, Guard Rail, White |
| 261 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 1 | Each | 907-630-R001 | Changeable Message Sign |
| 275 | Cubic Yard | 907-631-B001 | Flowable Fill, Non-Excavatable |

Mill and Overlay approximately 2 miles of US 161 from US 61 to the Sunflower River bridge, known as Federal Aid Project No. STP-9324-00(001) / 106200301, in Coahoma County.

PROJECT COMPLETION: May 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|---------------|---|
| 50 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
| 300 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 67,015 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 2 | Mile | 423-A001 | Rumble Strips, Ground In |
| 40 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 5 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 5 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 6 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 4,000 | Linear Feet | 619-A4001 | Temporary Traffic Stripe, Skip Yellow |
| 15,841 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 2,300 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 935 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| | Lump Sum | 620-A001 | Mobilization |
| 1,025 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 886 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,576 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 2,000 | Ton | 907-304-B009 | Granular Material, Class 3, Group D |
| 6,500 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 3 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 5 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 4,000 | Linear Feet | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 5 | Mile | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 5 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 10,421 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 5,420 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 2,300 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 935 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |

ALTERNATE GROUP AA NO. 1

| | | | |
|-------|-----|--------------|---|
| 500 | Ton | 907-403-C005 | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening |
| 7,433 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |

ALTERNATE GROUP AA NO. 2

| | | | |
|-------|-----|--------------|--|
| 500 | Ton | 907-403-O001 | Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening |
| 7,433 | Ton | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR