

**Proposal & Plan Sales Will Begin on January 2, 2024**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For January - January 24, 2024**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Wednesday, January 24, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 2, 2024

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, January 24, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	NH-0002-07(018)/108223301	PRENTISS
02	HSIP-0005-01(013)/108459301	LOWNDES
* 03	NH-0008-05(042)/108269301	LEFLORE
04	SVRU-0008-01(153)/109197301	HARRISON
* 05	NH-0009-04(041)/108257302 & NHPP-0009-05(036)/108966301	COAHOMA, TUNICA
06	NHPP-0010-01(161)/107509301	HANCOCK
07	NH-0011-01(063)/102134303 & NH-0011-01(063)/102134304	WASHINGTON
08	STP-0013-03(023)/106078301	SMITH
09	BR-0535-00(028)/102504301	NESHOBA
10	STP-0722-00(011)/107010301	CHOCTAW
11	STP-2901-00(036)/105338302	YALOBUSHA
12	NHPP-2920-00(015)/107438301	TATE
13	BR-7314-00(032)/1075693020 & BR-7314-00(032)/1075693021	HINDS, RANKIN
14	STBG-9327-00(009)/109321301	DESOTO
* 15	CRP-9999-05(416)/109407301 & CRP-9999-05(416)/109407302	HINDS, RANKIN
* 16	SP-0015-01(141)/108369301	ADAMS

\*

17

SP-9507-00(002)/109442301

LEFLORE



CALL No. 01

Mill & Overlay approximately 3 miles of US 45 from Ripley Road to SR 30 W, known as Federal Aid Project No. NH-0002-07(018) / 108223301 in Prentiss County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

150 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,700 Linear Feet	202-B240	Removal of Traffic Stripe
42 Cubic Yard	203-G001	Excess Excavation, FM, AH
150 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,200 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
110 Ton	403-A004	19-mm, HT, Asphalt Pavement
10,010 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
140,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,600 Gallon	407-A001	Asphalt for Tack Coat
11 Mile	423-A001	Rumble Strips, Ground In
156 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
12 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14 Mile	619-A3001	Temporary Traffic Stripe, Skip White
30,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
38 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,950 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
6 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
5 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
20,800 Linear Feet	626-G002	Thermoplastic Detail Stripe, White

9,300	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,950	Linear Feet	626-H005	Thermoplastic Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
135	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
14	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
150	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
1,700	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
<b>ALTERNATE GROUP AA NUMBER 1</b>			
73	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>			
73	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>			
73	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>			
566	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
566	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
566	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>			
566	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
566	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
566	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Mill, Overlay, & Safety Improvements on approximately 12 miles of SR 12 from SR 50 to the Alabama State Line and approximately 0.5 miles of SR 69 from Fabritek Road to the Alabama State Line, known as Federal Aid Project No. HSIP-0005-01(013) / 108459301 in Lowndes County.

PROJECT COMPLETION: 231 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

92 Station	201-D001	Random Clearing
8 Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,773 Cubic Yard	203-EX002	Borrow Excavation, AH, FME, Class B10
500 Cubic Yard	203-F001	Channel Excavation, FM
268 Cubic Yard	206-A001	Structure Excavation
51 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6,895 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
89 Square Yard	216-A001	Solid Sodding
2 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Concrete Paved Ditch
20 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
14 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
3,102 Linear Feet	237-A002	Wattles, 20"
990 Linear Feet	245-A001	Silt Dike
7,920 Linear Feet	246-A001	Sandbags
12 Each	247-A001	Temporary Stream Diversion
616 Ton	249-A001	Riprap for Erosion Control
2,258 Ton	305-B003	Size II Stabilizer Aggregate, Coarse
17,239 Ton	403-A015	9.5-mm, ST, Asphalt Pavement

132 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
4,548 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
177,432 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,762 Gallon	407-A001	Asphalt for Tack Coat
34 Mile	423-A001	Rumble Strips, Ground In
108 Cubic Yard	601-A001	Class "B" Structural Concrete
33 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
17,161 Pounds	602-A001	Reinforcing Steel
40 Linear Feet	603-ALT006	24" Type A Alternate Pipe
8 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
8 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
11 Each	603-CB003	18" Reinforced Concrete End Section
18 Each	603-CB004	24" Reinforced Concrete End Section
4 Each	603-CB005	30" Reinforced Concrete End Section
2 Each	603-CB006	36" Reinforced Concrete End Section
813 Linear Feet	606-B001	Guard Rail, Class A, Type 1
6 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
25 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
17 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
6 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
1,154 Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1,192 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,200 Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,400 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
8 Each	619-J1002	Impact Attenuator, 45 MPH
4 Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
16 Each	619-J3001	Remove and Reset Impact Attenuator
1 Lump Sum	620-A001	Mobilization



25 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
640 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,154 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
948 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,192 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
233 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,084 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
691 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
973 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,642 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
29 Each	630-F006	Delineators, Guard Rail, White
22 Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
27 Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
1,964 Ton	815-A002	Loose Riprap, Size 100
1,259 Ton	815-A007	Loose Riprap, Size 300
1,935 Square Yard	815-E001	Geotextile under Riprap
2,609 Linear Feet	907-234-A001	Temporary Silt Fence
1 Mile	907-626-C003	Thermoplastic Audible Edge Stripe
256 Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
520 Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>		
5,760 Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>		
5,760 Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>		
5,760 Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 03

Mill & Overlay approximately 12 miles of US 49E from 300 feet north of SR 442 to the Tallahatchie County Line, known as Federal Aid Project No. NH-0008-05(042) / 108269301 in Leflore County.

PROJECT COMPLETION: 207 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,749	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,440	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
125	Each	202-B215	Removal of Sign Including Post & Footing
700	Linear Feet	202-B240	Removal of Traffic Stripe
165	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,820	Ton	304-B004	Granular Material, Class 5, Group D
2,575	Ton	403-A006	19-mm, ST, Asphalt Pavement
17,300	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,725	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
10,000	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
43,825	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
8,208	Linear Feet	503-C010	Saw Cut, Full Depth
675	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
50	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
25	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,730	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,747	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White

13 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,650 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,080 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
115 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,750 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
452 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,358 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
250 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
590 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
360 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,110 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
54 Each	630-F006	Delineators, Guard Rail, White
72 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
61,310 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
<b>ALTERNATE GROUP AA NUMBER 1</b>		
310 Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>		
310 Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>		
310 Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 04

Pedestrian Improvements along US 49 from Turkey Creek to 250 feet north of Creosote Road, known as Federal Aid Project No. SVRU-0008-01(153) / 109197301 in Harrison County.

PROJECT COMPLETION: 406 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,139	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
2,106	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
514	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
139	Square Yard	202-B063	Removal of Concrete Paved Ditch
941	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
21	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
4	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
25	Each	202-B179	Removal of Low Mast Lighting Foundation
2,746	Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,148	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
5,601	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
7,746	Cubic Yard	206-A001	Structure Excavation
319	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,449	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
700	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
11,188	Square Yard	216-A001	Solid Sodding
224	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
68	Cubic Yard	221-A001	Concrete Paved Ditch
3	Acre	226-A001	Temporary Grassing
3,000	Linear Feet	237-A002	Wattles, 20"
1,500	Linear Feet	246-A001	Sandbags

1,500	Linear Feet	246-B002	Rockbags
220	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
330	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,061	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
65,710	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,232	Gallon	407-A001	Asphalt for Tack Coat
9,550	Linear Feet	503-C010	Saw Cut, Full Depth
270	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
29,233	Pounds	602-A001	Reinforcing Steel
290	Linear Feet	603-A033	54" Steel Pipe, Jacked or Bored, Wall Thickness 0.625"
424	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
104	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
232	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
5	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
56	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
456	Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
688	Linear Feet	603-CE024	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
440	Linear Feet	603-CE029	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
736	Linear Feet	603-CE035	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
568	Linear Feet	603-CE040	73" x 45" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-CF009	73" x 45" Concrete Arch Pipe End Section
258	Linear Feet	603-PA014	8' x 5' Precast Concrete Box Culvert
1,270	Linear Feet	603-PA019	8' x 3' Precast Concrete Box Culvert
8	Linear Feet	603-RA001	15" Pipe Removed and Relaid
11	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
3	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
1,185	Pounds	604-A001	Castings

7,290	Pounds	604-B001	Gratings
3,659	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
423	Linear Feet	609-B002	Concrete Curb, Header
93	Linear Feet	609-B003	Concrete Curb, Special Design Slotted Curb
313	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,569	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
10	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
3,322	Square Yard	614-B001	Concrete Driveway, With Reinforcement
2,090	Linear Feet	615-A008	Concrete Special Design Median Barrier 42" High
32	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
110	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2,724	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
9,648	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,808	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,502	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,525	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,299	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
915	Square Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,199	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
410	Linear Feet	619-F1001	Concrete Median Barrier, Precast
288	Linear Feet	619-G4001	Barricades, Type III, Double Faced
387	Each	619-G5001	Free Standing Plastic Drums
34	Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	619-H1001	Traffic Signals , US 49 @ Middle
1	Each	619-J1003	Impact Attenuator, 50 MPH
1	Lump Sum	620-A001	Mobilization
4	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,759	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7,744	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,440	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,435	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,894	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,595	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
8,715	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
877	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
34	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	629-A002	Vehicular Impact Attenuator, 50 MPH
66	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
120	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
60	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
233	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
24	Each	635-A059	Traffic Signal Head, Type 1
7	Each	635-A061	Traffic Signal Head, Type 2
2	Each	635-A063	Traffic Signal Head, Type 2R
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A070	Traffic Signal Head, Type 3
3	Each	635-A073	Traffic Signal Head, Type 4
14	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A079	Traffic Signal Head, Type 7R
2	Each	646-C001	LED Blank-Out Sign
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
3,446	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor

2	Each	682-F001	Secondary Power Controller
45	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Linear Feet	684-B004	Slip Casing, 30" Diameter
17	Each	686-A001	Relocation of Existing Lighting Assemblies
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
43	Each	907-234-D001	Inlet Siltation Guard
19	Each	907-234-E001	Reset Inlet Siltation Guard
4,467	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
13,008	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,050	Linear Feet	907-607-PP003	Fencing, Per Plans
818	Square Feet	907-608-C001	Detectable Warning Panels
9,500	Linear Feet	907-619-S001	Construction Safety Fence
2	Each	907-630-O001	Remove and Reset Sign Assembly
3	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-632-J001	Power Service Pedestal
2	Each	907-632-PP004	Solid State Traffic Cabinet, Type III Cabinet , Remove and Reset
1	Each	907-632-PP006	Solid State Traffic Cabinet, Type IV Cabinet
1	Each	907-633-A001	Uninterruptable Power Supply
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A048	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
2	Each	907-634-A049	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm
3	Each	907-634-A050	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
2	Each	907-634-A064	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 60' Arm
1	Each	907-634-A065	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 65' Arm
1	Each	907-634-A280	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 60' Arm
2	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	907-634-A548	Traffic Signal Equipment Pole, Type VII, 5'6" Shaft
48	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
5	Linear Feet	907-634-D001	Slip Casing, 24" Diameter



165	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
1,350	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2,335	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2,415	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
95	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
440	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
166	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,004	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
75	Linear Feet	907-636-D014	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
8	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
5	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
275	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
190	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,065	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,990	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
6	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
1,215	Linear Feet	907-643-B001	Video Vehicle Detection Cable
6	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
1,360	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
14	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
39	Square Feet	907-653-A001	Traffic Sign
98	Square Feet	907-653-B001	Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
3	Each	907-672-A003	Remove and Reset Traffic Signal Equipment
2,839	Linear Feet	907-682-A1019	Branch Circuit Wire, AWG #4, 3 Conductor
17	Each	907-683-PP001	Lighting Assembly, Per Plans LOW MAST, LED TYPE 40-1-15-225
1	Lump Sum	907-899-A001	Railway-Highway Provisions

520 Hours

907-906001 Trainees

**ALTERNATE GROUP AA NUMBER 1**

5,350 Ton

304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

5,350 Ton

304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

5,350 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 05

Scrub Seal & Overlay approximately 9 miles of US 61 from the Coahoma County Line to Clayton and approximately 2 miles of US 61 from SR 315 to the Tunica County Line, known as Federal Project Nos. NHPP-0009-05(036) / 108966301 & NH-0009-04(041) / 108257302 in Tunica & Coahoma Counties.

PROJECT COMPLETION: 100 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1,260	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B197	Removal of Railroad Crossing
134	Each	202-B215	Removal of Sign Including Post & Footing
1,870	Linear Feet	202-B240	Removal of Traffic Stripe
19,175	Ton	304-B004	Granular Material, Class 5, Group D
105	Ton	403-A006	19-mm, ST, Asphalt Pavement
5,700	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
31,900	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
11,200	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
89,250	Gallon	407-A001	Asphalt for Tack Coat
41	Mile	423-A001	Rumble Strips, Ground In
120	Linear Feet	503-C010	Saw Cut, Full Depth
1,800	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
6	Each	606-D019	Guard Rail, Bridge End Section, Type H
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
82	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
74	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
71	Mile	619-A3001	Temporary Traffic Stripe, Skip White
102,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
26	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
30	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
27	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
27,350	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
33,950	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
322	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,500	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
228	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,435	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
170	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
423	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
302	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
304	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
225	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,020	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
128	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
53	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
36	Each	630-F006	Delineators, Guard Rail, White
36	Each	630-F007	Delineators, Guard Rail, Yellow
66	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
381,400	Square Yard	907-414-A001	Scrub Seal

CALL No. 06

Interchange Reconstruction on I-10 at Diamondhead, known as Federal Aid Project No. NHPP-0010-01(161) / 107509301 in Hancock County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
2,149	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
4,720	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,160	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
157	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
328	Square Yard	202-B063	Removal of Concrete Paved Ditch
9,030	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,769	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1	Each	202-B090	Removal of Curb Inlet
1,410	Linear Feet	202-B092	Removal of Curb, All Types
619	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B170	Removal of Junction Box
2	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
6	Linear Feet	202-B191	Removal of Pipe, 8" And Above
19,670	Linear Feet	202-B240	Removal of Traffic Stripe
1,680	Linear Feet	202-B251	Removal of Underground Electric Wire
4,965	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
29,847	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
575	Cubic Yard	206-A001	Structure Excavation
15,744	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,411	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7	Ton	213-C001	Superphosphate
3,360	Square Yard	216-A001	Solid Sodding
847	Square Yard	217-A001	Ditch Liner

78 Thousand Gallon	219-A001	Watering
14 Acre	220-A001	Insect Pest Control
234 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
14 Acre	225-A001	Grassing
6 Ton	225-B001	Agricultural Limestone
25 Ton	225-C001	Mulch, Vegetative Mulch
14 Acre	226-A001	Temporary Grassing
13,900 Linear Feet	237-A002	Wattles, 20"
732 Linear Feet	239-A001	Temporary Slope Drains
2,213 Each	246-B001	Rockbags
80 Ton	249-A001	Riprap for Erosion Control
2,614 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
501 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
3,098 Ton	403-A005	19-mm, MT, Asphalt Pavement
4,236 Ton	403-A006	19-mm, ST, Asphalt Pavement
2,470 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
376 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
679 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,199 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,035 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
1,670 Linear Feet	503-C010	Saw Cut, Full Depth
110 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9,498 Pounds	602-A001	Reinforcing Steel
648 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
296 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
80 Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
96 Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
3 Each	603-CB003	18" Reinforced Concrete End Section

5	Each	603-CB004	24" Reinforced Concrete End Section
3	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
24	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
424	Linear Feet	603-CE009	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1,817	Pounds	604-A001	Castings
300	Pounds	604-B001	Gratings
113	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-D022	Guard Rail, Bridge End Section, Type I
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,085	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,157	Linear Feet	609-B003	Concrete Curb, Special Design
811	Linear Feet	609-C001	Concrete Integral Curb, Type 1
190	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
8,511	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3A Mod1
1,378	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
308	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,054	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
10	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2,196	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,196	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,318	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
14,552	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,303	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
184	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
209	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,006	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
2,620	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,360	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
372	Linear Feet	619-G4005	Barricades, Type III, Single Faced
210	Each	619-G5001	Free Standing Plastic Drums
9	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1001	Impact Attenuator, 40 MPH
8	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1,833	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,804	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,542	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,039	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,332	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,815	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,303	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
114	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
106	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
111	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
161	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
637	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
227	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
106	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
9	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted



166	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
18	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
490	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
160	Linear Feet	682-A038	Underground Branch Circuit, AWG 8, 2 Conductor
4,360	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
230	Linear Feet	682-A041	Underground Branch Circuit, AWG 8, 5 Conductor
310	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
28	Each	682-E003	Underground Junction Box With Concrete Pad
28	Each	683-B001	Lighting Assembly, Low Mast, LED, Type 15-1-0-90
30	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
80	Ton	815-A007	Loose Riprap, Size 300
107	Square Yard	815-E001	Geotextile under Riprap
13,400	Linear Feet	907-234-A001	Temporary Silt Fence
400	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
1	Each	907-604-PP001	Modify Existing Inlet, Per Plans
126	Square Feet	907-608-C001	Detectable Warning Panels
815	Linear Feet	907-609-F002	Prefabricated Curb
7,911	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
8	Each	907-619-E3001	Changeable Message Sign
310	Linear Feet	907-682-A1007	Branch Circuit Wire, AWG #10, 1 Conductor
1,060	Linear Feet	907-682-A1018	Branch Circuit Wire, AWG #4, 1 Conductor
720	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

16,650	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

16,650	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

16,650 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

366 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White  
732 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  
732 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

366 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White  
732 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White  
732 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

202 Square Yard 202-B027 Removal of Bridge Deck, Curb and Railing  
54 Square Yard 202-B275 Removal of Part of End Bent Cap, Curb, and Wingwall  
24 Square Yard 202-B277 Removal of Part of Int. Bent Cap  
1,684 Linear Feet 503-C001 Saw Cut, 1-inch  
564 Square Yard 608-B001 Concrete Sidewalk, With Reinforcement  
580 Linear Feet 803-D005 HP 14 x 117 Steel Piling  
1,390 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"  
1,370 Linear Feet 804-C209 115' Prestressed Concrete Beam, Type FIB-45  
808 Linear Feet 804-C269 68' Prestressed Concrete Beam, Type FIB-45  
132,840 Pounds 805-A001 Reinforcement  
3,570 Pounds 805-C001 Reinforcement, Corrosion Resistant  
366 Linear Feet 813-A004 Concrete Railing, 36"  
366 Linear Feet 813-E007 Modified Railing  
18 Cubic Yard 815-D001 Concrete Slope Paving  
1 Each 907-803-B001 Conventional Static Pile Load Test  
1 Each 907-803-I003 PDA Test Pile, HP Steel Pile  
1 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile  
2 Each 907-803-J001 Pile Restrike  
398 Cubic Yard 907-804-A001 Bridge Concrete, Class BDY  
141 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

66 Linear Feet

907-808-A002 Joint Repair

105 Linear Feet

907-823-A002 Preformed Joint Seal, Type II

CALL No. 07

Grade, Pave, & Bridge Repairs on US 82 (Greenville Bypass) from the Mississippi River Bridge to SR 1 & Installation of ITS Components from the Mississippi River Bridge to Leland, known as Federal Aid Project Nos. NH-0011-01(063) / 102134303 & 304 in Washington County.

PROJECT COMPLETION: SEPTEMBER 25, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

6 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
164 Linear Feet	202-B011	Removal of Barricade, All Types
37,735 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
1 Each	202-B055	Removal of Concrete Impact Attenuator Base and Foundation
265 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,550 Linear Feet	202-B061	Removal of Concrete Median Barrier, Precast
32 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,258 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
21 Each	202-B117	Removal of Delineator, All Types
1 Each	202-B162	Removal of Impact Attenuator
1 Each	202-B165	Removal of Inlets, All Sizes
24 Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
45,329 Square Yard	202-B188	Removal of Pavement, All Types and Depths
64 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,658 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
129,227 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
69,823 Cubic Yard	203-G001	Excess Excavation, FM, AH
63,306 Cubic Yard	203-H001	Surplus Excavation, FM, AH
21 Cubic Yard	206-A001	Structure Excavation
6,047 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
29 Ton	213-C001	Superphosphate
1,208 Square Yard	216-A001	Solid Sodding
25 Thousand Gallon	219-A001	Watering

58 Acre	220-A001	Insect Pest Control
1,259 Cubic Yard	221-A001	Concrete Paved Ditch
2,068 Acre	223-A001	Mowing
58 Acre	225-A001	Grassing
29 Ton	225-B001	Agricultural Limestone
115 Ton	225-C001	Mulch, Vegetative Mulch
59 Acre	226-A001	Temporary Grassing
2,000 Linear Feet	237-A002	Wattles, 20"
115 Ton	249-A001	Riprap for Erosion Control
58 Cubic Yard	249-B001	Remove and Reset Riprap
108,450 Ton	304-B004	Granular Material, Class 5, Group D
215,005 Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
2,903 Ton	307-D001	Lime
53,751 Gallon	307-S001	Bituminous Curing Seal
5,498 Ton	308-A001	Cement
316,283 Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
215,005 Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
132,822 Gallon	308-S001	Bituminous Curing Seal
7 Mile	321-A003	6" In-Grade Preparation
7,668 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
39,348 Ton	403-A004	19-mm, HT, Asphalt Pavement
48,308 Ton	403-A006	19-mm, ST, Asphalt Pavement
7,245 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
653 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,729 Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
35,282 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
67,728 Gallon	407-A001	Asphalt for Tack Coat
29 Mile	423-A001	Rumble Strips, Ground In
89 Square Yard	501-K001	Transverse Grooving
606 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

5,074	Linear Feet	503-C010	Saw Cut, Full Depth
54	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
4,398	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-ALT006	24" Type A Alternate Pipe
8	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
88	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
5,000	Pounds	604-B001	Gratings
169	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
304	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
36	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
12	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
88,745	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,900	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
23	Each	607-G087	Gate, 12' x 52" Aluminum
2	Each	607-G126	Gate, 3' x 52" Chain Link
4,694	Each	607-P1011	Line Post, 7' x 4" Timber
939	Each	607-P1019	Line Post, 9' x 4" Timber
6	Each	607-P1023	Line Post, 10' x 2 1/2" Galvanized Steel
6	Each	607-P1024	Line Post, 10' x 2" Galvanized Steel
626	Each	607-P1025	Line Post, 10' x 4" Timber
676	Each	607-P2009	Brace Post, 8' x 6" Timber
211	Each	607-P2010	Brace Post, 8' x 6" x 6" Concrete
129	Each	607-P2015	Brace Post, 10' x 6" Timber
42	Each	607-P2016	Brace Post, 10' x 6" x 6" Concrete
86	Each	607-P2019	Brace Post, 12' x 6" Timber
28	Each	607-P2020	Brace Post, 12' x 6" x 6" Concrete

12	Each	607-P2022	Brace Post, 5' x 2 1/2" Galvanized Steel
25	Each	607-P3006	Gate Post, 8' x 6" Timber
1,165	Each	607-Z001	Concrete Anchors
5,080	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
31,825	Linear Feet	610-A001	Cable Barrier
12	Each	610-B001	Cable Barrier Terminal Section
120	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
159	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
2,987	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
676	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
140	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,440	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
504	Linear Feet	619-G4005	Barricades, Type III, Single Faced
143	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
14	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,858	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,581	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
430	Square Feet	626-H004	Thermoplastic Legend, White
676	Linear Feet	626-H005	Thermoplastic Legend, White

103	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,352	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
857	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
428	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
642	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
358	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
852	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
201	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
770	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
115	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
611	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
390	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
544	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
672	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,197	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
28	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
121	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
5,075	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
5,315	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
36,245	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
2,895	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
400	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
33	Each	682-E003	Underground Junction Box With Concrete Pad
4	Each	682-F001	Secondary Power Controller
18	Each	683-A132	Lighting Assembly, High Mast, LED, Type 150-8-582-A
18	Each	683-B201	Lighting Assembly, Low Mast, LED, Type 40-1-2-295-B



61	Each	683-B202	Lighting Assembly, Low Mast, LED, Type 40-1-3-295-C
2	Each	683-B203	Lighting Assembly, Low Mast, LED, Type 40-2-3-295-C
1	Each	683-D001	Portable Electric Power Units
85	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
549	Linear Feet	684-B003	Slip Casing, 24" Diameter
560	Linear Feet	684-B008	Slip Casing, 60" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
16	Ton	815-A007	Loose Riprap, Size 300
22	Square Yard	815-E001	Geotextile under Riprap
50,000	Linear Feet	907-234-A001	Temporary Silt Fence
10	Each	907-234-D001	Inlet Siltation Guard
10	Each	907-234-E001	Reset Inlet Siltation Guard
18,399	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
23,739	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
285	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1,869	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
6	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
5	Each	907-634-I001	Wood Pole, Class II Height 40'
3,128	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
14	Each	907-637-A002	Pullbox Enclosure, Type 2
124	Each	907-637-A004	Pullbox Enclosure, Type 4
12	Each	907-637-A005	Pullbox Enclosure, Type 5
1	Each	907-637-B001	Pull Box Enclosure, Structure Mounted, Type 1
2,968	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
8,234	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
79,863	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
31,009	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
325	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"

8	Each	907-650-A002	On Street Video Equipment, Fixed Type
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
5	Each	907-660-A002	Equipment Cabinet, Type B
1	Each	907-660-A003	Equipment Cabinet, Type C
113,145	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
325	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
9,606	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
7	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A005	Network Switch, Type E
2	Each	907-663-A006	Network Switch, Type F
440	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
528	Cubic Yard	907-684-PP001	Pole Foundation, Per Plans
285	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
285	Linear Feet	907-823-B001	Saw Cut, Type I
1,040	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

155,150	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

155,150	Ton	304-F002	Size 610 Crushed Stone Base
---------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

155,150	Ton	304-F003	Size 825B Crushed Stone Base
---------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

146	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

146	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

**Bridge Items**

63	Linear Feet	202-B037	Removal of Bridge Railing
11,730	Pounds	805-A001	Reinforcement

63	Linear Feet	813-E007	Modified Railing
119	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
615	Linear Feet	907-808-A002	Joint Repair
615	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,229	Linear Feet	907-823-B002	Saw Cut, Type II
1	Lump Sum	907-824-PP004	Bridge Repair, Bridge Deck Crack Sealing, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Graffiti Removal, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Pressure Wash and Clean, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Bridge Concrete, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Textured Spray Finish, Per Plans
60	Linear Feet	907-824-PP008	Bridge Repair, Epoxy Injection Repair, Per Plans

CALL No. 08

Intersection Improvements at SR 28 and SR 37 in Taylorsville, known as Federal Aid Project No. STP-0013-03(023) / 106078301 in Smith County.

PROJECT COMPLETION: 287 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4 Acre	201-B001	Clearing and Grubbing
1,666 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
8,804 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
494 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
16 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
65 Square Yard	202-B063	Removal of Concrete Paved Ditch
386 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
369 Square Yard	202-B080	Removal of Concrete Sidewalk
1,684 Linear Feet	202-B092	Removal of Curb, All Types
20 Each	202-B165	Removal of Inlets, All Sizes
2,284 Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,340 Linear Feet	202-B240	Removal of Traffic Stripe
1,350 Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
1,010 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
5,850 Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,500 Cubic Yard	206-A001	Structure Excavation
410 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
11,276 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
1 Ton	213-C001	Superphosphate
6,484 Square Yard	216-B001	Solid Sodding, Bermuda
1,200 Square Yard	217-A001	Ditch Liner
195 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Concrete Paved Ditch

2 Acre	223-A001	Mowing
2 Acre	226-A001	Temporary Grassing
57 Square Yard	229-A001	Erosion Mat
4 Each	230-B099	Tree Planting, Bradford Pear , 10 Gallon
35 Linear Feet	230-C001	Bed Edging
24 Square Feet	230-D001	Bed Preparation
1 Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 21 gram
1,565 Linear Feet	237-A002	Wattles, 20"
120 Linear Feet	245-A001	Silt Dike
300 Each	246-B001	Rockbags
975 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,802 Ton	403-A005	19-mm, MT, Asphalt Pavement
1,558 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
506 Ton	403-B005	19-mm, MT, Asphalt Pavement, Leveling
21 Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
8,440 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,403 Gallon	407-A001	Asphalt for Tack Coat
37 Square Yard	501-A001	6" Reinforced Cement Concrete Pavement, Broom Finish
5,114 Linear Feet	503-C010	Saw Cut, Full Depth
179 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
14,852 Pounds	602-A001	Reinforcing Steel
1,800 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
8 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
840 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
376 Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
456 Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
80 Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
368 Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
160 Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
1 Each	603-CF002	22" x 13" Concrete Arch Pipe End Section

6	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
30	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
20	Linear Feet	603-PE011	42" Corrugated Polyethylene Pipe
8	Linear Feet	603-RA013	51" x 31" Pipe Removed and Relaid
5,177	Pounds	604-A001	Castings
3,702	Pounds	604-B001	Gratings
3,483	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
300	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
992	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
834	Linear Feet	609-B002	Concrete Curb, Header
33	Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,117	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
32	Cubic Yard	612-A001	Flowable Fill, Excavatable
2,739	Square Yard	614-B001	Concrete Driveway, With Reinforcement
77	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
285	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
38	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
6,148	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
6,366	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
539	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
20,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
587	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,921	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
104	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
842	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
396	Linear Feet	619-G4005	Barricades, Type III, Single Faced
184	Each	619-G5001	Free Standing Plastic Drums

8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
160	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
690	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
6,913	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,648	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
14	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
410	Square Feet	626-H004	Thermoplastic Legend, White
1,403	Linear Feet	626-H005	Thermoplastic Legend, White
47	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
380	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
132	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
83	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
90	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
487	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
31	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
83	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
117	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
8	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	699-A001	Roadway Construction Stakes
100	Ton	815-A007	Loose Riprap, Size 300
205	Square Yard	815-E001	Geotextile under Riprap
2,250	Linear Feet	907-234-A001	Temporary Silt Fence
25	Each	907-234-D001	Inlet Siltation Guard
176	Square Feet	907-608-C001	Detectable Warning Panels

11	Each	907-630-O004	Remove and Reset Sign, All Sizes
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A088	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-634-A281	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 65' Arm
1	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
17	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
315	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
1,021	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
745	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
20	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
90	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
40	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
305	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
10	Linear Feet	907-636-D014	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1	Each	907-637-A001	Pullbox Enclosure, Type 1
4	Each	907-637-A003	Pullbox Enclosure, Type 3
135	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
55	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
350	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-639-B001	Type 1 Optical Detector
1,036	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
1	Each	907-639-D001	Multimode Phase Selector
838	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
4	Each	907-643-A002	Video Vehicle Detection Sensor, Type 2
60	Linear Feet	907-643-B001	Video Vehicle Detection Cable
4	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
33	Square Feet	907-653-B001	Street Name Sign



60 Linear Feet	907-661-B001	Fiber Optic Drop Cable, 12 MM
<b>ALTERNATE GROUP AA NUMBER 1</b>		
4,788 Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>		
4,788 Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>		
4,788 Ton	304-F003	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>		
500 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
<b>ALTERNATE GROUP BB NUMBER 2</b>		
500 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 09

Bridge Replacements on SR 395 between SR 19 and the Winston County Line (Bridge Nos. 1.4 & 2.6), known as Federal Aid Project No. BR-0535-00(028) / 102504301 in Neshoba County.

PROJECT COMPLETION: JUNE 27, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

5 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
36 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
5,450 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
18 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
900 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
110 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,368 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
12,796 Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
3,032 Cubic Yard	203-G001	Excess Excavation, FM, AH
10,187 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,054 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
178 Square Yard	216-A001	Solid Sodding
320 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
6 Cubic Yard	221-A001	Concrete Paved Ditch
8 Acre	223-A001	Mowing
2,225 Square Yard	224-A001	Soil Reinforcing Mat
8 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
16 Ton	225-C001	Mulch, Vegetative Mulch
8 Acre	226-A001	Temporary Grassing

120	Linear Feet	237-A002	Wattles, 20"
500	Ton	249-A001	Riprap for Erosion Control
350	Cubic Yard	249-B001	Remove and Reset Riprap
1,477	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
787	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
96	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
1,434	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
442	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
49	Square Yard	501-K001	Transverse Grooving
320	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
70	Linear Feet	603-ALT006	24" Type A Alternate Pipe
48	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
116	Linear Feet	603-CE039	73" x 45" Concrete Arch Pipe, Class A III
85	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
152	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
202	Square Yard	614-B001	Concrete Driveway, With Reinforcement
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
31	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5,610	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,610	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
274	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
804	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
44	Each	619-F3001	Delineators, Guard Rail, White

96	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,610	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,610	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
72	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
53	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
240	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
236	Ton	815-A007	Loose Riprap, Size 300
3,100	Linear Feet	907-234-A001	Temporary Silt Fence
536	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

3,361	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

3,361	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

3,361	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

110	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

110	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

**Bridge Items**

882	Square Yard	501-K001	Transverse Grooving
3,205	Linear Feet	803-D006	HP 14 x 73 Steel Piling
686	Linear Feet	804-C199	70' Prestressed Concrete Beam, Type FIB-36
595	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36

95,499 Pounds	805-A001	Reinforcement
2,632 Pounds	805-C001	Reinforcement, Corrosion Resistant
528 Linear Feet	813-A004	Concrete Railing, 36"
1,436 Ton	815-A007	Loose Riprap, Size 300
1,150 Square Yard	815-E001	Geotextile under Riprap
2 Each	907-803-B001	Conventional Static Pile Load Test
3 Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3 Each	907-803-J001	Pile Restrike
292 Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
165 Cubic Yard	907-804-A002	Bridge Concrete, Class AA
138 Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 10

Bridge Replacements on SR 407 over the Yockanookany River & Relief (Bridge Nos. 6.1 & 6.2), known as Federal Aid Project No. STP-0722-00(011) / 107010301 in Choctaw County.

PROJECT COMPLETION: 122 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

1,196	Square Yard	501-K001	Transverse Grooving
5,575	Linear Feet	803-D007	HP 14 x 89 Steel Piling
995	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
1,309	Linear Feet	804-C216	60' Prestressed Concrete Beam, Type MFIB-25
112,902	Pounds	805-A001	Reinforcement
3,714	Pounds	805-C001	Reinforcement, Corrosion Resistant
769	Linear Feet	813-A004	Concrete Railing, 36"
4,997	Ton	815-A007	Loose Riprap, Size 300
3,998	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
362	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
158	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
132	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,167	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
809	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
10	Each	202-B190	Removal of Piling
30	Linear Feet	202-B191	Removal of Pipe, 8" And Above
9,427	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,323	Cubic Yard	203-G001	Excess Excavation, FM, AH

5,938	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,476	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
578	Square Yard	217-A001	Ditch Liner
2	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
5	Ton	225-B001	Agricultural Limestone
5	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
400	Linear Feet	237-A002	Wattles, 20"
40	Linear Feet	245-A001	Silt Dike
20	Each	246-A002	Sandbags
110	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
495	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
662	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
715	Ton	403-A006	19-mm, ST, Asphalt Pavement
570	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
8	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
11	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
780	Gallon	407-A001	Asphalt for Tack Coat
298	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
64	Linear Feet	603-ALT003	18" Type A Alternate Pipe
96	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
81	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
145	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1

8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
29	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
481	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
59	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,511	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,500	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
24	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,260	Ton	815-A007	Loose Riprap, Size 300
4,010	Square Yard	815-E001	Geotextile under Riprap
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
142	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

**ALTERNATE GROUP AA NUMBER 1**

1,462	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
-------	------------	----------	--

**ALTERNATE GROUP AA NUMBER 2**

1,462	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
-------	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,462	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
-------	------------	----------	-----------------------------------



**ALTERNATE GROUP BB NUMBER 1**

88 Cubic Yard                      605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

**ALTERNATE GROUP BB NUMBER 2**

88 Cubic Yard                      605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 11

Bridge Replacement on US 51 at the Yocona River (Bridge No. 237.5), known as Federal Aid Project No. STP-2901-00(036) / 105338302 in Yalobusha County.

PROJECT COMPLETION: 370 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Each	202-B023	Removal of Bridge
580	Linear Feet	202-B136	Removal of Guard Rail
996	Square Yard	202-B188	Removal of Pavement, All Types and Depths
190	Linear Feet	202-B191	Removal of Pipe, 8" And Above
49,655	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
27,835	Cubic Yard	203-F001	Channel Excavation, FM
14,095	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,828	Cubic Yard	206-A001	Structure Excavation
199	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,747	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
6	Ton	213-C001	Superphosphate
127	Square Yard	216-A001	Solid Sodding
1,689	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
17	Cubic Yard	221-A001	Concrete Paved Ditch
12	Acre	225-A001	Grassing
36	Ton	225-B001	Agricultural Limestone
24	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
38	Each	235-A001	Temporary Erosion Checks
2	Each	236-A008	Silt Basin, Type D
188	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	239-A001	Temporary Slope Drains

188	Linear Feet	245-A001	Silt Dike
375	Linear Feet	246-A001	Sandbags
1	Each	247-A001	Temporary Stream Diversion
54	Ton	249-A001	Riprap for Erosion Control
1,450	Ton	304-B004	Granular Material, Class 5, Group D
628	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
571	Ton	403-A006	19-mm, ST, Asphalt Pavement
471	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,100	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
739	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
24	Square Yard	501-K001	Transverse Grooving
167	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
588	Cubic Yard	601-A001	Class "B" Structural Concrete
97,128	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-ALT003	18" Type A Alternate Pipe
55	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
98	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
26	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4,700	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,051	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,180	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

227	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,700	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,180	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,051	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
28	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,200	Ton	815-A007	Loose Riprap, Size 300
900	Ton	815-A009	Loose Riprap, Size 500
1,800	Square Yard	815-E001	Geotextile under Riprap
66	Ton	815-F002	Sediment Control Stone
2,868	Linear Feet	907-234-A001	Temporary Silt Fence
418	Linear Feet	907-234-C001	Super Silt Fence
204	Linear Feet	907-253-A001	Coir Fiber Baffle
78	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-619-E3001	Changeable Message Sign
1,040	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

2,100	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,100	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,100	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

37 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

**ALTERNATE GROUP BB NUMBER 2**

37 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

**Bridge Items**

2,372	Square Yard	501-K001	Transverse Grooving
960	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
125	Linear Feet	803-M009	Trial Shaft, 72" Diameter
80	Linear Feet	803-N001	Exploration
420	Linear Feet	803-O011	Permanent Casing, 72" Diameter
1,800	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
2,485	Linear Feet	804-C256	125' Prestressed Concrete Beam, Type FIB-54
821	Linear Feet	804-C263	165' Prestressed Concrete Beam, Type FIB-72
233,491	Pounds	805-A001	Reinforcement
5,480	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,334	Linear Feet	813-A004	Concrete Railing, 36"
1,239	Ton	815-A007	Loose Riprap, Size 300
1,139	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3	Each	907-803-J001	Pile Restrike
748	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
360	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
73	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 12

Construction of a Roundabout on US 51 at Main Street, known as Federal Aid Project No. NHPP-2920-00(015) / 107438301 in Tate County.

PROJECT COMPLETION: AUGUST 22, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1,920	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
339	Square Yard	202-B080	Removal of Concrete Sidewalk
1,346	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
12	Each	202-B165	Removal of Inlets, All Sizes
33	Square Yard	202-B168	Removal of Island Pavement, All Types
2	Each	202-B180	Removal of Manhole
9,719	Square Yard	202-B188	Removal of Pavement, All Types and Depths
979	Linear Feet	202-B191	Removal of Pipe, 8" And Above
138	Linear Feet	202-B204	Removal of Retaining Wall
500	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,920	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,839	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,478	Cubic Yard	206-A001	Structure Excavation
10,175	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
7,025	Square Yard	216-A001	Solid Sodding
141	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
1	Acre	226-A001	Temporary Grassing
580	Linear Feet	237-A001	Wattles, 12"
260	Each	246-B001	Rockbags
634	Ton	403-A003	12.5-mm, ST, Asphalt Pavement

724	Ton	403-A006	19-mm, ST, Asphalt Pavement
579	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,141	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
658	Gallon	407-A001	Asphalt for Tack Coat
1,312	Linear Feet	503-C010	Saw Cut, Full Depth
82	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
7,093	Pounds	602-A001	Reinforcing Steel
2,112	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
512	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
248	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
5,484	Pounds	604-A001	Castings
4,252	Pounds	604-B001	Gratings
768	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
529	Linear Feet	609-B003	Concrete Curb, Special Design
456	Linear Feet	609-C001	Concrete Integral Curb, Type 1
35	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,319	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1	Cubic Yard	612-A001	Flowable Fill, Excavatable
125	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
33	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,250	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,510	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,955	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
396	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
308	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
312	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,211	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced

288	Linear Feet	619-G4005	Barricades, Type III, Single Faced
64	Each	619-G5001	Free Standing Plastic Drums
28	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
2,250	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,510	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,835	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,120	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
396	Square Feet	626-H004	Thermoplastic Legend, White
308	Linear Feet	626-H005	Thermoplastic Legend, White
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
91	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
75	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
245	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
53	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
1,625	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
56	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
361	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
18	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
30	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
3,650	Linear Feet	907-234-A001	Temporary Silt Fence
14	Each	907-234-D001	Inlet Siltation Guard
14	Each	907-234-E001	Reset Inlet Siltation Guard
48	Square Feet	907-608-C001	Detectable Warning Panels
366	Square Feet	907-616-C001	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
5,061	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness



1,592 Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
4 Each	907-619-E3001	Changeable Message Sign
200 Linear Feet	907-619-S001	Construction Safety Fence
18 Each	907-683-PP001	Lighting Assembly, Per Plans

**ALTERNATE GROUP AA NUMBER 1**

4,000 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,000 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,000 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

CALL No. 13

Bridge Rehabilitation on US 80 over the Pearl River (Bridge No. 46.4), known as Federal Aid Project No. BR-7314-00(032) / 1075693020 & 3021 in Hinds & Rankin Counties.

PROJECT COMPLETION: NOVEMBER 28, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

1,106	Square Yard	501-K001	Transverse Grooving
165,856	Pounds	805-A001	Reinforcement
840,850	Pounds	810-A007	Structural Steel, A 709, Grade 50W
500	Linear Feet	813-E002	42" Concrete Bridge Railing
40,327	Square Yard	907-417-A001	Polymer Cement Surface System
396	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
108	Linear Feet	907-808-A002	Joint Repair
108	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
108	Linear Feet	907-823-B002	Saw Cut, Type II
27	Each	907-824-C001	Cap Cleaning
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Steel Spans
1	Lump Sum	907-824-PP004	Bridge Repair, Retrofit of Bridge Piers
32	Each	907-824-PP006	Bridge Repair, Laminated Bearing Pads

**Roadway Items**

500	Linear Feet	237-A002	Wattles, 20"
1	Lump Sum	618-A001	Maintenance of Traffic
2,340	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,340	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,340	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
132	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
132	Linear Feet	619-G4005	Barricades, Type III, Single Faced
48	Each	619-G5001	Free Standing Plastic Drums
9	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

2,340	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,340	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,340	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
60	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,000	Linear Feet	907-234-A001	Temporary Silt Fence
500	Linear Feet	907-234-C001	Super Silt Fence
500	Linear Feet	907-234-F001	Turbidity Barrier
7	Each	907-619-E3001	Changeable Message Sign
520	Hours	907-906001	Trainees

CALL No. 14

Traffic Signal Installation and Intersection Improvements on US 51 at Turman Drive, known as Federal Aid Project No. STBG-9327-00(009) / 109321301 in Desoto County.

PROJECT COMPLETION: OCTOBER 31, 2024

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

384	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
434	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
305	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,983	Cubic Yard	203-G002	Excess Excavation, LVM, AH
48	Cubic Yard	206-A001	Structure Excavation
2,105	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
360	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
9	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner
43	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
3	Each	235-A001	Temporary Erosion Checks
60	Linear Feet	237-A002	Wattles, 20"
15	Each	246-A002	Sandbags
170	Ton	304-B004	Granular Material, Class 5, Group D
240	Ton	403-A004	19-mm, HT, Asphalt Pavement
262	Ton	403-A006	19-mm, ST, Asphalt Pavement
175	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
705	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
6,890	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths

304	Linear Feet	503-C010	Saw Cut, Full Depth
8	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
666	Pounds	602-A001	Reinforcing Steel
320	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
127	Pounds	604-B001	Gratings
860	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
34	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1	Lump Sum	618-A001	Maintenance of Traffic
5,288	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
9,689	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
496	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
56	Linear Feet	619-G4005	Barricades, Type III, Single Faced
37	Each	619-G5001	Free Standing Plastic Drums
52	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
710	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
540	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,812	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
140	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,080	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
53	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,494	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,094	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
324	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
127	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
24	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
63	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
201	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

86	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A063	Traffic Signal Head, Type 2R
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Cubic Yard	684-A005	Pole Foundation, 36" Diameter
100	Linear Feet	685-A003	Underground Electric Cable, UF, AWG 4, 3 Conductor
1	Lump Sum	699-A001	Roadway Construction Stakes
1,350	Linear Feet	907-234-A001	Temporary Silt Fence
3	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-634-A089	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2	Each	907-634-PP004	Traffic Signal Equipment Pole Luminaire Fixture
300	Linear Feet	907-636-B011	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2 Conductor
900	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
150	Linear Feet	907-636-D002	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 12, 2 Conductor
300	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
3	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
200	Linear Feet	907-637-C003	Traffic Signal Conduit, Underground, PVC Coated, 2"
50	Linear Feet	907-637-C004	Traffic Signal Conduit, Underground, PVC Coated, 3"
800	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
800	Linear Feet	907-637-C011	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
4	Each	907-639-B001	Type 1 Optical Detector

1,050	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
4	Each	907-641-A001	Signal Stop Bar Radar Vehicle Detection Sensor, Type 1
2	Each	907-641-B001	Signal Advanced Radar Vehicle Detection Sensor, Type 1
1,700	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
32	Square Feet	907-653-B001	Street Name Sign
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A001	Network Switch, Type A

**ALTERNATE GROUP AA NUMBER 1**

880	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

880	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

880	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 15

Traffic Signal Improvements along Various Routes, known as Federal Aid Project No. CRP-9999-05(416) / 109407301 & 302 in Hinds & Rankin Counties.

PROJECT COMPLETION: MAY 23, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
2	Each	635-A070	Traffic Signal Head, Type 3
1	Each	635-A078	Traffic Signal Head, Type 7
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
7	Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
18	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
9	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
4	Each	907-637-A002	Pullbox Enclosure, Type 2
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
200	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
39	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
41	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
10,640	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
19	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
61	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
14	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
12,320	Linear Feet	907-643-B001	Video Vehicle Detection Cable
34	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
106	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
10	Each	907-662-D001	Radio Interconnect, Broadband, Long Range
55	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
31	Each	907-663-A001	Network Switch, Type A



1 Each 907-663-A005 Network Switch, Type E

15 Each 907-663-A006 Network Switch, Type F

CALL No. 16

Overlay approximately 5 miles of US 84 from Dunbarton Road to the Franklin County Line, known as State Project No. SP-0015-01(141) / 108369301 in Adams County.

PROJECT COMPLETION: 77 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4,920	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
710	Ton	403-A005	19-mm, MT, Asphalt Pavement
16,113	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,418	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,688	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,949	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20,082	Gallon	407-A001	Asphalt for Tack Coat
348	Square Feet	412-A001	Pre-Grinding
19	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
38,615	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
749	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
652	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,860	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
11,240	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
591	Square Feet	626-H004	Thermoplastic Legend, White
356	Linear Feet	626-H005	Thermoplastic Legend, White

292	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,071	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,023	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 17

Mill & Overlay approximately 4 miles of SR 430 from US 82 to the Carroll County Line, known as State Project No. SP-9507-00(002) / 109442301 in Leflore County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

480 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
500 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
76 Each	202-B215	Removal of Sign Including Post & Footing
3,455 Linear Feet	202-B240	Removal of Traffic Stripe
20 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,700 Ton	304-B004	Granular Material, Class 5, Group D
350 Ton	403-A006	19-mm, ST, Asphalt Pavement
7,550 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,069 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,000 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
45,128 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,290 Gallon	407-A001	Asphalt for Tack Coat
6 Mile	423-A001	Rumble Strips, Ground In
573 Linear Feet	503-C010	Saw Cut, Full Depth
325 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	606-D019	Guard Rail, Bridge End Section, Type H
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
19 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3001	Temporary Traffic Stripe, Skip White
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,100 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,785 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1 Lump Sum	620-A001 Mobilization
1 Mile	626-A001 6" Thermoplastic Double Drop Traffic Stripe, Skip White
10 Mile	626-B002 6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5 Mile	626-D001 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5 Mile	626-E001 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,276 Linear Feet	626-G004 Thermoplastic Double Drop Detail Stripe, White
3,810 Linear Feet	626-G005 Thermoplastic Double Drop Detail Stripe, Yellow
1,628 Square Feet	626-H001 Thermoplastic Double Drop Legend, White
1,785 Linear Feet	626-H002 Thermoplastic Double Drop Legend, White
494 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
158 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
1,350 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
196 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
176 Square Feet	630-A003 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
274 Square Feet	630-A005 Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
75 Linear Feet	630-C001 Square Tube Posts, 4.0 lb/ft
1,125 Linear Feet	630-C005 Square Tube Posts, 2.0 lb/ft
16 Each	630-F006 Delineators, Guard Rail, White
6 Each	630-G004 Type 3 Object Markers, OM-3R or OM-3L
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

40 Ton	304-F001 3/4" and Down Crushed Stone Base
--------	---

**ALTERNATE GROUP AA NUMBER 2**

40 Ton	304-F002 Size 610 Crushed Stone Base
--------	--------------------------------------

**ALTERNATE GROUP AA NUMBER 3**

40 Ton	304-F003 Size 825B Crushed Stone Base
--------	---------------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR