

Proposal & Plan Sales Will Begin on March 4, 2024



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 26, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 26, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 4, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 26, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	IM-0055-01(123)/108812301 & CRP-0055-01(123)/108812302 & STBG-0055-01(123)/108812302	PIKE
02	HSIP-0008-03(062)/109122301	RANKIN
03	STBG-2901-00(025)/103332301	YALOBUSHA
* 04	STBG-9602-00(003)/108708301	PEARL RIVER
* 05	SP-0016-02(047)/109443301	CALHOUN
06	BWO-7160-46(001)/503498301 & LWO-7061-46(004)/503498302	MARION

CALL No. 01

Pavement Restoration of approximately 5 miles of I-55 from SR 24 to US 98 & Roundabout Construction at US 98, known as Federal Aid Project Nos. IM-0055-01(123) / 108812301, CRP-0055-01(123) / 108812302, & STBG-0055-01(123) / 1088123021 in Pike County.

PROJECT COMPLETION: AUGUST 27, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

12 Acre	201-B001	Clearing and Grubbing
49,244 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
7,290 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
30,715 Linear Feet	202-B039	Removal of Cable Barrier
31 Each	202-B040	Removal of Cable Barrier Terminal Section
791 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
598 Linear Feet	202-B060	Removal of Concrete Median Barrier
953 Square Yard	202-B063	Removal of Concrete Paved Ditch
25,976 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
5,267 Linear Feet	202-B092	Removal of Curb, All Types
8,120 Linear Feet	202-B136	Removal of Guard Rail
19 Each	202-B165	Removal of Inlets, All Sizes
2 Each	202-B185	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
416 Linear Feet	202-B191	Removal of Pipe, 8" And Above
206 Each	202-B215	Removal of Sign Including Post & Footing
20,101 Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
61,000 Linear Feet	202-B240	Removal of Traffic Stripe
61 Each	202-B244	Removal of Trees
63,055 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
104,757 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
51,366 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,376 Cubic Yard	206-A001	Structure Excavation
55 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
109,952 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven

5,500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
58	Ton	213-C001	Superphosphate
21,850	Square Yard	216-A001	Solid Sodding
8,191	Square Yard	217-A001	Ditch Liner
438	Thousand Gallon	219-A001	Watering
115	Acre	220-A001	Insect Pest Control
2,967	Cubic Yard	221-A001	Concrete Paved Ditch
690	Acre	223-A001	Mowing
115	Acre	225-A001	Grassing
229	Ton	225-B001	Agricultural Limestone
229	Ton	225-C001	Mulch, Vegetative Mulch
115	Acre	226-A001	Temporary Grassing
13,472	Linear Feet	237-A002	Wattles, 20"
7,026	Linear Feet	239-A001	Temporary Slope Drains
4,608	Linear Feet	245-A001	Silt Dike
4,580	Linear Feet	246-A001	Sandbags
3,500	Each	246-B001	Rockbags
1,675	Ton	249-A001	Riprap for Erosion Control
1,063	Cubic Yard	249-B001	Remove and Reset Riprap
57,029	Ton	304-B007	Granular Material, Class 6, Group D
2,249	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
8,307	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
43,684	Ton	403-A004	19-mm, HT, Asphalt Pavement
1,109	Ton	403-A005	19-mm, MT, Asphalt Pavement
49,535	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,501	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
6,952	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
20	Mile	403-S001	Joint Sealant
88,558	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
101,415	Gallon	407-A001	Asphalt for Tack Coat

20 Mile	423-A001	Rumble Strips, Ground In
4,200 Linear Feet	503-C010	Saw Cut, Full Depth
139 Cubic Yard	601-A001	Class "B" Structural Concrete
139 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
30,762 Pounds	602-A001	Reinforcing Steel
1,339 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1,072 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
160 Linear Feet	603-CA028	24" Reinforced Concrete Pipe, Class IV
56 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
96 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA057	36" Reinforced Concrete Pipe, Class IV
40 Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
48 Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
47 Each	603-CB003	18" Reinforced Concrete End Section
5 Each	603-CB004	24" Reinforced Concrete End Section
3 Each	603-CB005	30" Reinforced Concrete End Section
4 Each	603-CB006	36" Reinforced Concrete End Section
3 Each	603-CB007	42" Reinforced Concrete End Section
3 Each	603-CB010	60" Reinforced Concrete End Section
2 Each	603-SB020	18" Branch Connections, Stub into Existing Median Inlet
2,261 Pounds	604-A001	Castings
6,545 Pounds	604-B001	Gratings
380 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
86,440 Linear Feet	605-H001	Edge Drain
12,808 Linear Feet	605-I001	Edge Drain Outlets/Vents
500 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
100 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
32 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
39 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
6,126 Linear Feet	606-B001	Guard Rail, Class A, Type 1

9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
14	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-D015	Guard Rail, Bridge End Section, Type F
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
26	Each	606-D022	Guard Rail, Bridge End Section, Type I
45	Each	606-E005	Guard Rail, Terminal End Section, Flared
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
3,996	Linear Feet	609-B002	Concrete Curb, Header
2,298	Linear Feet	609-B003	Concrete Curb, Special Design Rolled Curb
200	Linear Feet	609-B003	Concrete Curb, Special Design Slotted Curb
613	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
3,344	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
30,323	Linear Feet	610-A001	Cable Barrier
61	Each	610-B001	Cable Barrier Terminal Section
259	Cubic Yard	612-A001	Flowable Fill, Excavatable
640	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
1,136	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
3,403	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13,618	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16,709	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
428	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
43,885	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,528	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
5,601	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,489	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
6,210	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

1,486	Square Feet	619-D4001	Directional Signs - Wide Load Detour
3	Each	619-E1001	Flashing Arrow Panel, Type C
49,156	Linear Feet	619-F1001	Concrete Median Barrier, Precast
25,908	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
372	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1,458	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1,451	Each	619-G5001	Free Standing Plastic Drums
368	Each	619-G7001	Warning Lights, Type "B"
21	Each	619-J1003	Impact Attenuator, 50 MPH
21	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
14	Each	619-J3001	Remove and Reset Impact Attenuator
3,190	Linear Feet	619-L001	Glare Paddles
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
357	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
6,273	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
280	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
516	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,319	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,454	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,143	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,786	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,870	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,913	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
223	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
405	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

939	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
240	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
4,463	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
946	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
748	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
106	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
134	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
886	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
50	Linear Feet	630-D004	Structural Steel Beams, W10 x 26
55	Linear Feet	630-D005	Structural Steel Beams, W12 x 26
642	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
633	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
138	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
526	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
648	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
874	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
223	Each	630-F006	Delineators, Guard Rail, White
75	Each	630-F007	Delineators, Guard Rail, Yellow
240	Each	630-F010	Delineators, Post Mounted, Double White
51	Each	630-F011	Delineators, Post Mounted, Double Yellow
102	Each	630-F012	Delineators, Post Mounted, Single White
51	Each	630-F013	Delineators, Post Mounted, Single Yellow
92	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4	Each	630-G008	Type 2 Object Markers, OM2-2
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
435	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
21	Each	682-E002	Underground Junction Box

2	Each	682-F002	Secondary Power Controllers
7	Each	683-A134	Lighting Assembly, High Mast, LED, Type 130-6-S
2	Each	683-A135	Lighting Assembly, High Mast, LED, Type 100-3-A
35	Each	683-B203	Lighting Assembly, Low Mast, LED, Type 40-2-3-295-C
29	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
190	Linear Feet	684-B003	Slip Casing, 24" Diameter
2	Each	685-D001	Service Pole
1	Lump Sum	699-A001	Roadway Construction Stakes
1,605	Ton	815-A007	Loose Riprap, Size 300
3,334	Square Yard	815-E001	Geotextile under Riprap
300	Ton	815-F002	Sediment Control Stone
44,000	Linear Feet	907-234-A001	Temporary Silt Fence
51	Each	907-234-D001	Inlet Siltation Guard
10,230	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
17,547	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
22,655	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
139,000	Square Yard	907-507-A001	Rubblizing Existing Concrete Pavement
14,431	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
15	Each	907-619-E3001	Changeable Message Sign
9	Each	907-619-M1002	Smart Work Zone, Portable Queue Trailer
5	Each	907-619-M1003	Smart Work Zone, Portable Camera Trailer
5	Each	907-619-M1004	Smart Work Zone, Portable Message Board Trailer
20	Each	907-619-M2001	Smart Work Zone, Portable Queue Trailer, Operational Month
20	Each	907-619-M2002	Smart Work Zone, Portable Camera Trailer, Operational Month
20	Each	907-619-M2003	Smart Work Zone, Portable Message Board Trailer, Operational Month
20	Each	907-619-M2004	Smart Work Zone, Portable Bluetooth Detection System, Additional Device, Operational Month
20	Each	907-619-M3002	Smart Work Zone, System Monitoring, Operational Month
1	Lump Sum	907-630-L001	Pedestal Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1	Lump Sum	907-630-L003	Pedestal Sign Support, Assembly No 3, Contractor Designed

1	Lump Sum	907-630-L004	Pedestal Sign Support, Assembly No 4, Contractor Designed
1	Lump Sum	907-630-L005	Pedestal Sign Support, Assembly No 5, Contractor Designed
8	Each	907-632-J001	Power Service Pedestal
7	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-634-J001	ITS Extension Pole, 6'
7	Each	907-634-K001	Camera Lowering Device
2,930	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
300	Linear Feet	907-636-B038	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
4,955	Linear Feet	907-636-B040	Electric Cable, Underground in Conduit, THHN, AWG #12, 3 Conductor
3,100	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
1,740	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
1,490	Linear Feet	907-636-B056	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
650	Linear Feet	907-636-H001	Underground Cable and Conduit, Removed and Re-laid
29	Each	907-637-A002	Pullbox Enclosure, Type 2
30	Each	907-637-A004	Pullbox Enclosure, Type 4
30	Each	907-637-A005	Pullbox Enclosure, Type 5
58,041	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
3,180	Linear Feet	907-637-H003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
310	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
20	Each	907-650-A002	On Street Video Equipment, Fixed Type
11	Each	907-650-A003	On Street Video Equipment, PTZ Type
6	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
5	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
7	Each	907-660-A002	Equipment Cabinet, Type B
7	Each	907-660-A003	Equipment Cabinet, Type C
6	Each	907-660-B001	Cabinet Modifications
54,853	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
310	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
3,595	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM

13	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A005	Network Switch, Type E
1,285	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
8	Each	907-666-A001	Bluetooth Detection System, Type A
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

44,592	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

44,592	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

44,592	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

Bridge Items

28	Cubic Yard	815-D001	Concrete Slope Paving
490	Linear Feet	907-808-A002	Joint Repair
245	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1	Lump Sum	907-824-PP001	Bridge Raising
173	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
173	Square Feet	907-824-PP003	Bridge Repair, Full Depth Slab Repair, Bottom
1	Lump Sum	907-824-PP004	Bridge Repair, Concrete support Knee Modifications
20	Each	907-824-PP006	Bridge Repair, Clean Caps

CALL No. 02

Intersection Improvements on US 49 at RT Braddy Road & US 49 at Muse Road, known as Federal Aid Project No. HSIP-0008-03(062) / 109122301 in Rankin County.

PROJECT COMPLETION: 140 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

18 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
2,087 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
59 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
340 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
196 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
9 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
696 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
3 Each	202-B129	Removal of Flared End Section, All Sizes
170 Square Yard	202-B188	Removal of Pavement, All Types and Depths
180 Linear Feet	202-B191	Removal of Pipe, 8" And Above
12 Each	202-B215	Removal of Sign Including Post & Footing
1,234 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
1,503 Cubic Yard	203-G002	Excess Excavation, LVM, AH
20 Cubic Yard	206-A001	Structure Excavation
4,291 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
363 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
26 Square Yard	216-A001	Solid Sodding
6 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	227-A001	Hydroseeding
1,240 Linear Feet	237-A002	Wattles, 20"
50 Ton	249-A001	Riprap for Erosion Control
3,468 Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
1,045 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
420 Ton	403-A004	19-mm, HT, Asphalt Pavement
317 Ton	403-A006	19-mm, ST, Asphalt Pavement

130	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
5,020	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
42,635	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,732	Gallon	407-A001	Asphalt for Tack Coat
4	Mile	423-A001	Rumble Strips, Ground In
196	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
97	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
96	Linear Feet	503-C004	Saw Cut, 3-inch
4,166	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	503-D001	Concrete for Base Repair
52	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
7	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
55	Pounds	602-A001	Reinforcing Steel
262	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
3	Each	603-CB003	18" Reinforced Concrete End Section
522	Linear Feet	609-B003	Concrete Curb, Special Design
893	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
1,174	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
59	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
2	Each	613-D003	Adjustment of Inlet
550	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
91	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
14,440	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
10,307	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
29,814	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
3,826	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
464	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
110	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
201	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,136	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,800	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
130	Each	619-G5001	Free Standing Plastic Drums
36	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
9,938	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13,562	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9,689	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,042	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,518	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
705	Square Feet	626-H004	Thermoplastic Legend, White
392	Linear Feet	626-H005	Thermoplastic Legend, White
806	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
197	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
64	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
137	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
154	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
230	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
80	Linear Feet	630-C1001	Square Post Inner Sleeve
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
2,050	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
10	Ton	907-403-P002	Asphalt for Pothole Patching

1,820	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12,560	Pounds	907-420-A001	Undersealing

ALTERNATE GROUP AA NUMBER 1

1,892	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,892	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,892	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Bridge Replacements on US 51 (Bridge Nos. 224.7, 227.0, 227.6 & 228.6), known as Federal Aid Project No. STBG-2901-00(025) / 103332301 in Yalobusha County.

PROJECT COMPLETION: 393 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

3,946	Square Yard	501-K001	Transverse Grooving
1,650	Linear Feet	803-D007	HP 14 x 89 Steel Piling
4,885	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
810	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,360	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
510	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
546	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
537	Linear Feet	804-C198	90' Prestressed Concrete Beam, Type FIB-36
897	Linear Feet	804-C207	150' Prestressed Concrete Beam, Type FIB-63
721	Linear Feet	804-C215	145' Prestressed Concrete Beam, Type FIB-63
793	Linear Feet	804-C220	81' Prestressed Concrete Beam, Type FIB-36
447	Linear Feet	804-C248	76' Prestressed Concrete Beam, Type FIB-36
387	Linear Feet	804-C249	66' Prestressed Concrete Beam, Type FIB-36
748	Linear Feet	804-C250	152' Prestressed Concrete Beam, Type FIB-63
422	Linear Feet	804-C251	86' Prestressed Concrete Beam, Type FIB-36
347	Linear Feet	804-C252	71' Prestressed Concrete Beam, Type FIB-36
390,137	Pounds	805-A001	Reinforcement
9,518	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,218	Linear Feet	813-A004	Concrete Railing, 36"
5,640	Ton	815-A007	Loose Riprap, Size 300
111	Cubic Yard	815-D001	Concrete Slope Paving
4,512	Square Yard	815-E001	Geotextile under Riprap
290	Linear Feet	907-607-PP001	Safety Fence
4	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile

6	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
8	Each	907-803-J001	Pile Restrike
1,219	Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
620	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
73	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
252	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
5	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
16,102	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Each	202-B023	Removal of Bridge
20,782	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,585	Linear Feet	202-B136	Removal of Guard Rail
427	Linear Feet	202-B191	Removal of Pipe, 8" And Above
160	Linear Feet	202-B240	Removal of Traffic Stripe
75,080	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
24,846	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
25,369	Cubic Yard	203-G001	Excess Excavation, FM, AH
185	Cubic Yard	206-A001	Structure Excavation
18,249	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
26	Ton	213-C001	Superphosphate
338	Square Yard	216-A001	Solid Sodding
36,905	Square Yard	217-A001	Ditch Liner
7	Thousand Gallon	219-A001	Watering
33	Acre	220-A001	Insect Pest Control
61	Cubic Yard	221-A001	Concrete Paved Ditch
66	Acre	223-A001	Mowing
51	Acre	225-A001	Grassing
26	Ton	225-B001	Agricultural Limestone

102	Ton	225-C001	Mulch, Vegetative Mulch
51	Acre	226-A001	Temporary Grassing
130	Each	235-A001	Temporary Erosion Checks
10	Each	236-A008	Silt Basin, Type D
2,520	Linear Feet	237-A002	Wattles, 20"
815	Linear Feet	239-A001	Temporary Slope Drains
520	Linear Feet	245-A001	Silt Dike
445	Each	246-B001	Rockbags
468	Ton	249-A001	Riprap for Erosion Control
173	Cubic Yard	249-B001	Remove and Reset Riprap
41,100	Ton	304-B004	Granular Material, Class 5, Group D
2,593	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
5,151	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,214	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10,180	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,399	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
1,080	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,292	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
360	Linear Feet	603-ALT003	18" Type A Alternate Pipe
40	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
40	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
40	Linear Feet	603-ALT009	30" Type A Alternate Pipe
704	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
20	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
311	Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
472	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5

88	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
21	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,044	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D022	Guard Rail, Bridge End Section, Type I
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
280	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
44	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
1,238	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
335	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
338	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
893	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-D3001	Remove and Reset Signs, All Sizes
48	Linear Feet	619-F1001	Concrete Median Barrier, Precast
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
136	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
12	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
137	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

212	Linear Feet	626-H005	Thermoplastic Legend, White
205	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
206	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
153	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
35	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
343	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
96	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
7,515	Ton	815-A007	Loose Riprap, Size 300
2,898	Square Yard	815-E001	Geotextile under Riprap
529	Ton	815-F002	Sediment Control Stone
2,520	Linear Feet	907-234-A001	Temporary Silt Fence
2,232	Linear Feet	907-253-A001	Coir Fiber Baffle
3,492	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
37,800	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
37,800	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
37,800	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
192	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
192	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 04

Overlay approximately 5 miles of US 11 from I-59 to Fourth Street in Picayune, known as Federal Aid Project No. STBG-9602-00(003) / 108708301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

175 Station	201-D001	Random Clearing
1,050 Ton	304-F003	Size 825B Crushed Stone Base
5,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
875 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,700 Gallon	407-A001	Asphalt for Tack Coat
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
440 Linear Feet	606-F001	Guard Rail, Remove and Replace Guard Rail & Posts
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,600 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
30 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
8 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,100 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
550 Square Feet	626-H004	Thermoplastic Legend, White
3,600 Linear Feet	626-H005	Thermoplastic Legend, White
425 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
605	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
2,000	Ton	907-411-A001	Ultra Thin Asphalt Pavement
6,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 05

Mill & Overlay approximately 10 miles of SR 8 from the Grenada County Line to west of SR 9, known as State Project No. SP-0016-02(047) / 109443301 in Calhoun County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
622 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
57 Each	202-B215	Removal of Sign Including Post & Footing
1,230 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,050 Ton	304-B004	Granular Material, Class 5, Group D
14,760 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
50 Ton	403-A006	19-mm, ST, Asphalt Pavement
2,145 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
134,200 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,000 Gallon	407-A001	Asphalt for Tack Coat
16 Mile	423-A001	Rumble Strips, Ground In
100 Linear Feet	503-C010	Saw Cut, Full Depth
350 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-E001	Guard Rail, Terminal End Section
2 Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
46 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
850 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization

16 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,350 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,150 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
850 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
300 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
47 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
315 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
152 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
960 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
30 Each	630-F006	Delineators, Guard Rail, White
76 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

50 Ton	304-F001	3/4" and Down Crushed Stone Base
--------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

50 Ton	304-F002	Size 610 Crushed Stone Base
--------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

50 Ton	304-F003	Size 825B Crushed Stone Base
--------	----------	------------------------------

CALL No. 06

Construction of the Marion County Maintenance Facility & Site Improvements, known as State Project Nos. BWO-7160-46(001) / 503498301 & LWO-7061-46(004) / 503498302 in Marion County.

PROJECT COMPLETION: NOVEMBER 10, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,100	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3	Each	202-B038	Removal of Building
59	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
118	Square Yard	202-B080	Removal of Concrete Sidewalk
40	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
60	Linear Feet	202-B126	Removal of Fence, All Types
782	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
100	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
162	Cubic Yard	203-G001	Excess Excavation, FM, AH
1	Acre	203-I001	Site Grading
2,778	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
102	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
900	Square Yard	216-A001	Solid Sodding
1	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
10	Each	235-A001	Temporary Erosion Checks
36	Linear Feet	237-A002	Wattles, 20"
12	Linear Feet	246-A001	Sandbags

23 Ton	249-A001	Riprap for Erosion Control
689 Ton	403-A006	19-mm, ST, Asphalt Pavement
230 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
136 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
361 Gallon	407-A001	Asphalt for Tack Coat
140 Square Yard	501-A004	10" Reinforced Cement Concrete Pavement, Broom Finish
110 Linear Feet	503-C010	Saw Cut, Full Depth
64 Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
180 Linear Feet	605-U003	8" Non-perforated Pipe for Underdrains, PVC
155 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
165 Linear Feet	609-B002	Concrete Curb, Header
1 Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
1 Square Feet	618-B001	Additional Construction Signs
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
9 Each	619-G5001	Free Standing Plastic Drums
1 Lump Sum	620-A001	Mobilization
1 Each	622-A004	Engineer's Field Office Building, Type 3
53 Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,200 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1 Lump Sum	699-A001	Roadway Construction Stakes
1,050 Linear Feet	907-234-A001	Temporary Silt Fence
1 Lump Sum	907-242-A001	Construction of Maintenance Facility Building
1 Lump Sum	907-260-PP003	Utility Work - Sewer,
350 Linear Feet	907-619-S001	Construction Safety Fence
4 Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
2 Each	907-630-PP003	Handicap Parking Sign, With Post
4 Each	907-693-PP001	Catch Basin, Per Plans

ALTERNATE GROUP AA NUMBER 1

2,055 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,055 Ton

304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

2,055 Ton

304-F003 Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR